

**BRUSH ON BLOCK BOUNCE BUTTER SPF 30 MOISTURIZING MOUSSE- zinc  
oxide lotion  
SPF Ventures LLC**

-----  
**Brush On Block Bounce Butter SPF 30 Moisturizing Mousse**

**Active Ingredients**

Zinc Oxide 15.4%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

**Do not use**

Do not use on damaged or broken skin

**When using this product**

When using this product keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

Stop use and ask a doctor if rash occurs.

**Keep out of reach of children**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure.
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor.
- Sunprotection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10am-2pm
- wear long-sleeved shirts, pants, hats and sunglasses.

### **Inactive Ingredients**

WATER (AQUA)

CAPRYLIC/CAPRIC TRIGLYCERIDE

ISOAMYL LAURATE

C13-15 ALKANE

CALCIUM SODIUM BOROSILICATE

ETHYLHEXYL PALMITATE

PROPANEDIOL

CETEARYL ALCOHOL

ARACHIDYL ALCOHOL

C12-15 ALKYL BENZOATE

PENTAERYTHRITYL TETRAETHYLHEXANOATE

ARACHIDYL GLUCOSIDE

BEHENIC ACID

BEHENYL ALCOHOL

CAPRYLHYDROXAMIC ACID

CELLULOSE GUM

CITRIC ACID

COCO-GLUCOSIDE

GLUCOSE

HIPPOPHAE RHAMNOIDES OIL

HYDROGENATED LECITHIN

INOSITOL

ISOSTEARIC ACID

LECITHIN

MICROCRYSTALLINE CELLULOSE

MYRISTIC ACID

OCTYLDODECANOL

POLYACRYLATE CROSSPOLYMER-6


POLYGLYCERIN-3


POLYGLYCERYL-3 LACTATE/LAURATE  
 POLYGLYCERYL-3 POLYRICINOLEATE  
 POLYHYDROXYSTEARIC ACID  
 SODIUM CITRATE  
 SODIUM DILAURAMIDOGLUTAMIDE LYSINE  
 SODIUM PHYTATE  
 STEARIC ACID  
 STEARYL ALCOHOL  
 T-BUTYL ALCOHOL  
 TOCOPHERYL ACETATE  
 XANTHAN GUM  
 IRON OXIDE (YELLOW) CI 77492

## Other Information

Protect the product in this container from excessive heat and direct sun.

## label

<p><b>DRUG FACTS</b></p> <table border="0"> <tr> <td><b>Active Ingredients</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Zinc Oxide 15.4%.....</td> <td>Sunscreen</td> </tr> </table> <p><b>Uses</b>    • Helps prevent sunburn • If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun.</p> <p><b>Warnings</b>  <b>For external use only.</b>    Do not use on damaged or broken skin.    When using this product keep out of eyes. Rinse with water to remove.    Stop use and ask a doctor if rash occurs.    Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>    • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Children under 6 months of age; Ask a doctor. • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:    • limit time in the sun, especially from 10am - 2pm • wear long-sleeved shirts, pants, hats and sunglasses.</p>	<b>Active Ingredients</b>	<b>Purpose</b>	Zinc Oxide 15.4%.....	Sunscreen	<p><b>DRUG FACTS (Continued)</b></p> <p><b>Inactive Ingredients</b>    Water (Aqua), Caprylic/Capric Triglyceride, Isoamyl Laurate, C13-15 Alkane, Calcium Aluminum Borosilicate, Ethylhexyl Palmitate, Propanediol, Cetearyl Alcohol, Arachidyl Alcohol, C12-15 Alkyl Benzoate, Pentaerythrityl Tetraethylhexanoate, Inositol, Behenyl Alcohol, Coco-Glucoside, Microcrystalline Cellulose, Polyacrylate Crosspolymer-6, Hydrogenated Lecithin, Arachidyl Glucoside, Hippophae Rhamnoides Oil, Isostearic Acid, Lecithin, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Tocopheryl Acetate, Sodium Citrate, Citric Acid, Sodium Phytate, Behenic Acid, Polyglycerin-3, Polyglyceryl-3 Lactate/Laurate, Caprylhydroxamic Acid, Octyldodecanol, Cellulose Gum, Xanthan Gum, Stearic Acid, Sodium Dilauramidoglutamide Lysine, Stearyl Alcohol, Myristic Acid, Glucose, Iron Oxides (CI 77492).</p> <p><b>Other Information</b>    Protect the product in this container from excessive heat and direct sun.</p> <p><b>Questions or Comments?</b>    Contact our specialists at (800) 916-7690.</p>
<b>Active Ingredients</b>	<b>Purpose</b>				
Zinc Oxide 15.4%.....	Sunscreen				
<p>MADE IN USA        DIST. BY BRUSH ON BLOCK        PORTLAND, OR 97223, USA</p>					
<p> <b>PETA APPROVED</b>        Vegan   Global Animal Test Policy</p>					



# BRUSH ON BLOCK BOUNCE BUTTER SPF 30 MOISTURIZING MOUSSE

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58274-014
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	15.4 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)	
<b>CALCIUM ALUMINUM BOROSILICATE</b> (UNII: 3JRB8A35M0)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND</b>	

**LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S)** (UNII: Q7UI015FF9)

**SODIUM CITRATE** (UNII: 1Q73Q2JULR)

**SODIUM DILAURAMIDOGlutAMIDE LYSINE** (UNII: MNJ7VPT2R5)

**STEARIC ACID** (UNII: 4ELV7Z65AP)

**MEDIUM-CHAIN TRIGLYCERIDES** (UNII: C9H2L21V7U)

**ALKYL (C12-15) BENZOATE** (UNII: A9EJ3J61HQ)

**CITRIC ACID MONOHYDRATE** (UNII: 2968PHW8QP)

**OCTYLDODECANOL** (UNII: 461N1O614Y)

**PROPANEDIOL** (UNII: 5965N8W85T)

**C13-15 ALKANE** (UNII: 114P5I43UJ)

**CETOSTEARYL ALCOHOL** (UNII: 2DMT128M1S)

**PENTAERYTHRITYL TETRAETHYLHEXANOATE** (UNII: XJ7052W897)

**ARACHIDYL GLUCOSIDE** (UNII: 6JVV35JOOJ)

**CAPRYLHYDROXAMIC ACID** (UNII: UPY805K99W)

**CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM** (UNII: K679OBS311)

**COCO GLUCOSIDE** (UNII: ICS790225B)

**HIPPOPHAE RHAMNOIDES FRUIT OIL** (UNII: TA4JCF9S1J)

**INOSITOL** (UNII: 4L6452S749)

**CELLULOSE, MICROCRYSTALLINE** (UNII: OP1R32D61U)

**TERT-BUTYL ALCOHOL** (UNII: MD83SFE959)

**.ALPHA.-TOCOPHEROL ACETATE** (UNII: 9E8X80D2L0)

**FERRIC OXIDE YELLOW** (UNII: EX438O2MRT)

**WATER** (UNII: 059QF0KO0R)

**ISOAMYL LAURATE** (UNII: M1SLX00M3M)

**ANHYDROUS DEXTROSE** (UNII: 5SL0G7R00K)

**POLYGLYCERIN-3** (UNII: 4A0NCJ6RD6)

**POLYGLYCERYL-3 LAURATE** (UNII: Y9ZSR39D0E)

**POLYGLYCERYL-3 PENTARICINOLEATE** (UNII: 7Q0OK5DOT4)

**ISOSTEARIC ACID** (UNII: X33R8U0062)

**MYRISTIC ACID** (UNII: 0I3V7S25AW)

**XANTHAN GUM** (UNII: TTV12P4NEE)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58274-014-01	100 mL in 1 JAR; Type 0: Not a Combination Product	03/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2024	

**Labeler** - SPF Ventures LLC (055483891)

## Establishment

Name	Address	ID/FEI	Business Operations
Innovation Labs, Inc		117109069	manufacture(58274-014)

Revised: 3/2024

SPF Ventures LLC