

**NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, SHINE 30- avobenzene, homosalate, octocrylene gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLOW 70- avobenzene, homosalate, octocrylene gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLEAM 40- avobenzene, homosalate, octocrylene gel**  
**NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLAZE 60- avobenzene, homosalate, octocrylene gel**  
Kenvue Brands LLC

-----  
**Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Shine 30**  
**Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Gleam 40**  
**Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Glaze 60**  
**Neutrogena MoistureShine Lip Soother with Sunscreen SPF 20, Glow 70**

### ***Drug Facts***

#### **Active ingredient**

Avobenzene (3%), Homosalate (10%), Octocrylene (10%)

#### **Purpose**

Sunscreen

#### **Use**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

**For external use only.**

#### **Do not use**

on damaged or broken skin

#### **When using this product**

keep out of eyes. Rinse with water to remove.

#### **Stop use and ask a doctor if**

rash occurs.

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

### **Directions For Sunscreen Use**

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### **Other Information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Spirulina Maxima Extract, Laminaria Saccharina, Extract, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Saccharin, Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Iron Oxides, Red 7 Lake, Blue 1 Lake

### **Questions?**

Call toll free **800-480-4812** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**JOHNSON & JOHNSON**

**CONSUMER INC.**

Skillman, NJ 08558

### ***Drug Facts***

### **Active ingredients**

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

## **Purpose**

Sunscreen

## **Use**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

## **Warnings**

**For external use only**

### **Do not use**

on damaged or broken skin

### **When using this product**

keep out of eyes. Rinse with water to remove.

### **Stop use and ask a doctor if**

rash occurs.

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Directions For Sunscreen Use**

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun

- may stain some fabrics

### **Inactive ingredients**

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Spirulina Maxima Extract, Laminaria Saccharina, Extract, Saccharin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Red 7 Lake, Blue 1 Lake

### **Questions?**

Call toll free 800-480-4812 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**Kenvue Brands LLC**  
Summit, NJ 07901

### ***Drug Facts***

### **Active ingredients**

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

### **Purpose**

Sunscreen

### **Use**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

For external use only.

### **Do not use**

on damaged or broken skin

### **When using this product**

keep out of eyes. Rinse with water to remove.

## **Stop use and ask a doctor if**

rash occurs.

## **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Directions For Sunscreen Use**

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Ricinus Communis (Castor) Seed Oil, Diisocetyl Dodecanedioate, , Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Laminaria Saccharina Extract, Spirulina Maxima Extract, , Saccharin , Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, , Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Red 7 Lake, Blue 1 Lake

## **Questions?**

Call toll free **800-480-4812** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**Kenvue Brands LLC**

Summit, NJ 07901

## **Drug Facts**

## **Active ingredients**

Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

## **Purpose**

Sunscreen

## **Use**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

## **Warnings**

**For external use only**

### **Do not use**

on damaged or broken skin

### **When using this product**

keep out of eyes. Rinse with water to remove.

### **Stop use and ask a doctor if**

rash occurs.

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Directions For Sunscreen Use**

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Polybutene, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Laminaria Saccharina Extract, Spirulina Maxima Extract, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Saccharin, Aloe Barbadensis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Tin Oxide, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Mica, Titanium Dioxide, Iron Oxides, Red 7 Lake, Blue 1 Lake

## **Questions?**

Call toll free **800-480-4812** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**Kenvue Brands LLC**  
Summit, NJ 07901

**PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Shine 30**

**LIP**

**SOOTHER**

**MOISTURE SHINE**

**cooling hydragel**

**promotes hydration**

**for smooth lips**


**sunscreen**

**SPF 20**

**SHINE 30**


**Neutrogena®**

NET WT. 0.35 OZ. (10G)



**PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Gleam 40**

**LIP  
SOOTHER  
MOISTURE SHINE  
cooling hydragel  
promotes hydration  
for smooth lips  
sunscreen  
SPF 20  
GLEAM 40  
Neutrogena®  
NET WT. 0.35 OZ. (10G)**




<b>Drug Facts</b>	
<b>Active Ingredients</b> Avobenzene (3%), Homosalate (10%), Octocrylene (10%)	
<b>Purpose</b> Sunscreen	
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> <b>For external use only • Do not use</b> • on damaged or broken skin • <b>When using this product</b> • keep out of eyes. Rinse with water to remove. • <b>Stop use and ask a doctor if</b> • rash occurs. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away	
<b>Directions For Sunscreen Use:</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor	
<b>Other information</b> • protect this product from excessive heat and direct sun • may stain some fabrics	

<b>Drug Facts (Continued)</b>	
<b>Inactive Ingredients</b> Polybutene, Bis-Diglyceryl Polyacryladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisooctyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-5 Stearate, Cinnamyl Tindorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Spirulina Maxima Extract, Laminaria Saccharina Extract, Saccharin, Pentaerythrityl Tetra-di-1-butyl Hydroxyhydrocinnamate, Aloe Barbadosis Leaf Extract, chamomilla recutita (matricaria) Flower extract, Cucumis Salivus (Cucumber) Fruit Extract, Ascorbyl Palmate, Tocopherol, Glycine Soja (Soybean) Oil, Red 7 Lake, Blue 1 Lake	
<b>Questions?</b> Call toll free 800-480-4812 or 215-273-8755 (collect) or visit <a href="http://www.neutrogena.com">www.neutrogena.com</a>	
Distributed by: <b>KENVUE BRANDS LLC</b> Summit, NJ 07901 © Kenvue Brands LLC 2025 Pat. <a href="http://www.kenvuepats.com">www.kenvuepats.com</a> .	

**PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Glaze 60**

**LIP  
SOOTHER  
MOISTURE SHINE  
cooling hydragel  
promotes hydration  
for smooth lips  
sunscreen  
SPF 20  
GLAZE 60  
Neutrogena®  
NET WT. 0.35 OZ. (10G)**



**Drug Facts**

**Active Ingredients**  
 Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

**Purpose** Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only** • Do not use • on damaged or broken skin • When using this product • keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if • rash occurs. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions For Sunscreen Use:**  
 • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other Information**  
 • protect this product from excessive heat and direct sun • may stain some fabrics

**Drug Facts (Continued)**

**Inactive Ingredients**  
 Polybutene, Bis-Diglyceryl Polyacrylate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Ricinus Communis (Castor) Seed Oil, Diisocetyl Dodecanedioate, Behenyl Alcohol, Polyglyceryl-3 Stearate, Carthamus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Laminaria Saccharina Extract, Spirulina Maxima Extract, Saccharin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinamate, Aloe Barbadenis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Red 7 Lake, Blue 1 Lake


**Questions?** Call toll free 800-480-4812 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:  
**KENVUE BRANDS LLC** Summit, NJ 07901  
 © Kenvue Brands LLC 2025  
 Pat. [www.kenvuebrands.com](http://www.kenvuebrands.com).

160000008980  
 30057998  
 GLAZE 60 PEEL HERE

**PRINCIPAL DISPLAY PANEL - 10 g Tube Label, Glow 70**

**LIP  
 SOOTHER  
 MOISTURE SHINE  
 cooling hydragel  
 promotes hydration  
 for smooth lips  
 sunscreen  
 SPF 20  
 GLOW 70  
 Neutrogena®  
 NET WT. 0.35 OZ. (10G)**



**Drug Facts**

**Active Ingredients**  
 Avobenzone (3%), Homosalate (10%), Octocrylene (10%)

**Purpose** Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
 For external use only • Do not use • on damaged or broken skin • When using this product • keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if • rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions For Sunscreen Use:**  
 • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

**Other information**  
 • protect this product from excessive heat and direct sun • may stain some fabrics

**Drug Facts (Continued)**

**Inactive Ingredients**  
 Polybutene, Bis-Diglyceryl Polyacryladipate-2, Glycerin, Octyldodecanol, Synthetic Beeswax, Diisocetyl Dodecanedioate, Ricinus Communis (Castor) Seed Oil, Behenyl Alcohol, Polyglyceryl-3 Stearate, Ceanothus Tinctorius (Safflower) Seed Oil, Silica Silylate, Fragrance, Menthol, Laminaria Saccharina Extract, Spirulina Maxima Extract, Penterythrityl Tetra-di-l-butyl Hydroxyhydrocinamate, Saccharin, Aloe Barbadosis Leaf Extract, chamomilla recutita (matricaria) flower extract, Cucumis Sativus (Cucumber) Fruit Extract, Tin Oxide, Ascorbyl Palmitate, Tocopherol, Glycine Soja (Soybean) Oil, Mica, Titanium Dioxide, Iron Oxides, Red 7 Lake, Blue 1 Lake

**Questions?** Call toll free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:  
 KENVUE BRANDS LLC Summit, NJ 07901  
 © Kenvue Brands LLC 2025  
 Pat. www.kenvuepats.com.

30058000  
 0 20069 00898 0  
 GLOW 70 PEEL HERE

# NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, SHINE 30

avobenzone, homosalate, octocrylene gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0849
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>CASTOR OIL</b> (UNII: D5340Y219G)	
<b>POLYGLYCERYL-3 STEARATE</b> (UNII: 8FDA8C98S3)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	

<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)
<b>MENTHOL</b> (UNII: L7T10EIP3A)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>CHAMOMILE</b> (UNII: FGL3685T2X)
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)
<b>CUCUMBER</b> (UNII: YY7C30VXJT)
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)
<b>SPIRULINA MAXIMA</b> (UNII: 9K7IG15M0Q)
<b>SACCHARIN</b> (UNII: FST467XS7D)
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0849-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

## NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLOW 70

avobenzone, homosalate, octocrylene gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0852
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>POLYGLYCERYL-3 STEARATE</b> (UNII: 8FDA8C98S3)	
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>FERROUS OXIDE</b> (UNII: G7036X8B5H)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>SPIRULINA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0852-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

## NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLEAM 40

avobenzone, homosalate, octocrylene gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0850
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>POLYGLYCERYL-3 STEARATE</b> (UNII: 8FDA8C98S3)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>SPIRULINA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69968-0850-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

# NEUTROGENA MOISTURESHINE LIP SOOTHER WITH SUNSCREEN SPF 20, GLAZE 60

avobenzene, homosalate, octocrylene gel

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0851
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIISOCETYL DODECANEDIOATE</b> (UNII: 1116DS0SNT)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	
<b>POLYGLYCERYL-3 STEARATE</b> (UNII: 8FDA8C98S3)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>SPIRULINA MAXIMA</b> (UNII: 9K7IG15M0Q)	
<b>SACCHARIN</b> (UNII: FST467XS7D)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0851-1	10 g in 1 TUBE; Type 0: Not a Combination Product	04/11/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/11/2024	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 2/2025

Kenvue Brands LLC