

**ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid
Walgreen Co.**

Walgreens 1061

Active Ingredient

Chlorhexidine gluconate 4% Solution

Purpose

Antiseptic

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Uses

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for about 15 seconds
- rinse and dry thoroughly

Skin wound and normal skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20-25° C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

Questions or comments?

call **1-800-925-4733**

Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

WARNING: This product contains a chemical (cocamide DEA) known to the State of California to cause cancer.

‡Walgreens Pharmacist Survey Study, November 2014

‡‡This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the

registered trademark Hibiclens®.

Distributed by: Walgreen Co.

200 Wilmot RD., Deerfield, IL 60015

100% Satisfaction Guaranteed

walgreens.com

©2015 Walgreen Co. **Made in USA**

Package label and principal display panel

Walgreens

Dye-Free

Antiseptic Skin Cleanser

Chlorhexidine Gluconate 4% Solution/Antiseptic/Antimicrobial Skin Cleanser

Compare to the active ingredient in Hibiclens®‡

8 FL OZ. (237 mL)

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING.

4WA08BTLLBLH

NDC 0363-1061-08

Walgreens
Compare to the active ingredient in Hibiclens®

Dye-Free

Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE
4% SOLUTION / ANTISEPTIC /
ANTIMICROBIAL SKIN CLEANSER

8 FL OZ (237 mL)

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING

Drug Facts	Drug Facts (continued)	Drug Facts (continued)
Active ingredient Purpose Chlorhexidine gluconate 4% solution Antiseptic	When using this product ■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. ■ if solution should contact these areas, rinse out promptly and thoroughly with water ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider	Healthcare personnel handwash: ■ wet hands with water ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds ■ rinse and dry thoroughly Skin wound and general skin cleaning: ■ thoroughly rinse the area to be cleaned with water ■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently ■ rinse again thoroughly
Uses ■ healthcare personnel handwash: helps reduce bacteria that potentially can cause disease ■ skin wound and general skin cleansing	Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.	Other information ■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol
Warnings For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away.	Do not use ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with meninges ■ in the genital area	Questions? 1-800-587-3721

Laundry/Cleaning Instructions: Chlorhexidine gluconate solution is not for use in chlorine releasing products, such as chlorine bleach.
‡This product is not manufactured or distributed by Hibiclens Healthcare, owner of the registered trademark Hibiclens®.
Net for sale in California, walgreens.com 4WA08BTLLBLH

ITEM 454559 W10071-0224-F
1191712239 7
DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015, W30RG1223-F REV-0124 NDC 0363-1061-08

Walgreens

Dye Free

Antiseptic Skin Cleanser

Chlorhexidine Gluconate 4% Solution/Antiseptic/Antimicrobial Skin Cleanser

Compare to the active ingredient in Hibiclens®‡

16 FL OZ. (473 mL)

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING.

4WA16BTLLBLE

NDC 0363-1061-16

<p>Drug Facts</p> <p>Active ingredient Purpose Chlorhexidine gluconate 4% solution Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> healthcare personnel handwash: helps reduce bacteria that potentially can cause disease skin wound and general skin cleansing <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing shock hives facial swelling rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product in contact with meninges in the genital area 	<p>Drug Facts (continued)</p> <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. if solution should contact these areas, rinse out promptly and thoroughly with water wounds which involve more than the superficial layers of the skin should not be routinely treated repeated general skin cleansing of large body areas should not be done except when advised by a health care provider <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. 	<p>Drug Facts (continued)</p> <p>Healthcare personnel handwash:</p> <ul style="list-style-type: none"> wet hands with water dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds rinse and dry thoroughly <p>Skin wound and general skin cleaning:</p> <ul style="list-style-type: none"> thoroughly rinse the area to be cleaned with water apply the minimum amount of product necessary to cover the skin or wound area and wash gently rinse again thoroughly <p>Other information</p> <ul style="list-style-type: none"> store at 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) <p>Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol</p> <p>Questions? 1-800-587-3721</p>	<p>Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach.</p> <p>"This product is not manufactured or distributed by Mönlycke-Healthcare, owner of the registered trademark Hibiclens®."</p> <p>Not for sale in California. walgreens.com</p> <p>ITEM 932004 W10071-0224-F</p> <p>11917 18272 8</p> <p>3</p>			
				<p>DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015, W30RG1233-F REV-0124 NDC 0363-1061-16</p>		
				<p>Compare to the active ingredient in Hibiclens®</p> <p>Dye-Free</p> <p>Antiseptic Skin Cleanser</p> <p>CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER</p> <p>16 FL OZ (473 mL)</p> <p>TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING</p>		
				<p>16 FL OZ (473 mL)</p>		

Walgreens

Dye-Free

Antiseptic Foaming Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION / ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER

Compare to Hibiclens® active ingredient

18 FL OZ (532 mL)

NDC 0363-1061-184WA18FM1061LBLB

<p>Drug Facts</p> <p>Active ingredient Purpose Chlorhexidine gluconate 4% solution Antiseptic</p> <p>Uses</p> <ul style="list-style-type: none"> healthcare personnel handwash: helps reduce bacteria that potentially can cause disease skin wound and general skin cleansing <p>Warnings For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing shock facial swelling hives rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p>	<p>Drug Facts (continued)</p> <p>Do not use</p> <ul style="list-style-type: none"> if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product in contact with the meninges in the genital area <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. if solution should contact these areas, rinse out promptly and thoroughly with water wounds which involve more than the superficial layers of the skin should not be routinely treated repeated general skin cleansing of large body areas should not be done except when advised by a health care provider 	<p>Drug Facts (continued)</p> <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. <p>Healthcare personnel handwash:</p> <ul style="list-style-type: none"> wet hands with water dispense 4 full pumps (about 5 mL) of product into cupped hands and wash in a vigorous manner for 15 seconds rinse and dry thoroughly 	<p>Drug Facts (continued)</p> <p>Skin wound and general skin cleansing:</p> <ul style="list-style-type: none"> thoroughly rinse the area to be cleaned with water apply the minimum amount of product necessary to cover the skin or wound area and wash gently rinse again thoroughly <p>Other information</p> <ul style="list-style-type: none"> store at 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) <p>Inactive ingredients cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol</p> <p>Questions? 1-800-587-3721</p>	<p>Laundering/Cleaning Instructions: Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach.</p> <p>Not for sale in California.</p> <p>"Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands."</p> <p>"This product is not manufactured or distributed by Mönlycke Healthcare, owner of the registered trademark Hibiclens®."</p> <p>DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015, W30RG1233-F REV-0124 NDC 0363-1061-18</p> <p>ITEM 260787 W10071-0224-F</p> <p>11917 22151 8</p> <p>3</p>			
					<p>DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015, W30RG1233-F REV-0124 NDC 0363-1061-16</p>		
					<p>Compare to the active ingredient in Hibiclens®</p> <p>Dye-Free</p> <p>Antiseptic Foaming Skin Cleanser</p> <p>CHLORHEXIDINE GLUCONATE 4% SOLUTION ANTISEPTIC / ANTIMICROBIAL SKIN CLEANSER</p> <p>18 FL OZ (532 mL)</p> <p>TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING</p>		
					<p>18 FL OZ (532 mL)</p>		

Carton

NDC 0363-1061-15

Walgreens, Co.

Chlorhexidine Gluconate 4% Solution

NEW

Well at Walgreens

WALGREENS PHARMACIST RECOMMENDED

PRE-SURGICAL

Antiseptic Skin Cleanser Kit

Chlorhexidine Gluconate 4% / Antiseptic Liquid

- Patient pre-operative skin preparation
- Wound & general skin cleanser

2 KITS
1 SPONGE & 1 (15 mL)
LIQUID POUCH EACH

NET WT 0.17 lbs (79.62 g)

Keeps for the entire ingredient in kit

BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND FOLLOW THE DIRECTIONS IN THE DRUG FACTS AND PACKAGE INSERT

Antiseptic Kit

PRE-SURGICAL

WALGREENS PHARMACIST RECOMMENDED

Well at Walgreens

Drug Facts

Active ingredient Chlorhexidine gluconate	Purpose Antiseptic
---	------------------------------

Uses

- patient preoperative skin preparation for the preparation of the patient's skin prior to surgery
- skin wound and general skin cleaning

Warnings
For external use only

- Do not use
 - if you are allergic to chlorhexidine gluconate or any other ingredients
 - in contact with dentures
 - in the genital area
 - as a preoperative skin preparation of the head or face

When using this product

- keep out of eyes, ears, and mouth. May cause surface and permanent eye injury if used or kept in the eye during surgery. Irritation or may cause shallow ulcers if used in the mouth or through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- repeat until 10-15 minutes after the reported time of the skin should not be routinely tested
- repeated use of skin cleaning of large body areas should not be done more often than the following conditions make it necessary to reduce the bacterial population of the skin

May use and still a desired irritation, erythematous or skin surface cracks. There may be signs of a surface condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Patient preparation with preparation

- apply product liberally to surgical site and scrub for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

Wash wound and general skin cleaning

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

Other information

- store at 20°C (68°F) to 25°C (77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
sodium PCA, fragrances, coco-alkylbetaine, hydroxyethylcellulose, isopropyl alcohol, benzalkonium chloride, methylparaben, sodium chloride.

Questions or comments?
© Walgreens 2014

Manufactured by Walgreens Company, 1000 Walnut Street, St. Louis, MO 63101. © Walgreens 2014. This product is not manufactured or distributed by Walgreens HealthCare, a division of the registered trademark Walgreens.

DISTRIBUTED BY WALGREENS CO., 1000 WALNUT ST., ST. LOUIS, MO 63101

100% SATISFACTION / 90 DAY GUARANTEE

 walgreens.com ©2014 Walgreens Co. MADE IN U.S.A.



Lidstock

NDC 0363-1061-15

Walgreens, Co.

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Kit

Distributed by:

Xttrium Laboratories, Inc.,

Mount Prospect, IL 60056

4WAL15LIDSTOCK

0.5 FL OZ (15 mL)

Packet

NDC 0363-1061-15

Walgreens, Co.

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleansing Convenience Kit

Distributed by:

Xttrium Laboratories, Inc.,

Mount Prospect, IL 60056

4WAL15PACKET

0.5 FL OZ (15 mL)

..... TEAR AT NOTCH



NDC 0283-1081-5

PRE-SURGICAL Antiseptic Skin Cleanser

Chlorhexidine
Gluconate 4% /
Antiseptic Liquid

- Patient pre-operative skin preparation
- Wound & general skin cleanser

BEFORE USING THIS PRODUCT, CAREFULLY READ ALL WARNINGS AND FOLLOW THE DIRECTIONS IN THE DRUG FACTS AND PACKAGE INSERT

0.5 FL OZ (15 mL)

Compare to the active ingredient in Hibidene[®]

4W15PACKET 0R0011ZF-01


3 1 1 9 1 7 1 8 9 5 0 5

ITEM 979071 W00000-0000-0
Walgreens ©2018 Walgreens
100% SANITIZED DISPENSING
15000 WASHINGTON AVENUE, SUITE 1000
DEARBORN MI 48124
1-800-825-4739

Questions or comments?

† Walgreens Pharmacist Recommended.
Walgreens Pharmacist Survey Study,
November 2017.
‡ This product is not manufactured or
distributed by McNeil-Henkel, Inc.,
owner of the registered trademark Hibidene[®].





ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1061
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)	
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZ N16)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	

WATER (UNII: 059QF0KO0R)

TRIDECYL ALCOHOL (UNII: 8I9428H868)

GLUCONOLACTONE (UNII: WQ29KQ9POT)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1061-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2011	
2	NDC:0363-1061-16	473 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/01/2011	
3	NDC:0363-1061-15	15 mL in 1 KIT; Type 1: Convenience Kit of Co-Package	01/01/2017	
4	NDC:0363-1061-18	532 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/11/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	05/01/2011	

Labeler - Walgreen Co. (008965063)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(0363-1061)

Revised: 11/2024

Walgreen Co.