TRITOLNACIDE C- tolnaftate cream Trifluent Pharma LLC

TRITOLNACIDE™ C

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- Cures most Athlete's Foot (Tinea Pedis), Jock Itch (Tinea Cruris), and Ringworm (Tinea Corporis)
- Relieves itching, cracking, burning, and scaling, which accompany these conditions
- Clinically proven to prevent most Athlete's Foot (Tinea Pedis) with daily use
- Clears up most Athlete's Foot (Tinea Pedis) infection and with daily use helps keep it from coming back

Warnings

For external use only

Do not use on children under 2 years of age unless directed by a physician Ask a physician or pharmacist before use if you are using any other medicines or cleansers on your skin

When using this product

- Avoid contact with eyes: rinse immediately with cool tap water if contact occurs
- Do not use for vaginal yeast

Stop use and ask a physician if irritation occurs or if there is no improvement within 4 weeks (for Athlete's Foot or Ringworm) or within 2 weeks (for Jock Itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Wash the affected area with soap and water and dry thoroughly
- Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a physician
- Supervise children in the use of this product

- For Athlete's Foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- For Athlete's Foot and Ringworm, use daily for 4 weeks. For Jock Itch, use daily for 2 weeks. If condition persists longer, consult a physician
- This product is not effective on the scalp or nails
- To prevent Athlete's Foot, wash the feet and dry thoroughly; apply a thin layer of the product to the feet once or twice daily (morning and/or night)
- Wash hands after each use

Other information

Store at room temperature 20-28°C (68 - 82°F); do not store in extreme heat

Inactive ingredients

Alkyl (C12-15) Benzoate, Butylparaben, Carica Papaya (Papaya) Fruit Extract, Carthamus Tinctorius (Safflower) Seed Oil, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Dimethicone, Emulsifying Wax, Ethylparaben, Glycerin, Glycerol Stearate, Hydrogenated Polydecene, Isobutylparaben, Melaleuca Alternifolia (Tea Tree) Oil, Methylparaben, PEG 100 Stearate, Phenoxyethanol, Polyethylene Glycol 400, Propylene Glycol, Propylparaben, Purfied Water, Sodium Polyacrylate, Trideceth-6, Xanthan Gum

Questions/Comments?

(210) 944-6920

PRINCIPAL DISPLAY PANEL - 37 mL Pouch Tube Label

Tear at notch to open. Do not use if seal is broken.

PRODUCT SHOULD BE ADMINISTERED UNDER THE SUPERVISION OF A LICENSED MEDICAL PRACTITIONER

TRIFLUENT PHARMA™

TriTolnacide™ C

TOLNAFTATE

ANTIFUNGAL CREAM NDC 73352-561-10

1.25 FL. OZ. (37 mL)

PRODUCT SHOULD BE ADMINISTERED UNDER THE SUPERVISION OF A LICENSED MEDICAL PRACTITIONER





TOLNAFTATE

ANTIFUNGAL CREAM NDC 73352-561-10

1.25 FL. OZ. (37 mL)

Drug Facts

Active ingredient.....Purpose
Tolnaftate 1%......Antifungal

Uses

- Cures most Athlete's Foot (Tinea Pedis), Jook Itch (Tinea Cruris), and Ringworm (Tinea Corporis)
- Relieves itching, cracking, burning, and scaling, which accompany these conditions
- Clinically proven to prevent most Athlete's Foot (Tinea Pedis) with daily use
- Clears up most Athlete's Foot (Tinea Pedis) infection and with daily use helps keep it from coming back

Warnings

For external use only

Do not use on children under 2 years of age

Drug Facts (continued)

Directions (continued)

- To prevent Athlete's Foot, wash the feet and dry thoroughly; apply a thin layer of the product to the feet once or twice daily (morning and/or night)
- . Wash hands after each use

Other information

Store at room temperature 20-28°C (68 - 82°F); do not store in extreme heat

Inactive ingredients

Alkyl (C12-15) Benzoate, Butylparaben, Carica Papaya (Papaya) Fruit Extract, Carthamus Tinctorius (Safflower) Seed Oil, Cetyl Alcohol, Chamomilla Recutita (Matricaria) Flower Extract, Dimethicone, Emulsifying Wax, Ethylparaben, Glycerol, Glycerol Stearate, Hydrogenated Polydecene,

unless directed by a physician

Ask a physician or pharmacist before use if you are using any other medicines or cleansers on your skin

When using this product

 Avoid contact with eyes: rinse immediately with cool tap water if contact occurs • Do not use for vaginal yeast

Stop use and ask a physician if irritation occurs or if there is no improvement within 4 weeks (for Athlete's Foot or Ringworm) or within 2 weeks (for Jock Itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• Wash the affected area with soap and water and dry thoroughly • Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a physician • Supervise children in the use of this product • For Athlete's Foot pay special attention to spaces between the toes, wear well-fitting, ventilated shoes, and change shoes and socks at least once daily • For Athlete's Foot and Ringworm, use daily for 4 weeks. For Jock Itch, use daily for 2 weeks. If condition persists longer, consult a physician • This product is not effective on the scalp or nails Methylparaben, PEG 100 Stearate, Phenoxyethanol, Polyethylene Glycol 400, Propylene Glycol, Propylene Glycol, Propylparaben, Purfied Water, Sodium Polyacrylate, Trideceth-6, Xanthan Gum

Questions/Comments? (210) 944-6920

MANUFACTURED IN THE U.S.A.

MANUFACTURED FOR:

Trifluent Pharma, LLC San Antonio, TX 78213

561-10 REV01 06/24



TRITOLNACIDE C

tolnaftate cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73352-561

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)

TOLNAFTATE

1 g in 100 mL

Inactive Ingredients

iligieulelit Name	Strength
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLPARABEN (UNII: 30PI1U3FV8)	

Stronath

Ingradient Name

DOTTEL ANADEN (ONII: 5Q1 1105) V

PAPAYA (UNII: KU94FIY6JB)

SAFFLOWER OIL (UNII: 65UEH262IS)
CETYL ALCOHOL (UNII: 936JST6JCN)

CHAMOMILE (UNII: FGL3685T2X)

DIMETHICONE (UNII: 92RU3N3Y10)

ETHYLPARABEN (UNII: 14255EXE39)

GLYCERIN (UNII: PDC6A3C0OX)

GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)

HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
WATER (UNII: 059QF0KO0R)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
XANTHAN GUM (UNII: TTV12P4NEE)	

F	Packaging							
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:73352- 561-10	1 in 1 POUCH	06/17/2024					
1		37 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product						

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH DRUG	M005	06/17/2024			

Labeler - Trifluent Pharma LLC (117167281)

Revised: 6/2024 Trifluent Pharma LLC