

DRAMAMINE FOR KIDS- dimenhydrinate tablet, chewable
Medtech Products Inc.

Dramamine for Kids

Drug Facts

Active ingredient

(in each tablet)

Dimenhydrinate 25 mg

Purpose

Antiemetic

Use

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

Warnings

Do not use for

children under 2 years of age unless directed by a doctor

Ask a doctor before use if the child has

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a doctor before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, the first dose should be taken ½ to 1 hour before starting activity
- to prevent or treat motion sickness, see below:

Children 2 to under 6 years	<ul style="list-style-type: none">• give ½ to 1 chewable tablet every 6-8 hours• do not give more than 3 chewable tablets in 24 hours, or as directed by a doctor
Children 6 to under 12 years	<ul style="list-style-type: none">• give 1 to 2 chewable tablets every 6-8 hours• do not give more than 6 chewable tablets in 24 hours, or as directed by a doctor

Other information

- Phenylketonurics: contains phenylalanine 0.84 mg per tablet
- store at room temperature 68° - 77°F (20° - 25°C)
- **do not use if blister is broken or torn**

Inactive ingredients

aspartame, citric acid, flavor, magnesium stearate, methacrylic acid copolymer, sorbitol

Questions?

1-800-382-7219 Dramamine.com

PRINCIPAL DISPLAY PANEL

**#1 Pharmacist Recommended Brand
Ages 2 - 12**

Safe, Precise Dose
Children's Chewable Formula
Dramamine MOTION SICKNESS RELIEF for Kids
8 Chewable Tablets
Dye Free Grape Flavor

Drug Facts		Drug Facts (continued)	
Active ingredient (in each tablet) Purpose Dimenhydrinate 25 mg..... Antiemetic		Directions <ul style="list-style-type: none"> to prevent motion sickness, the first dose should be taken 1/2 to 1 hour before starting activity to prevent or treat motion sickness, see below: 	
Use for prevention and treatment of these symptoms associated with motion sickness: <ul style="list-style-type: none"> nausea vomiting dizziness 		Children 2 to under 6 years	<ul style="list-style-type: none"> give 1/2 to 1 chewable tablet every 6-8 hours do not give more than 3 chewable tablets in 24 hours, or as directed by a doctor
Warnings Do not use for children under 2 years of age unless directed by a doctor Ask a doctor before use if the child has <ul style="list-style-type: none"> a breathing problem such as emphysema or chronic bronchitis glaucoma Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers		Children 6 to under 12 years	<ul style="list-style-type: none"> give 1 to 2 chewable tablets every 6-8 hours do not give more than 6 chewable tablets in 24 hours, or as directed by a doctor
When using this product <ul style="list-style-type: none"> marked drowsiness may occur avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness be careful when driving a motor vehicle or operating machinery 		Other information <ul style="list-style-type: none"> Phenylketonurics: contains phenylalanine 0.84 mg per tablet store at room temperature 68°-77°F (20°-25°C) do not use if blister is broken or torn 	
If pregnant or breast-feeding, ask a doctor before use.		Inactive ingredients aspartame, citric acid, flavor, magnesium stearate, methacrylic acid copolymer, sorbitol	
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		Questions? 1-800-382-7219 Dramamine.com	

©2012 Dist. By: Medtech Products Inc., Irvington, NY 10533
A Prestige Brands Company Made in USA DA015102

8 31248 00301 6

DRAMAMINE FOR KIDS

dimenhydrinate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-904
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIMENHYDRINATE	25 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

SORBITOL (UNII: 506T60A25R)

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor	GRAPE	Imprint Code	DRA
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-904-01	1 in 1 BLISTER PACK	02/15/2012	05/01/2028
1		8 in 1 CASE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	02/15/2012	05/01/2028

Labeler - Medtech Products Inc. (122715688)

Revised: 9/2025

Medtech Products Inc.