

ORALLINE KIDS- sodium fluoride gel, dentifrice
J.M. Murray Center Inc.

Active Ingredient

Sodium Fluoride 0.24% w/w (0.15% w/v Fluoride Ion)

Inactive Ingredients

Sorbitol, Hydrated Silica, DI Water, Glycerin, PEG 600, Sodium Lauryl Sulfate, Cellulose Gum, Titanium Dioxide, Sodium Saccharin, FD C Blue 1

Purpose

Anticavity Toothpaste

Use

Use - Helps protect against cavities

Directions

Adults and children 2 years of age and older. Brush teeth thoroughly, preferably after each meal or at least twice a day or as directed by a dentist or doctor.

Children under 6 years of age. Use a pea-sized amount and instruct in good brushing and rinsing habits to reduce swallowing. Supervise children as necessary until capable of using without supervision.

Warnings

If you accidentally swallow more than used for brushing get medical help or contact a poison control center immediately.

Keep Out of Reach of Children


Children under 2 years of age consult a doctor or a dentist

Keep out of the reach of children under 6 years of age.

Product Labels

OraLine Kids Fluoride Toothpaste ADA accepted. The ADA Council on Scientific Affairs Acceptance of OraLine Fluoride Mint Toothpaste is based on finding that the product is effective in helping to prevent and reduce tooth decay when used as directed

No animal based ingredients. Berry Flavor Net Wt



Drug Facts

Active Ingredient

Sodium Fluoride 0.24% w/w (0.15% w/v Fluoride Ion)

Purpose

Anticavity Toothpaste

Use Helps protect against cavities

Warnings

Keep out of the reach of children under 6 years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.

Directions • Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or doctor. Children under 6 years of age: use a pea-sized amount and instruct in good brushing and rinsing habits to reduce swallowing. Supervise children as necessary until capable of using without supervision. Children under 2 years of age: Consult a dentist or doctor.

Inactive Ingredients: Sorbitol, Hydrated Silica, Water, Glycerin, PEG 12, Sodium Lauryl Sulfate, Cellulose Gum, Flavor, Sodium Benzoate, Disodium Phosphate, Sodium Saccharin, Blue 1.



ZEONAN

Flavored Fluoride Tooth Gel

4 oz. (113.4g)

Helps protect against cavities.



823 NYS Rt. 13 Cortland, NY 13045

Active Ingredient: Sodium Fluoride 0.24% w/w (0.15% w/v Fluoride Ion)

Directions: Adults and children 2 years & older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist. Children under 6 use a pea-sized amount and instruct in good brushing and rinsing habits to reduce swallowing.

Supervise children as necessary until capable of using without supervision.

Children under 2 years, consult a dentist or doctor.

Keep out of reach of children 6 yrs & younger. If accidentally swallowed more than standard use for brushing, get medical help or contact Poison Control Center right away.

Inactive Ingredients: Sorbitol, Glycerin, Zeodent 113, Zeodent 165, DI Water, Sodium Lauryl Sulfate, Bubblegum Flavor, PEG 600, Sodium Benzoate, Sodium Saccharin, Cellulose Gum, FD&C Red Dye #40, D&C Red Dye#33

1.5x6

3x8

Distributed by J.M. Murray Center, Inc., 823 NYS RT. 13, Cortland, NY 13045



The ADA Council on Scientific Affairs' Acceptance of OraLine Kids Bubble Gum Flavored Fluoride Toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, when used as directed. — Council on Scientific Affairs, American Dental Association

Drug Facts		Drug Facts (continued) Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or doctor. Children under 6 years of age: Use a pea-sized amount and instruct in good brushing and rinsing habits to reduce swallowing. Supervise children as necessary until capable of using without supervision. Children under 2 years of age consult a dentist or doctor.
Active Ingredient Sodium Fluoride 0.24% w/w (0.15% w/v Fluoride Ion)	Purpose Anticavity Toothpaste	
Use Helps protect against cavities		Inert Ingredients: Sorbitol, Glycerin, Hydrated Silica, DI Water, PEG600, Titanium Dioxide, Flavor, Sodium Laurel Sulphate, Sodium Benzoate, Sodium Saccharin, Cellulose Gum, FD&C Red #40, FD&C Red #33
Warnings Keep out of the reach of children under 6 years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.		

The ADA Council on Scientific Affairs' Acceptance of OraLine Kids Bubble Gum Flavored Fluoride Toothpaste is based on its finding that the product is effective in helping to prevent and reduce tooth decay, when used as directed. — Council on Scientific Affairs, American Dental Association

Drug Facts		Drug Facts (continued) Adults and children 2 years of age and older: Brush teeth thoroughly, preferably after each meal or at least twice a day, or as directed by a dentist or doctor. Children under 6 years of age: Use a pea-sized amount and instruct in good brushing and rinsing habits to reduce swallowing. Supervise children as necessary until capable of using without supervision. Children under 2 years of age consult a dentist or doctor.
Active Ingredient Sodium Fluoride 0.24% w/w (0.15% w/v Fluoride Ion)	Purpose Anticavity Toothpaste	
Use Helps protect against cavities		Inert Ingredients: Sorbitol, Glycerin, Hydrated Silica, DI Water, PEG600, Titanium Dioxide, Flavor, Sodium Laurel Sulphate, Sodium Benzoate, Sodium Saccharin, Cellulose Gum, FD&C Red #40, FD&C Red #33
Warnings Keep out of the reach of children under 6 years of age. If you accidentally swallow more than used for brushing, get medical help or contact a Poison Control Center right away.		

res

ORALLINE KIDS

sodium fluoride gel, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55873-003
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	0.15 g in 100 g

Inert Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
HYDRATED SILICA (UNII: Y607T4G8P9)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

POLYETHYLENE GLYCOL 600 (UNII: NL4J9F21N9)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 94255I6E2T)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT (MINT FLAVOR)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55873-003-01	113.4 g in 1 TUBE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	03/01/2025	

ORALLINE KIDS

sodium fluoride gel, dentifrice

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55873-004
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.15 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
HYDRATED SILICA (UNII: Y607T4G8P9)	
WATER (UNII: 059QF0KO0R)	

GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 600 (UNII: NL4J9F21N9)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 94255I6E2T)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT (Mint Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55873-004-01	113.4 g in 1 TUBE; Type 0: Not a Combination Product	03/01/2025	
2	NDC:55873-004-02	85 g in 1 TUBE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	03/01/2025	

Labeler - J.M. Murray Center Inc. (071601108)

Registrant - J.M. Murray Center Inc. (071601108)

Establishment

Name	Address	ID/FEI	Business Operations
J.M. Murray Center Inc.		071601108	manufacture(55873-003, 55873-004)

Revised: 3/2025

J.M. Murray Center Inc.