

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SHELL- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - CREAM- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - BEIGE- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SAND- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - GOLDEN- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - HONEY- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - ALMOND- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - CARAMEL- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - ESPRESSO- titanium dioxide, zinc oxide lotion

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - TRUFFLE- titanium dioxide, zinc oxide lotion

Rodan & Fields

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Titanium Dioxide 3.44%

Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.–2 p.m.
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months: Ask a doctor.

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Crosspolymer, Polysilicone-11, PEG/ PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide- 16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methylhydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions

1-888-995-5656

Principal Display Panel – 50 mL Cream Box Label

RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Cream/1.5

DERDS01 8500-09-0013



Drug Facts

Active Ingredients

Titanium Dioxide 3.44%
Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Cream / 1.5

DERDS01 8500-09-0013



Principal Display Panel – 50 mL Cream Bottle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Cream/1.5

DERDS01 8500-09-0013



Principal Display Panel – 50 mL Shell Box Label

RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Shell/1

DERDS01 8500-09-0001

R+F

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if
rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Shell / 1

DERDS01 8500-09-0001



Principal Display Panel – 50 mL Shell Bottle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Shell/1

DERDS01 8500-09-0001



Principal Display Panel – 50 mL Beige Box Label

RODAN+FIELDS

**RADIANT DEFENSE
PERFECTING LIQUID**

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Beige/2

DERDS01 8500-09-0002

R+F

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Beige / 2

DERD501 8500-09-0002



Principal Display Panel – 50 mL Beige Bottle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Beige/2

DERDS01 8500-09-0002



RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

Beige / 2

DERDS01 8500-09-0002

ACTIVE INGREDIENTS:

Titanium Dioxide 3.44%,
Zinc Oxide 4% – Sunscreens

DIRECTIONS: Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0009) 0A

QUESTIONS

1-888-995-5656
rodanandfields.com

50 mL / 1.69 Fl. Oz.



Principal Display Panel – 50 mL Sand Box Label

RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Sand/3

DERDS01 8500-09-0003

R+F

Drug Facts

Active Ingredients

Titanium Dioxide 3.44%
Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Sand / 3

DERDS01 8500-09-0003



Principal Display Panel – 50 mL Sand Bottle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Sand/3

DERDS01 8500-09-0003



Sand / 3

DERDS01 8500-09-0003

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

ACTIVE INGREDIENTS:

Titanium Dioxide 3.44%,
Zinc Oxide 4% – Sunscreens

DIRECTIONS: Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0009) 0A

QUESTIONS

1-888-995-5656
rodanandfields.com

50 mL / 1.69 Fl. Oz.

Principal Display Panel – 50 mL Honey Box Label

RODAN+FIELDS

**RADIANT DEFENSE
PERFECTING LIQUID**

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Honey/4.5

DERDS01 8500-09-0014

R+F

Drug Facts

Active Ingredients

Titanium Dioxide 3.44%
Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Honey / 4.5

DERDS01 8500-09-0014



Principal Display Panel – 50 mL Honey Bottle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Honey/4.5

DERDS01 8500-09-0014



RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

Honey / 4.5

DERDS01 8500-09-0014

ACTIVE INGREDIENTS:

Titanium Dioxide 3.44%,
Zinc Oxide 4% – Sunscreens

DIRECTIONS: Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0009) 0A

QUESTIONS

1-888-995-5656
rodanandfields.com

50 mL / 1.69 Fl. Oz.



Principal Display Panel – 50 mL Golden Box Label

RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Golden/4

DERDS01 8500-09-0004



Drug Facts

Active Ingredients

Titanium Dioxide 3.44%
Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30


50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Golden / 4

DERD501 8500-09-0004



Principal Display Panel – 50 mL Golden Bottle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Golden/4

DERDS01 8500-09-000



Principal Display Panel – 50 mL Almond Box Label

RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Almond/5

DERDS01 8500-09-0004



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/-Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Almond / 5

DERDS01 8500-09-0005



Principal Display Panel – 50 mL Golden Bottle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Almond/5

DERDS01 8500-09-0005



Almond / 5

DERDS01 8500-09-0005

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

ACTIVE INGREDIENTS:

Titanium Dioxide 3.44%,
Zinc Oxide 4% – Sunscreens

DIRECTIONS: Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0009) 0A

QUESTIONS

1-888-995-5656
rodanandfields.com

50 mL / 1.69 Fl. Oz.

Principal Display Panel – 50 mL Caramel Box Label

RODAN+FIELDS

**RADIANT DEFENSE
PERFECTING LIQUID**

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Caramel/5.5

DERDS01 8500-09-0015



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	} Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if
rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Caramel / 5.5

DERDS01 8500-09-0015



Principal Display Panel – 50 mL Caramel Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Caramel/5.5

DERDS01 8500-09-0015



Principal Display Panel – 50 mL Espresso Box Label

RODAN+FIELDS

**RADIANT DEFENSE
PERFECTING LIQUID**

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Espresso/6

DERDS01 8500-09-0006

R+F

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 3.44% Zinc Oxide 4.0%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor. ▶

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/-Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Carnosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Disteardimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Espresso / 6

DERDS01 8500-09-0006



Principal Display Panel – 50 mL Espresso Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Espresso/6

DERDS01 8500-09-0006



RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

Espresso / 6

DERDS01 8500-09-0006

ACTIVE INGREDIENTS:

Titanium Dioxide 3.44%,
Zinc Oxide 4% – Sunscreens

DIRECTIONS: Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0009) 0A

QUESTIONS

1-888-995-5656
rodanandfields.com

50 mL / 1.69 Fl. Oz.

Principal Display Panel – 50 mL Truffle Box Label

RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

50mL/1.69 Fl. Oz.

Truffle/7

DERDS01 8500-09-0007

R|+|F

Drug Facts

Active Ingredients

Titanium Dioxide 3.44%
Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- On damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well and gently squeeze the lightweight formula onto fingertips.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.–2 p.m.
 - Wear long-sleeve shirts, pants, hats and sunglasses.
 - Children under 6 months: Ask a doctor.

Drug Facts (continued)

Other Information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Cyclopentasiloxane, Phenyl Trimethicone, Butylene Glycol, Coco-Caprylate/-Caprate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, HDI/Trimethylol Hexyllactone Cross-polymer, Polysilicone-11, PEG/PPG-18/18 Dimethicone, Honey Extract, Oligopeptide-10, Tetrapeptide-16, Boswellia Serrata Water, Hydrolyzed Rhodophyceae Extract, Oryza Sativa (Rice) Bran Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Ectoin, Camosine, Hydroxyacetophenone, Butyrospermum Parkii (Shea) Butter, Biosaccharide Gum-4, Alumina, Bis-Ethylhexyl Hydroxydimethoxy Benzylmalonate, Cyclohexasiloxane, Distearidimonium Hectorite, Isopropyl Titanium Triisostearate, Isostearic Acid, Lecithin, Methyl-dihydrojasmonate, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Polysorbate 20, Propanediol, Silica, Sodium Chloride, Stearic Acid, BHT, 1,2-Hexanediol, Caprylyl Glycol, Sodium Benzoate, Phenoxethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499).

Questions 1-888-995-5656

This multi-tasking skin perfecter with SPF 30 helps to visibly repair skin tone and texture and defend against environmental aggressors while natural-looking, tinted coverage flawlessly perfects and color corrects.

RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

50 mL / 1.69 Fl. Oz.

rodanandfields.com

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0011) 0A

Truffle / 7

DERDS01 8500-09-0007



Principal Display Panel – 50 mL Truffle Label


RODAN+FIELDS

RADIANT DEFENSE
PERFECTING LIQUID

BROAD SPECTRUM SPF 30

Truffle/7

DERDS01 8500-09-0007



RODAN+FIELDS

RADIANT DEFENSE

PERFECTING LIQUID
BROAD SPECTRUM SPF 30

Truffle / 7

DERDS01 8500-09-0007

ACTIVE INGREDIENTS:

Titanium Dioxide 3.44%,
Zinc Oxide 4% – Sunscreens

DIRECTIONS: Shake well and gently squeeze the lightweight formula onto fingertips. Smooth evenly over entire face. Apply more for additional coverage where needed.

WARNINGS: For external use only. Do not use on damaged or broken skin. Stop use and see your doctor if a rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Dist. Rodan & Fields, LLC
San Francisco, CA 94105
(6000-09-0009) 0A

QUESTIONS

1-888-995-5656
rodanandfields.com

50 mL / 1.69 Fl. Oz.



RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SHELL

titanium dioxide, zinc oxide lotion

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:14222-20 30

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNOSINE (UNII: 8HO6PVN24W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
CO CO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ECTOINE (UNII: 7GXZ3858RY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
HONEY (UNII: Y9H1V576FH)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)	
RICE BRAN (UNII: R60QEP13IC)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

LOWBUSH BLUEBERRY (UNII: G90PX41VP0)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2030-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	03/10/2020		

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - CREAM				
titanium dioxide, zinc oxide lotion				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2031	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL	
	Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL	
Inactive Ingredients				
	Ingredient Name	Strength		
	1,2-HEXANEDIOL (UNII: TR046Y3K1G)			
	ALUMINUM OXIDE (UNII: LM26O6933)			
	BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)			
	BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)			
	INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)			
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
	SHEA BUTTER (UNII: K49155WL9Y)			
	ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)			
	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)			
	CAPRYLYL GLYCOL (UNII: 00YIU5438U)			
	CARNOSINE (UNII: 8HO6PVN24W)			
	CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)			
	COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)			
	CYCLOMETHICONE 6 (UNII: XHK3U310BA)			
	CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)			

DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ECTOINE (UNII: 7GXZ3858RY)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
HONEY (UNII: Y9H1V576FH)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)
ISOSTEARIC ACID (UNII: X33R8U0062)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)
RICE BRAN (UNII: R60QEP13IC)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PROPANEDIOL (UNII: 5965N8W85T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2031-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - BEIGE

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2032
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNOSINE (UNII: 8HO6PVN24W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ECTOINE (UNII: 7GXZ3858RY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
HONEY (UNII: Y9H1V576FH)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB11)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)	
RICE BRAN (UNII: R60QEP13IC)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2032-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - SAND

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2033
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNOSINE (UNII: 8HO6PVN24W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THI5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ECTOINE (UNII: 7GXZ3858RY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
HONEY (UNII: Y9H1V576FH)	

HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)
ISOSTEARIC ACID (UNII: X33R8U0062)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)
RICE BRAN (UNII: R60QEP13IC)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PROPANEDIOL (UNII: 5965N8W85T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)
WATER (UNII: 059QF0KO0R)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2033-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - GOLDEN
titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2034
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNOSINE (UNII: 8HO6PVN24W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
CO CO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ECTOINE (UNII: 7GXZ3858RY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
HONEY (UNII: Y9H1V576FH)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
ISO STEARIC ACID (UNII: X33R8U0062)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)	
RICE BRAN (UNII: R60QEP13IC)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2034-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - HONEY

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2035
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNOSINE (UNII: 8HO6PVN24W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ECTOINE (UNII: 7GXZ3858RY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYL LACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
HONEY (UNII: Y9H1V576FH)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
ISOSTEARIC ACID (UNII: X33R8U0062)	

LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
METHYL DIHYDRO JASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)
RICE BRAN (UNII: R60QEP13IC)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PROPANEDIOL (UNII: 5965N8W85T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2035-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - ALMOND

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2036
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

1,2-HEXANEDIOL (UNII: TR046Y3K1G)
ALUMINUM OXIDE (UNII: LM26O6933)
BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SHEA BUTTER (UNII: K49155WL9Y)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CARNOSINE (UNII: 8HO6PVN24W)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)
DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ECTOINE (UNII: 7GXZ3858RY)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
HONEY (UNII: Y9H1V576FH)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)
ISOSTEARIC ACID (UNII: X33R8U0062)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)
RICE BRAN (UNII: R60QEP13IC)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PROPANEDIOL (UNII: 5965N8W85T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)
WATER (UNII: 059QF0K00R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2036-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - CARAMEL

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNOSINE (UNII: 8HO6PVN24W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ECTOINE (UNII: 7GXZ3858RY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
HONEY (UNII: Y9H1V576FH)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL TITANIUM TRIISO STEARATE (UNII: 949E3KBJ1I)	
ISO STEARIC ACID (UNII: X33R8U0062)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYL DIHYDRO JASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)	
RICE BRAN (UNII: R60QEP13IC)	

PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
PHENOXYETHANOL (UNII: HE492ZZ3T)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PROPANEDIOL (UNII: 5965N8W85T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)
WATER (UNII: 059QF0K00R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2037-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - ESPRESSO

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2038
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	

INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SHEA BUTTER (UNII: K49155WL9Y)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CARNOSINE (UNII: 8HO6PVN24W)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)
DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ECTOINE (UNII: 7GXZ3858RY)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
HONEY (UNII: Y9H1V576FH)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)
ISOPROPYL TITANIUM TRIISO STEARATE (UNII: 949E3KBJ1I)
ISO STEARIC ACID (UNII: X33R8U0062)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
METHYL DIHYDRO JASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)
RICE BRAN (UNII: R60QEP13IC)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
PROPANEDIOL (UNII: 5965N8W85T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SODIUM BENZOATE (UNII: OJ245FE5EU)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2038-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

RADIANT DEFENSE PERFECTING LIQUID BROAD SPECTRUM SPF 30 - TRUFFLE

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14222-2039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	3.44 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.0 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)	
BIS-ETHYLHEXYL HYDROXYDIMETHOXY BENZYL MALONATE (UNII: 7D4Q5YJ8NV)	
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARNOSINE (UNII: 8HO6PVN24W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ECTOINE (UNII: 7GXZ3858RY)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
HONEY (UNII: Y9H1V576FH)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
ISO STEARIC ACID (UNII: X33R8U0062)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
OLIGOPEPTIDE-10 (UNII: Q46328TRNK)	
RICE BRAN (UNII: R60QEP13IC)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14222-2039-1	1 in 1 CARTON	03/10/2020	
1		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2020	

Labeler - Rodan & Fields (051659584)