

**SODIUM BICARBONATE 5 GR- sodium bicarbonate tablet**  
**TWIN MED LLC**

-----

***Active ingredient (in each tablet)***

Sodium Bicarbonate 5 gr (325 mg)

***Purpose***

Antacid

***Uses***

Relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

***Warnings***

**Do not use** this product if you are on a sodium-restricted diet unless directed by a doctor.

**Do not take** more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24 hour period nor use maximum dosage for more than 2 weeks, except under the advice and supervision of a doctor.

**Stop use and ask a doctor if** symptoms last more than 2 weeks.

**Stomach Warning: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED. IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK.** Consult a doctor if severe stomach pain occurs after taking this product.

**Drug Interaction Precaution:** Ask a physician or pharmacist before use if you are presently taking a prescription drug. **Antacids may interact with certain prescription drugs.**

**If pregnant or breast-feeding,** ask a health professional before use.

**KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

***Directions***

**Adults:** Take 1 tablet, dissolved in a glass of water, as needed.

Maximum daily dose for adults up to 60 years of age is 24 tablets.

Maximum daily dose for adults 60 years of age or older is 12 tablets.

Dissolve completely in water before drinking.

**DO NOT EXCEED RECOMMENDED DOSE.**

Not recommended for children.

### Other information

- **each tablet contains:**sodium 89 mg
- store at room temperature 15°-30°C (59°-86°F) in well-closed containers as defined in the USP
- **DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED**

### Inactive ingredients

Pregelatinized Starch and Mineral Oil

### Questions?

call toll-free **1-844-912-4012**

Manufactured for:

**TwinMed LLC.**

11333 Greenstone Ave

Santa Fe Springs, CA 90670

**ProCureProducts.com**

### PRINCIPAL DISPLAY PANEL

**PRO-CURE**  
HEALTHCARE PRODUCTS

NDC 55681-072-02

**Sodium Bicarbonate**  
**5 gr (325 mg) ANTACID**

fast relief of heartburn, acid indigestion, and upset stomach

200 TABLETS

Actual Size

Do not use if printed seal under cap is missing or damaged

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient (in each tablet)</b> Sodium Bicarbonate 5 gr (325 mg).....Antacid	
<b>Uses</b> relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms	
<b>Warnings</b> Do not use this product if you are on a sodium-restricted diet unless directed by a doctor. Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24 hour period nor use maximum dosage for more than 2 weeks, except under the advice and supervision of a doctor. Stop use and ask a doctor if symptoms last more than 2 weeks.	
<b>Stomach Warning: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED. IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK.</b> Consult a doctor if severe stomach pain occurs after taking this product.	
<b>Drug Interaction Precaution:</b> Ask a physician or pharmacist before use if you are presently taking a prescription drug. <b>Antacids may interact with certain prescription drugs.</b>	
<b>If pregnant or breast-feeding,</b> ask a health professional before use.	
<b>KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN.</b> In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.	
<b>Directions</b> <b>Adults:</b> Take 1 tablet, dissolved in a glass of water, as needed. Maximum daily dose for adults up to 60 years of age is 24 tablets. Maximum daily dose for adults 60 years of age or older is 12 tablets. Dissolve completely in water before drinking. <b>DO NOT EXCEED RECOMMENDED DOSAGE.</b> Not recommended for children.	
<b>Other information</b> ■ each tablet contains: sodium 89 mg ■ store at room temperature 15°-30°C (59°-86°F) in well-closed containers as defined in the USP	
<b>Inactive Ingredients</b> Pregelatinized Starch and Mineral Oil	
<b>Questions?</b> call toll-free 1-844-912-4012	

Manufactured for:  
**TwinMed LLC.**  
11333 Greenstone Ave  
Santa Fe Springs, CA 90670  
ProCureProducts.com

ITEM # PC01C102 03/26

Made in India

8 16516 101377 5

## SODIUM BICARBONATE 5 GR

sodium bicarbonate tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55681-072
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	325 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	SB3
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55681-072-02	200 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2026	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M001	03/01/2026	

**Labeler** - TWIN MED LLC (009579330)

**Registrant** - TWIN MED LLC (009579330)