MEDI-FIRST COLD SPRAY- refrigerant, topical (vapocoolant) Unifirst First Aid Corporation

Medi-First Cold Spray

Active Ingredients

Isobutane N-Butane Propane

Purpose

Topical Coolant Topical Coolant Topical Coolant

Uses

IFirst aid to help

Iminor pain and swelling from sprains, bruising, and contusion minor sports injuries

Warnings

IFor external use only

Flammablekeep away from fire or flame
contents under pressure
do not puncture or incinerate container
do not expose to temperatures above 120° F

Do not use

in or near eyes or other mucus membranes in case of serious burns in deep puncture wounds for a prolonged period of time on a large portion of the body

Stop use and ask a doctor if

if redness, swelling or irritation occurs infection occurs condition persists or worsens symptoms persist for more than 7 days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

hold can 4-6 inches away from treatment area, using a sweeping motion spray area until skin just turns white do not spray after skin turns white

Other information

avoid inhaling use only as directed intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Questions or comments? 11-800-634-7680

Principal Display



MEDI-FIRST					
efrigerant, topical	(vapocoolant)			
Product Inform	ation				
Product T ype	OTC MEI	DICAL DEVICE	AL DEVICE Item Code (Source)	NHRIC:47682-230	
Other Ingrediei	ıts				
Other Ingredier			Ingredient Name		Quantity
U		ISOBUTANE (UNII: BX	0		Quantity
Ingredie		ISOBUTANE (UNII: BX BUTANE (UNII: 6LV4F	(R49 TP6 11)		Quantity

# Item Code	Package Description	Marketing St	art Date	Marketing End Date
NHRIC:47682-230-18	113 g in 1 BOTTLE, SPRAY			
Marketing Info	rmation			
Marketing Info Marketing Category	rmation Application Number or Monogra	aph Citation Mar	keting Start Da	te Marketing End Date

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 4/2013

Unifirst First Aid Corporation

I