

**BEST CHOICE EFFERVESCENT PAIN RELIEVER 36- aspirin tablet, effervescent
VALU MERCHANDISERS COMPANY**

Best Choice Effervescent Pain reliever 36

Active ingredient

(in each effervescent tablet)

Buffered aspirin 325 mg **(NSAID)***

*Nonsteroidal anti-inflammatory drug

Purpose

(in each effervescent tablet)

Buffered aspirin 325 mg **(NSAID)***. Pain reliever/fever reducer

*Nonsteroidal anti-inflammatory drug

Uses

- for the temporary relief of minor aches and pains due to:
- headache ■ muscle pain ■ backache
- toothache ■ menstrual pain ■ colds
- minor arthritis pain
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include: ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

Do not use

Do not use ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you are taking a diuretic ■ you have asthma ■ you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

Ask a doctor or pharmacist before use if you are taking a prescription drug for
■ diabetes ■ gout ■ arthritis

When using this product

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

Stop use and ask a doctor if ■ you experience any of the following signs of stomach bleeding

- feel faint ■ vomit blood ■ have bloody or black stools
- have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- pain lasts for more than 10 days or gets worse
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children.

In case of overdose

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ do not exceed recommended dosage

■ to avoid serious injury, completely dissolve tablets in 4 oz. of water before taking

adults and children 12 years and over: 2 tablets every 4 hours, or as directed by a doctor - do not exceed 8 tablets in 24 hours

60 years and over: 2 tablets every 4 hours, or as directed by a doctor - do not exceed 4 tablets in 24 hours

children under 12 years: consult a doctor

Take this product any time - morning, noon or night - when you need relief from headaches, backaches, body aches or muscle pain.

Place two (2) tablets in 4 ounces of water. Dissolve tablets completely.

You do not have to drink any of the residue that may be on the bottom of the glass. The medicines are in the water.

Other information

■ **each tablet contains:** sodium 524 mg

■ store at room temperature (59°-86°F). Avoid excessive heat.

Inactive ingredients

anhydrous citric acid, sodium bicarbonate

Questions or comments?

Questions or comments? 1-888-228-6937


36
EFFERVESCENT TABLETS
ORIGINAL FLAVOR
Best Choice
Pain Reliever
BUFFERED ASPIRIN (NSAID)/ PAIN RELIEVER/ FEVER REDUCER
 For relief of:
 • Headache
 • Backache
 • Body Aches
 • Muscle Pain

Drug Facts (continued)

chronic, or kidney disease ■ you are taking a diuretic ■ you have asthma ■ you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug for ■ diabetes ■ gout ■ arthritis

When using this product do not exceed recommended dosage

Stop use and ask a doctor if ■ you experience any of the following signs of stomach bleeding ■ feel faint ■ vomit blood ■ have bloody or black stools ■ have stomach pain that does not get better

■ an allergic reaction occurs. Seek medical help right away.

■ pain lasts for more than 10 days or gets worse

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

■ ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ do not exceed recommended dosage

■ to avoid serious injury, completely dissolve tablets in 4 oz. of water before taking

adults and children 12 years and over 2 tablets every 4 hours, or as directed by a doctor do not exceed 8 tablets in 24 hours

60 years and over 2 tablets every 4 hours, or as directed by a doctor do not exceed 4 tablets in 24 hours

children under 12 years consult a doctor

Other information

■ each tablet contains sodium 524 mg

■ store at room temperature (20°-25°C/68°-77°F). Avoid excessive heat.

Inactive ingredients

anhydrous citric acid, sodium bicarbonate

Questions or comments? 1-888-228-6937

DO NOT USE IF PRINTED PACKETS ARE TORN OR PUNCTURED

Take this product any time – morning, noon or night – when you need relief from headaches, backaches, body aches or muscle pain.

MORNINGS 

NOONTIME 

EVENINGS 

 Place two (2) tablets in 4 ounces of water. Dissolve tablets completely.

 You do not have to drink any of the residue that may be on the bottom of the glass. The medicines are in the water.


 Compare to the active ingredient in **Alka-Seltzer[®]**
Effervescent Pain Reliever
BUFFERED ASPIRIN (NSAID)/ PAIN RELIEVER/ FEVER REDUCER

ORIGINAL FLAVOR

36 EFFERVESCENT TABLETS
 For relief of:
 • Headache
 • Backache
 • Body Aches
 • Muscle Pain

Drug Facts

Active ingredient (in each effervescent tablet) Purpose

Buffered aspirin 325 mg (NSAID) Pain reliever/fever reducer

*Nonsteroidal anti-inflammatory drug

Uses

■ for the temporary relief of minor aches and pains due to:
 ■ headache ■ muscle pain ■ backache
 ■ toothache ■ menstrual pain ■ colds
 ■ minor arthritis pain
 ■ temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. **Allergy alert:** Aspirin may cause a severe allergic reaction which may include:
 ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

Do not use ■ if you are allergic to aspirin or any other pain reliever/fever reducer ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if
 ■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as indigestion ■ you have high blood pressure, heart disease, liver

PN: 42168 BC C12
R: 11/23

PROUDLY DISTRIBUTED BY:
ASSOCIATED WHOLESALE GROCERS, INC.
KANSAS CITY, MISSOURI 64108
MANUFACTURED IN THE U.S.A WITH DOMESTIC AND IMPORTED INGREDIENTS

Scan barcode for more product information. Call 1-844-292-7172 for more product information.

Best Choice, 100% Guaranteed

www.bestchoicebrand.com

BEST CHOICE 20166 0124 TL



0 70038 20186 1

This product is not manufactured, distributed or licensed by the maker of Alka Seltzer[®]

42168 BC C12





BEST CHOICE EFFERVESCENT PAIN RELIEVER 36

aspirin tablet, effervescent

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-241
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	25mm
Flavor		Imprint Code	L421
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-241-36	18 in 1 CARTON	02/13/2024	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:63941-241-12	6 in 1 CARTON	03/26/2024	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/13/2024	

Labeler - VALU MERCHANDISERS COMPANY (868703513)

Revised: 7/2024

VALU MERCHANDISERS COMPANY