ANTIGRIP DAYTIME- acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl powder, for solution Pharmadel LLC

Antigrip Daytime Tea C-H (AS)

Drugs Facts

Active ingredients & Purposes

Active ingredients (in each packet)	Purposes
Acetaminophen 325 mg	Pain reliever/ fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Guaifenesin 200 mg	Expectorant
Phenylephrine HCL 5 mg	Nasal decongestant

Uses

Temporary relieves common cold/flu symptoms:

- minor aches and pains
- sore throat
- headache
- stuffy nose
- nasal congestion
- cough due to minor throat and bronchial irritation
- and temporarily reduces fever
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Liver Warning: This product contains **acetaminophen**. Severe liver damage may occur if you take

- more than 6 packets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

 if you are now taking prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- a cough that is accompanied by excessive phlegm (mucus)
- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- difficulty urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dosage

Stop use and ask doctor if

- nervousness, dizziness, or sleeplessness occurs
- redness or swelling is present
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- any new symptoms occur
- a persistent cough or symptoms do not improve within 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- dissolve one packet in an 8oz. glass of hot water. If using a microwave; add content into a glass of cool water and stir briskly before and after heating. Do not overheat.
- sip while hot and consume the entire drink within 10-15 minutes

Age	Dose
adults and children 12 years of age and over	one (1) packet every 4 hours, take every 4 hours; do not exceed 6 packets in a 24 hours
children under 12 years of age	do not use

Other information

- each packet contains: potassium 10 mg, sodium 27 mg
- phenylketonurics: contains phenylalanine 13 mg per packet
- store at room temperature 68-77°F (20-25°C)
- do not use if packet is punctured or torn

Inactive ingredients

acesulfame potassium, anhydrous citric acid, aspartame, chamomile honey flavors, isopropyl alcohol, maltodextrin, silicon dioxide, sodium citrate, sucrose, tribasic calcium phosphate, water

Questions & comments?


1-866-359-3478 (M-F) 9 AM to 5 PM EST or www.pharmadel.com

Dist. by:

PHARMADEL LLC

New Castle, DE, 19720

PRINCIPAL DISPLAY PANEL



ANTIGRIP DAYTIME

acetaminophen, dextromethorphan hbr, quaifenesin, phenylephrine hcl powder, for solution

Prod	luct I	Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55758-381

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
WATER (UNII: 059QF0KO0R)		
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)		
ASPARTAME (UNII: Z0H242BBR1)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SUCROSE (UNII: C151H8M554)		
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)		

Product Characteristics		
Color		Score
Shape		Size
Flavor	HONEY (Chamomile - Honey)	Imprint Code
Contains		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-381- 18	18 in 1 CARTON	03/28/2024	
1	NDC:55758-381- 01	1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/28/2024	

Labeler - Pharmadel LLC (030129680)

Revised: 3/2024 Pharmadel LLC