

**CHILDRENS PAIN AND FEVER- acetaminophen suspension
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED**

CVS 44-097

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - toothache
 - sore throat
 - flu
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- **shake well before using**
- mL = milliliter
- only use the dose cup provided
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
Under 24	Under 2	Ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL
72-95	11	15 mL

*or as directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous citric acid, flavor, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-426-9391

Principal display panel

♥CVS

Health®

Compare to the active ingredient in Children's Tylenol® Oral Suspension†

Oral Suspension

NDC 51316-097-19

**Children's
Pain &
Fever**

ACETAMINOPHEN

160 mg / 5 mL

Pain reliever; Fever reducer

Ages 2 to 11 years

- No Added Alcohol
- Aspirin Free
- Ibuprofen Free
- Paraben Free

DYE
FREE

Cherry Flavor
Dosage Cup Included

Package
Contains
One Bottle

8 FL OZ (237 mL)

DIRECTIONS:

**Step 1.
Shake well
before using**

**Step 2.
Remove child-**

protective cap

**Step 3.
Pour your
child's dose
into the
dosing cup**

IMPORTANT:

**Please see dosing chart or ask
a doctor for your child's correct dose.**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL
UNDER CAP IS BROKEN OR MISSING**

†This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol® Oral Suspension.

50844 REV0224A09719

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

© 2024 CVS/pharmacy

CVS.com®

1-800-SHOP CVS

V-39965

**100% money back
guaranteed.**

[CVS.com/returnpolicy](https://www.cvs.com/returnpolicy)

TAMPER EVIDENT; DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts **KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

Active ingredient (in each 5 mL) **Purpose**
Acetaminophen 160 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - toothache
 - sore throat
 - flu
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed
- shake well before using
- ml = milliliter
- only use the dose cup provided
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
Under 24	Under 2	Ask a doctor
24-35	2-3	5 mL
36-47	4-5	7.5 mL
48-59	6-8	10 mL
60-71	9-10	12.5 mL
72-95	11	15 mL

*or as directed by a doctor

Drug Facts (continued)

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous citric acid, flavor, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments? 1-800-426-9391

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol® Oral Suspension.

CVS Health. Oral Suspension

Children's Pain & Fever **DYE FREE**

ACETAMINOPHEN
160 mg / 5 mL

CVS Health. Compare to the active ingredient in Children's Tylenol® Oral Suspension*
Oral Suspension
NDC 51316-097-19

Children's Pain & Fever

ACETAMINOPHEN
160 mg / 5 mL

Pain reliever; Fever reducer
Ages 2 to 11 years

- No Added Alcohol
- Aspirin Free
- Ibuprofen Free
- Paraben Free

DYE FREE




Cherry Flavor
Dosage Cup Included

8 FL OZ (237 mL)

Package Contains One Bottle

DIRECTIONS:



Step 1. Shake well before using



Step 2. Remove child-protective cap



Step 3. Pour your child's dose into the dosing cup

IMPORTANT: Please see dosing chart or ask a doctor for your child's correct dose.

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2024 CVS/pharmacy
CVS.com®
1-800-SHOP CVS
V-39965

100% money back guaranteed.
CVS.com/returnpolicy

#545803

FPO 100%
UPC# 050428074022

X XXXXXX XXXXXX X

50844 REV0224A09719

B-0231-097-19-H
REV0224A09719

No print/No varnish
Lot & Exp date

CVS 44-097

CHILDRENS PAIN AND FEVER

acetaminophen suspension

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:51316-097

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-097-19	1 in 1 CARTON	04/17/2024	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/17/2024	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.

967626305

manufacture(51316-097) , pack(51316-097)

Revised: 8/2025

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED