

SHOPKO ANTI-ITCH- diphenhydramine hydrochloride and zinc acetate cream
Shopko Stores Operating Co., LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Shopko® Anti-Itch Cream

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Diphenhydramine hydrochloride 2%	Topical analgesic
Zinc acetate 0.1%	Skin protectant

Uses

temporarily relieves pain and itching associated with:

- insect bites
- minor burns
- sunburn
- minor skin irritations
- minor cuts
- scrapes
- rashes due to poison ivy, poison oak, and poison sumac
- dries the oozing and weeping of poison ivy, poison oak, and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product avoid contact with eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more often than directed
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- To open: unscrew cap, use pointed end of cap to puncture seal.
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water

Questions?

Call **1-866-923-4914**

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

SHOPKO®

NDC 37012-089-02

Extra Strength

Anti-Itch Cream

Diphenhydramine hydrochloride 2% and Zinc acetate 0.1%

Antihistamine • Topical Analgesic • Skin Protectant

NET WT 1 OZ (28.4 g)

SHOPKO®



Compare to the active ingredients
in Extra Strength Benadryl® Itch
Stopping Cream*

Extra Strength

Anti-Itch Cream

Diphenhydramine hydrochloride 2%
and Zinc acetate 0.1%

Antihistamine • Topical Analgesic • Skin Protectant

Relieves pain and itch from insect bites, minor skin irritations
and rashes due to poison ivy, poison oak and poison sumac

LPK-7510-0
0314-0
M375

SHOPKO®

NDC 37012-089-02

Extra Strength

Anti-Itch Cream

Diphenhydramine hydrochloride 2% and Zinc acetate 0.1%

Antihistamine • Topical Analgesic • Skin Protectant



NET WT 1 OZ (28.4 g)

SHOPKO®
Extra Strength
Anti-Itch Cream
Diphenhydramine hydrochloride 2%
and Zinc acetate 0.1%
Antihistamine • Topical Analgesic
Skin Protectant



T51

Drug Facts (continued)
Other information
• To open: unscrew cap, use pointed end of cap to puncture seal.
• store at 20° to 25°C (68° to 77°F)
• see carton or tube comp for lot number and expiration date
Inactive ingredients cetyl alcohol, glyceryl stearate, glyceryl stearate/PEG-100 stearate, methylparaben, propylene glycol, propylparaben and purified water
Questions? Call 1-866-923-4914

NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

Drug Facts
Active ingredients
Diphenhydramine hydrochloride 2%
Zinc acetate 0.1%
Purpose
..... Topical analgesic
..... Skin protectant
Uses
temporarily relieves pain and itching associated with:
• insect bites • minor burns • sunburn • minor skin irritations • minor cuts
• rashes due to poison ivy, poison oak, and poison sumac
• dries the oozing and weeping of poison ivy, poison oak, and poison sumac
Warnings
For external use only
Do not use
• on large areas of the body
• with any other product containing diphenhydramine, even one taken by mouth
Ask a doctor before use • on chicken pox • on measles
When using this product avoid contact with eyes
Stop use and ask a doctor if
• condition worsens or does not improve within 7 days
• symptoms persist for more than 7 days or clear up and occur again within a few days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• do not use more often than directed
• adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
• children under 2 years of age: ask a doctor
Warnings
For external use only
Do not use
• on large areas of the body
• with any other product containing diphenhydramine, even one taken by mouth
Ask a doctor before use • on chicken pox • on measles
When using this product avoid contact with eyes
Stop use and ask a doctor if
• condition worsens or does not improve within 7 days
• symptoms persist for more than 7 days or clear up and occur again within a few days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• do not use more often than directed
• adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
• children under 2 years of age: ask a doctor

Manufactured for Shopko
By Tarol Pharmaceuticals Inc.
Brampton, Ontario, Canada L6T 1C1
1-866-923-4914
©2014 Shopko Stores
Opening Co., LLC
Made in Canada
SHOPKO®
Satisfaction
Guaranteed
By Refund Or Exchange
*This product is not
manufactured or distributed
by Johnson & Johnson,
owner of the registered
trademark Benadryl®

SHOPKO®



SHOPKO ANTI-ITCH
diphenhydramine hydrochloride and zinc acetate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:370 12-089
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
diphenhydramine hydrochloride (UNII: TC2D6JAD40) (diphenhydramine - UNII:8GTS82S83M)	diphenhydramine hydrochloride	20 mg in 1 g
zinc acetate (UNII: FM5526K07A) (zinc cation - UNII:13S1S8SF37)	zinc acetate	1 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
cetyl alcohol (UNII: 936JST6JCN)	
glyceryl monostearate (UNII: 230OU9XXE4)	
PEG-100 stearate (UNII: YD01N1999R)	
methylparaben (UNII: A2I8C7HI9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:370 12-089-02	1 in 1 CARTON		
1		28.4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/20/2005	

Labeler - Shopko Stores Operating Co., LLC (023252638)

Registrant - Taro Pharmaceuticals U.S. A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(370 12-089)