AXIV DAYTIME- acetaminophen, dextromethorphan hydrobromide capsule, liquid filled VIVUNT PHARMA LLC

AXIV - DayTime Cold & Flu

Drug Facts

Active ingredients (in each softgel)	Purpose	
Acetaminophen 325 mg	Pain Reliever/Fever Reducer	
Dextromethorphan HBr 10 mg	Cough Suppressant	

Uses

Temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 Softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning

If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

When using this product

do not exceed recommended dose

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition

Keep out of reach of children Keep out of reach of children.

If pregnant or breast-feeding

ask a health professional before use.

Overdose warning

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions

- Take only as directed (see overdose warning)
- Do not take more than 8 softgels in 24 hours.

adults and children 12 years and	2 softgels with water every 4
over	hours
children 4 to under 12 years	consult a doctor
children under 4 years	do not use

Other information

- Store at 20° 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper evident: Do not use if carton is open or blister unit is broken.
- Tamper evident: Do not use if carton or pouch is open

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

Distributed by:

VIVUNT PHARMA LLC 8950 SW 74th. Court. Suite 1901

Miami, Florida, 33156-3178

Made in India

www.vivunt.live

PRINCIPAL DISPLAY PANEL - AXIV DayTime Carton 24

Compare to

VICKS ® DayQuil®

Cold&Flu LiquiCaps®

active ingredients*

NDC 82706-015-01

AXIV - DayTime

COLD&FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

Non-Drowsy

Acetaminophen, Dextromethorphan HBr

24 SOFTGELS** **Liquid-filled capsules

*This product is not manufactured or distributed by

The Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® and LiquiCaps®.



PRINCIPAL DISPLAY PANEL - Axim DayTime Carton 4 Softgels

Compare to

VICKS ® DayQuil®

 $\mathsf{Cold}\&\mathsf{Flu}\,\,\mathsf{LiquiCaps}\, \mathbb{R}$

active ingredients*

NDC 82706-015-02

AXIV - DayTime

COLD&FLU

Multi-Symptom Relief

Pain Reliever

Fever Reducer

Cough Suppressant

Non-Drowsy

Acetaminophen, Dextromethorphan HBr

- 4 SOFTGELS** **Liquid-filled capsules
- *This product is not manufactured or distributed by

The Procter & Gamble Company, owner of the registered trademarks Vicks @ DayQuil @ and LiquiCaps @ .





Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben. Purflied Water, Sorbitol, Titanium Dioxide.

Inactive ingredients FD&C Red No. 40, FD&C Yellow No. 6, Gelatin, Glycerin,

evident: Do not use if carton or pouch is open.

■ Store at 20°- 25°C (68- 77°F) ■ Read all product information before using ■ Tamper

Other information

Drug Facts (continued)

12 years: consult a doctor ■children under 4 years: do not use ■ adults and children over 12 years: 2 softgels with water every 4 hours ■children 4 to under ■ do not take more than 8 softgels in 24 hours

Directions = take only as directed (see overdose warning)

a Poison Control Center immediately.

Overdose warning: In case of accidental overdose, seek professional assistance or contact If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

rash or headache that lasts. These could be signs of a serious condition.

■ redness or swelling is present ■ new symptoms occur ■ cough comes back or occurs with days ■ fever gets worse or lasts more than 3 days

Stop use and ask a doctor if a pain, nasal congestion or cough get worse or lasts more than 7

When using this product do not exceed recommended dose.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

phlegm (mucus) ■ persistent or chronic cough as occurs with smoking, asthma, or Yak a doctor before use if you have ■ liver disease ■ cough that occurs with too much

if you have ever had an allergic reaction to this product or any of its ingredients. doctor or pharmacist before taking this product.

stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for tion). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. Do not use ■ with any other drug containing acetaminophen (prescription or nonprescrip-

followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or reddening ■blisters ■rash. If a skin reaction occurs, stop use and seek medical help right away. Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■skin

■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using take: ■ more than 8 Softgels in 24 hours, which is the maximumdaily amount for this product Liver warning: This product contains acetaminophen. Severe liver damage may occur if you Warnings

pronchial irritation

■ sore throat

■ headache

minor aches and pains

= tever USes Temporarily relieves common cold/flu symptoms: ■ cough due to minor throat and

Dextromethorphan HBr 10 mg Congh Suppressant Reliever/Fever Reducer

Active ingredients (in each softgel)

Drug Facts

AXIV DAYTIME

acetaminophen, dextromethorphan hydrobromide capsule, liquid filled

Purpose

Product Information HUMAN OTC DRUG **Item Code (Source)** NDC:82706-015 **Product Type** ORAL Route of Administration

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	

Inactive Ingredients		
Ingredient Name	Strength	
METHYLPARABEN (UNII: A218C7HI9T)		
GLYCERIN (UNII: PDC6A3C0OX)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GELATIN (UNII: 2G86QN327L)		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		
POVIDONE K30 (UNII: U725QWY32X)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
PROPYLPARABEN (UNII: Z8IX2SC10H)		
SORBITOL (UNII: 506T60A25R)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		

Product Characteristics			
Color	orange	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	AXIV
Contains			

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:82706-015- 01	3 in 1 CARTON	03/07/2024		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:82706-015- 02	2 in 1 CARTON	03/07/2024		
2		2 in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	03/07/2024		

Labeler - VIVUNT PHARMA LLC (045829437)

Revised: 3/2024 VIVUNT PHARMA LLC