

**AXIV DAYTIME - NIGHTTIME 48 SOFTGELS- acetaminophen,  
dextromethorphan hydrobromide, doxylamine succinate  
AXIV DAYTIME - NIGHTTIME 72 SOFTGELS- acetaminophen,  
dextromethorphan hydrobromide, doxylamine succinate  
VIVUNT PHARMA LLC**

-----  
**AXIV DayTime & NightTime**

**Day Time**

**Drug Facts**

---

**Active ingredients (in each softgel)**

Acetaminophen 325 mg

Dextrometrophan HBr 10 mg

**Purpose**

Pain Reliever-fever reducer

Cough Suppressant

---

**Uses**

Temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 Softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy Alert**

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning**

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

## **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

## **Ask a doctor before use if you have**

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

## **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

## **When using this product**

do not exceed recommended dose

## **Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition

## **Keep out of reach of children**

**Keep out of reach of children.**

## **If pregnant or breast-feeding**

ask a health professional before use.

## **Overdose warning**

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

## **Directions**

- Take only as directed (see overdose warning):
- Do not take more than 8 softgels in 24 hours.

adults and children 12 years and over  
children 4 to under 12 years  
children under 4 years

2 softgels with water every 4 hours  
consult a doctor  
do not use

---

### **Other information**

- Store at 20° - 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper evident: Do not use if the foil printed on the blister is torn or ripped

### **Inactive ingredients**

FD&C Red No. 40, FD&C Yellow No. 6, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

### **Night Time**

### **Drug Facts**

---

#### **Active ingredients (in each softgel)**

Acetaminophen 325 mg  
Dextromethorphan HBr 15 mg  
Doxylamine succinate 6.25 mg

#### **Purpose**

Pain reliever/fever reducer  
Cough suppressant  
Antihistamine

---

### **Uses**

Temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

### **Warnings**

#### **Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 Softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

### **Allergy Alert**

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Sore throat warning**

If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- to make a child sleep

### **Ask a doctor before use if you have**

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

### **Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**Keep out of reach of children**

**Keep out of reach of children.**

**If pregnant or breast-feeding**

ask a health professional before use.

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- Take only as directed (see overdose warning):
- Do not take more than 8 softgels in 24 hours.

---

adults and children 12 years and over	2 softgels with water every 6 hours
children 4 to under 12 years	consult a doctor
children under 4 years	do not use

---

**Other information**

- Store at 20° - 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper evident: Do not use if carton is open or blister unit is broken.

**Inactive ingredients**

D&C Yellow No. 10, FD&C Blue No. 1, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

**Distributed by:**

**VIVUNT PHARMA LLC  
8950 SW 74th. Court. Suite 1901**

**Miami, Florida, 33156-3178**

**Made in India**

**[www.vivunt.live](http://www.vivunt.live)**

**PRINCIPAL DISPLAY PANEL - 48 Caps Day&Night**

Compare to Vicks® DayQuil® & NyQuil®

Cold&Flu LiquiCaps®

active ingredients\*  
NDC 82706-017-01  
AXIV

DayTime

- Pain Reliever
- Fever Reducer
- Cough Suppressant

*Acetaminophen, Dextromethorphan HBr*

32 SOFTGELS\*\* \*\*Liquid-filled capsules

NightTime

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

*Acetaminophen, Dextromethorphan HBr, Doxylamine Succinate*

16 SOFTGELS\*\* \*\*Liquid-filled capsules

\*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® & NyQuil® Cold&Flu LiquiCaps®.

**Drug Facts (continued)**

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**Drug Facts (continued)**

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**Drug Facts**

**Active Ingredients (in each softgel)**

Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg

**Purpose**

Cough Suppressant

**Drug Facts**

**Active Ingredients (in each softgel)**

Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg

**Purpose**

Cough Suppressant

**DayTime**

**COLD & FLU**

**Multi-Symptom Relief**

- Pain Reliever
- Fever Reducer
- Cough Suppressant

**32 SOFTGELS™**

Acetaminophen  
Dextromethorphan HBr

**NightTime**

**COLD & FLU**

**NIGHTTIME RELIEF**

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

**16 SOFTGELS™**

Acetaminophen  
Dextromethorphan HBr  
Doxylamine Succinate

**Drug Facts (continued)**

**Directions**

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

**Drug Facts (continued)**

**Directions**

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

Do not take more than 8 softgels in 24 hours.

**PRINCIPAL DISPLAY PANEL - 72 Caps Day&Night**  
 Compare to Vicks® DayQuil® & NyQuil®  
 Cold&Flu LiquiCaps®

active ingredients\*

NDC 82706-018-01

AXIV

DayTime

- Pain Reliever
- Fever Reducer
- Cough Suppressant

Acetaminophen, Dextromethorphan HBr

48 SOFTGELS\*\* \*\*Liquid-filled capsules

NightTime

- Pain Reliever
- Fever Reducer
- Cough Suppressant
- Antihistamine

Acetaminophen, Dextromethorphan HBr, Doxylamine Succinate

24 SOFTGELS\*\* \*\*Liquid-filled capsules

\*This product is not manufactured or distributed by The Procter & Gamble

Company, owner of the registered trademarks Vicks® DayQuil® & NyQuil®

Cold&Flu LiquiCaps®.





## AXIV DAYTIME - NIGHTTIME 48 SOFTGELS

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82706-017
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82706-017-01	1 in 1 PACKAGE; Type 1: Convenience Kit of Co-Package	03/08/2024	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	4 BLISTER PACK	32
Part 2	2 BLISTER PACK	16

## Part 1 of 2

### AXIV DAYTIME

acetaminophen, dextromethorphan hydrobromide capsule, liquid filled

#### Product Information

**Item Code (Source)** NDC:82706-015

**Route of Administration** ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

#### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	22mm
<b>Flavor</b>		<b>Imprint Code</b>	AXIV
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2024	

## Part 2 of 2

### AXIV NIGHTTIME

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled

## Product Information

Item Code (Source)	NDC:82706-016
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9BI9B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	AXIV
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2024	

## AXIV DAYTIME - NIGHTTIME 72 SOFTGELS

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate kit

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82706-018
--------------	----------------	--------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82706-018-01	1 in 1 PACKAGE; Type 1: Convenience Kit of Co-Package	03/08/2024	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 BLISTER PACK	48
Part 2	3 BLISTER PACK	24

## Part 1 of 2

## AXIV DAYTIME

acetaminophen, dextromethorphan hydrobromide capsule, liquid filled

## Product Information

Item Code (Source) NDC:82706-015

Route of Administration ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	22mm
<b>Flavor</b>		<b>Imprint Code</b>	AXIV
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2024	

## Part 2 of 2

### AXIV NIGHTTIME

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate capsule, liquid filled

#### Product Information

Item Code (Source)	NDC:82706-016
Route of Administration	ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	

#### Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	AXIV
Contains			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2024	

**Labeler** - VIVUNT PHARMA LLC (045829437)

Revised: 9/2025

VIVUNT PHARMA LLC