

TRIASTEM TOPICAL ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
ViaDerma Distribution, Inc.

Triastem Topical Antibiotic Ointment

Drug Facts

Active Ingredient

Bacitracin Zinc 400mg in 1 g Neomycin Sulfate 5 mg in 1 g Polymyxin B Sulfate 5000 units in 1 g

Purpose

First Aid/Antibiotic

Indications

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings

For external use only. May be harmful if swallowed.

Allergy Alert

Do not use if allergic to any ingredients in TriaStem™.

Do not use

- in eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious trauma

Stop use and ask a doctor

if condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- may stain cloth
- no claims regarding stem cell healing are implied for this product

Stop use if product is misused***Other Information***

- store in cool dark place

Inactive Ingredients

acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

Package Labeling:

Drug Facts

Active Ingredient	Purpose
Bacitracin Zinc 400mg in 1 g	First Aid/Antibiotic
Neomycin Sulfate 5 mg in 1 g	First Aid/Antibiotic
Polymyxin B Sulfate 5000 units in 1 g	First Aid/Antibiotic

Indications

First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns.

Warnings

For external use only. May be harmful if swallowed.

Allergy Alert

Do not use if allergic to any ingredients in TriAStem™.

Do not use

- in eyes
- over large areas of the body
- longer than 1 week unless directed by doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious trauma

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Stop use if product is misused

- this product is an OTC antibiotic for human use
- contains no alcohol, no animal ingredients
- blended for typical skin color
- may stain cloth
- no claims regarding stem cell healing are implied for this product

Other Information

- store in cool dark place

Inactive Ingredients acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, stearic acid, water

VIA DERMA[®]
Distribution

TRIASTEM™
first aid & antibiotic

topical antibiotic ointment

bacitracin zinc 400 mg
neomycin sulfate 5 mg
polymyxin B sulfate 5,000 units
(active ingredients)



Keep this and all drugs away from children. In case of accidental ingestion, seek medical assistance or contact a poison control immediately. Side effect: same as other tetracycline products.

topical antibiotic ointment
first aid & antibiotic
TRIASTEM™
DISTRIBUTION
VIA DERMA[®]

non-staining
formula

VIA DERMA[®]
Distribution

TRIASTEM™
first aid & antibiotic

topical antibiotic ointment

bacitracin zinc 400 mg
neomycin sulfate 5 mg
polymyxin B sulfate 5,000 units
(active ingredients)



0.5 FL OZ (15ml)

VIA DERMA[®]
Distribution

TRIASTEM™
first aid & antibiotic

topical antibiotic ointment

bacitracin zinc 400 mg
neomycin sulfate 5 mg
polymyxin B sulfate 5,000 units
(active ingredients)



Licensed to ViaDerma Distribution by: ViaDerma, Inc.
Distributed by: ViaDerma Distribution. Report any side effects to: ViaDerma Distribution 2235 E. Flamingo Rd, Suite 152 Las Vegas, NV 89119 | Tel: 1-800-585-8685 | www.Vitastem.net

PATENT PENDING



8 65393 00040 8
NDC# 71262-002-15

Licensed to **ViaDerma Distribution** by:
ViaDerma, Inc. Distributed by: **ViaDerma**
Distribution Report any side effects to:
ViaDerma Distribution 2235 E. Flamingo Rd,
Suite 152 Las Vegas, NV 89119
Tel: 1-800-585-8685 | **NDC# 71262-002-01**

VIADERMA[®]
Distribution



TRIASTEM[™]

first aid & antibiotic

topical antibiotic ointment

bacitracin zinc 400mg
neomycin sulfate 5mg
polymyxin B sulfate 5,000 units

0.5 FL OZ (15ml)

KEEP THIS AND ALL DRUGS AWAY FROM
CHILDREN. IN CASE OF ACCIDENTAL INGESTION,
SEEK MEDICAL ASSISTANCE OR CONTACT
A POISON CONTROL IMMEDIATELY.



TRIASTEM TOPICAL ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 mg in 1 mL

NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	5 mg in 1 mL
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 U in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-005-15	1 in 1 BOX	11/01/2019	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	11/01/2019	

Labeler - ViaDerma Distribution, Inc. (081113521)

Revised: 12/2023

ViaDerma Distribution, Inc.