

**NIGHTTIME SLEEP AID- diphenhydramine hcl capsule
Cardinal Health (Leader) 70000**

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitol sorbitan, white ink

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Sleep Aid

Diphenhydramine HCl, 50 mg

Nighttime Sleep-Aid

Fall Asleep Fast

Sleep Soundly

Wake Up Refreshed

SOFTGELS

One Softgel Per Dose

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

DIST. BY CAH,

DUBLIN, OH 43017

Package Label

LEADER[™]

NDC 70000-0616-1

Sleep-Aid

Diphenhydramine HCl, 50 mg
Nighttime Sleep-Aid

Fall Asleep Fast
Sleep Soundly
Wake Up Refreshed

100 SOFTGELS
One Softgel Per Dose



Actual Size

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each softgel)
Diphenhydramine HCl 50 mg..... Nighttime sleep-aid

Use For relief of occasional sleeplessness.

Warnings
Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Drug Facts (continued under label)

©2025 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the LEADER LOGO are trademarks or registered trademarks of Cardinal Health.
DIST. BY CAH, DUBLIN, OH 43017
www.myleader.com 1-800-200-6513
Product of China

PLD-B632B
LB010348

Lot No.: 0 96295 14230 3

Exp. Date:

Return to place of purchase.
CIN 5804794 **REV. 05/25**

100% Money Back Guarantee

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product, avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

LEADER Sleep-Aid

NIGHTTIME SLEEP AID

diphenhydramine hcl capsule

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:70000-0616 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 50 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| WATER (UNII: 059QF0KO0R) | |

| | |
|---|--|
| SORBITAN (UNII: 6O92ICV9RU) | |
| SORBITOL (UNII: 506T60A25R) | |
| LIGHT MINERAL OIL (UNII: N6K5787QVP) | |
| MANNITOL (UNII: 3OWL53L36A) | |

Product Characteristics

| | | | |
|-----------------|---------|---------------------|----------|
| Color | blue | Score | no score |
| Shape | CAPSULE | Size | 13mm |
| Flavor | | Imprint Code | PC5 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:70000-0616-1 | 100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/28/2022 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M010 | 10/28/2022 | |

Labeler - Cardinal Health (Leader) 70000 (063997360)

Revised: 5/2025

Cardinal Health (Leader) 70000