

IODINE TINCTURE 7%- iodine liquid
ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Iodine Tincture 7%

Iodine Tincture 7%

Use Instructions:

Topical Antiseptic

Use full Strength for superficial cuts, wounds, abrasions, insect bites and bruises on the skin of animals. Apply iodine with a swab.

If necessary, clip hair around the area being treated and clean with soap and water. Apply **Iodine Tincture 7%TM** only once daily. dilute product 3 to 1 if repeating application.

Do not apply under bandage.

Irritation may occur if used on tender skin areas. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

Storage:

Store at 2-30 degrees C (36-86 degrees F).

Keep container away from heat and out of sunlight. Rinse empty container thoroughly and discard.

Caution:

Hazard statement(s):

Toxic if swallowed. May cause eye irritation.

Precautionary statement(s):

Keep away from heat, sparks, open flames. No smoking. Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

Hazards not otherwise classified: Flammable

Not for use on burns, deep cuts, or body cavities.

First

Aid:

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product.

Most important symptoms/effects, acute and delayed: None known
Immediate medical attention and special treatment needed, if any: If swallowed, give starch paste, milk, bread, egg white, or activated charcoal. A 5% solution of sodium thiosulfate (photographic ("hypos") may be administered orally at a rate of 10 ml per kilogram of body weight.

Iodine Tincture 7%



Iodine Tincture™



FLAMMABLE
DANGER
(Toxic if Swallowed)



FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

Caution:
Hazard statement(s):
Toxic if swallowed. May cause eye irritation.
Precautionary statement(s):
Keep away from heat, sparks, open flames. No smoking. Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.
Hazards not otherwise classified: Flammable
Not for use on burns, deep cuts, or body cavities.
First Aid:
External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.
Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.
Inhalation of vapors: Should not occur with proper use of this product.
Most important symptoms/effects, acute and delayed: None known
Immediate medical attention and special treatment needed, if any: If swallowed, give starch paste, milk, bread, egg white, or activated charcoal. A 5% solution of sodium thiosulfate (photographic ("hypos") may be administered orally at a rate of 10 ml per kilogram of body weight.

Use Instructions:
Topical Antiseptic
Use full Strength for superficial cuts, wounds, abrasions, insect bites and bruises on the skin of animals. Apply iodine with a swab.
If necessary, clip hair around the area being treated and clean with soap and water.
Apply **Iodine Tincture 7%™** only once daily. dilute product 3 to 1 if repeating application.
Do not apply under bandage.
Irritation may occur if used on tender skin areas. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.
Storage:
Store at 2-30 degrees C (36-86 degrees F).
Keep container away from heat and out of sunlight. Rinse empty container thoroughly and discard.

Active Ingredients:
Titratable Iodine.....7.00%
Isopropyl Alcohol.....65.00%



UN1293
TINCTURE, MEDICINAL, 3 II
(IODINE, ISOPROPYL ALCOHOL)



FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
909.279.7761 • www.proactive-solutionsusa.com



FLAMMABLE
DANGER
(Toxic if Swallowed)



FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

Caution: Hazard statements: Toxic if swallowed. May cause eye irritation.
Precautionary statements: Keep away from heat, sparks, open flames. No smoking. Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.
Hazards not otherwise classified: Flammable
Not for use on burns, deep cuts, or body cavities.
First Aid: Eye: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.
Eye: Immediately flush with plenty of cool, running water. Remove contact lenses, then continue flushing for at least 15 minutes, holding eyelids apart.
Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink at least two large glasses of water or milk.
Leave skin exposed by mouth to an antiseptic bandage.
Inhalation of vapors: Should not occur with proper use of this product.
Most important symptoms/effects: acute and delayed. None known.
Immediate medical attention and special treatment needed, if any: If swallowed, give each gram: milk, bread, egg white, or activated charcoal. A 0% solution of sodium thiosulfate (photographic "hypo") may be administered orally at a rate of 10 ml per kilogram of body weight.

Use Instructions:

Topical Antiseptic
Use 1:1 strength for superficial cuts, wounds, abrasions, insect bites and scratches on the skin of animals. Apply iodine with a swab.
Actively: Dip hand around the area being treated and clean with soap and water.
Apply Iodine Tincture 7%™ only once daily. Dilute product 3 to 1 if repeating application.
Do not apply under bandage.
Irritation may occur if used on tender skin areas. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.
Storage:
Store at 2-30 degrees C (36-86 degrees F).
Keep container away from heat and out of sunlight. Rinse empty container thoroughly and discard.

Active Ingredients:
Titratable Iodine.....7.00%
Isopropyl Alcohol.....65.00%



UN1293
TINCTURE, MEDICINAL, LIQ (IODINE, ISOPROPYL ALCOHOL)



FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300

MADE IN USA
ProActive Solutions USA, LLC • 361 Bridge Street • Green Bay, WI 54303
920.276.7701 www.proactivesolutionsusa.com

IODINE TINCTURE 7%

iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:63927-4240
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	7 kg in 100 kg
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	65 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927-4240-1	13.94 kg in 1 CASE		
2	NDC:63927-4240-2	17.42 kg in 1 JUG		
3	NDC:63927-4240-3	52.26 kg in 1 DRUM		
4	NDC:63927-4240-4	191.63 kg in 1 DRUM		
5	NDC:63927-4240-5	958.13 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/12/2008	

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, pack, repack, label