AVENE MINERAL SUNSCREEN STICK SPF 50- zinc oxide stick Pierre Fabre USA Inc.

Avene Mineral Stick SPF 50

Drug Facts

Active ingredient

Zinc oxide 12%

Purpose

Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

• on broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children

If swallowed, call a poison control center or get medical help right away.

Directions

Adults and children 6 months and older:

- Apply generously 15 minutes before sun exposure
- Reapply:
- at least every 2 hours
- after 80 minutes of swimming or sweating
- immediately after towel drying
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses.

Other Information

• Protect this product in this container from excessive heat and direct sun.

Inactive Ingredients

Caprylic/Capric Triglyceride, Helianthus Annuus (Sunflower) Seed Wax, C12-15 Alkyl Benzoate, Jojoba Esters, Octyldodecyl Neopentanoate, Shea Butter Ethyl Esters, Tridecyl Salicylate, Euphorbia Cerifera (Candelilla) Wax, Methylpropanediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Allantoin, Caprylyl Glycol, Lecithin, Phenylpropanol, Tocopherol.

Questions?

1-866-41-AVENE (28363)

1-877-441-2011 (CAN)

Box 337115



Drug Facts

Active ingredient (w/w) Purpose Zinc Oxide 12% Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use • on broken skin.

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, call a poison control center or get medical help right away.

Directions Adults and children 6 months and older:

- Apply generously 15 minutes before sun exposure
- Reapply
 at least every 2 hours
- · after 80 minutes of swimming or sweating
- immediately after towel drying
 Children under 6 months of age: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- · Wear long-sleeve shirts, pants, hats, and sunglasses.

Other information

· Protect this product in this container from excessive heat and direct sun.

Inactive ingredients: Caprylic/Capric Triglyceride, Helianthus Annuus (Sunflower) Seed Wax, C12-15 Alkyl Benzoate, Jojoba Esters, Octyldodecyl Neopentanoate, Shea Butter Ethyl Esters, Tridecyl Salicylate, Euphorbia Cerifera (Candellila) Wax, Methylpropanediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Allantoin, Caprylyl Glycol, Lecithin, Phenylpropanol, Tocopherol.

Questions? 1-866-41-AVENE (28363)(USA) - 1-877-441-2011 (CAN)

Ce produit est une formule solide et ne contient pas d'eau ou d'eau thermale. This product is a solid formula, and does not contain water or thermal water.

AVENE MINERAL SUNSCREEN STICK SPF 50

zinc oxide stick

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:64760-784 **Route of Administration TOPICAL**

Active Ingredient/Active Moiety Basis of Strength Strength **Ingredient Name** ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) ZINC OXIDE 12 g in 100 g

Inactive Ingredients				
Ingredient Name	Strength			
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)				
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)				
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)				
PHENYLPROPANOL (UNII: 0F897O3O4M)				
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
TOCOPHEROL (UNII: ROZB2556P8)	
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)	
SHEA BUTTER ETHYL ESTERS (UNII: V2CI786FPG)	
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
CANDELILLA WAX (UNII: WL0328HX19)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
ALLANTOIN (UNII: 344S277G0Z)	

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:64760-784- 01	1 in 1 CARTON	04/01/2024				
1		15 g in 1 TUBE; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M020	04/01/2024			

Labeler - Pierre Fabre USA Inc. (117196928)

Revised: 3/2024 Pierre Fabre USA Inc.