REXALL JOCK ITCH- clotrimazole cream Dolgencorp, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rexall Jock Itch Cream 0.5 oz (567, 2018)

Uses

- cure most jock itch
- relieves itching, burning, chafing, and discomfort associated with jock itch

Warnings

For external use only

Do not use on children under 2 years of age unless directed by a doctor

When using this product avoid contact with the eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- wash affected area and dry thoroughly
- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks
- if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails

Other information

- store between 20° to 25°C (68° to 77°F)
- Lot No. & Exp. Date: see box or see crimp of tube

Inactive ingredients

2-octyldodecanol, benzyl alcohol, cetearyl alcohol, cetyl esters, monobasic sodium phosphate dihydrate, polysorbate 60, propylene glycol, purified water, sorbitan stearate

Packaged for Dolgencorp, LLC

100 Mission Ridge

Goodlettsville, TN 37072 USA

Made in Korea



Effective treatment of:

- Athlete's foot
- Jock itch
- Ringworm



Clotrimazole Cream USP. 1%

Rexall® Jock Itch Cream

Clotrimazole Cream USP. 1%

NET WT 0.5 OZ (14 g)





Visit us at: Rexall.com or call 1-866-4-REXALL PACKAGED FOR DOLGENCORP, LL 100 MISSION RIDGE GOODLETTSVILLE, TN 37072 USA

Lot & Exp.

Inactive ingredients 2-ochidodecanol, benzyl alcohol, cetearyl alcohol, cetyl esters, monobasic sodium phosphate dinydrate, polysorbate 60, propylene glycol, purified water, sorbitan stearate

Other information ■ store between 20° to 25°C (68° to 77°F) ■ Lot No. & Exp. Date: see box or see crimp of tube

scalp or nails

■ wash affected area and dry thoroughly ■ apply a thin layer over affected area twice daily (morning and night) ■ supervise children in the use of this product is not effective on the influence.

Stop use and ask a doctor if • intitation occurs • there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately,

Do not use on children under 2 years of age unless directed by a doctor. When using this product avoid contact with the eyes

Warnings For external use only

■ relieves itching, burning, chafing, and discomfort associated with jock itch

Sequilit

Drug Facts

REXALL JOCK ITCH

clotrimazole cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-567	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	10 mg in 1 g		

Inactive Ingredients			
Ingredient Name	Strength		
OCTYLDODECANOL (UNII: 461N1O614Y)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)			
CETYL ESTERS WAX (UNII: D072FFP9GU)			
SO DIUM PHO SPHATE, MO NO BASIC, DIHYDRATE (UNII: 5QWK665956)			
POLYSORBATE 60 (UNII: CAL22UVI4M)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:55910-567-14	1 in 1 CARTON	10/05/2016		
1	14 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part333C	06/22/2015			

Labeler - Dolgencorp, LLC (068331990)

Revised: 12/2018 Dolgencorp, LLC