CLOTRIMAZOLE- clotrimazole solution
Sun Pharmaceutical Industries, Inc.

Clotrimazole Topical Solution USP,1%

Drug Facts

Active ingredient

Clotrimazole USP, 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
- effectively relieves
- itching
- cracking
- burning
- discomfort

which can accompany these conditions

Warnings

For external use only

Ask a doctor before use

- on children under 2 years of age

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- This product is not effective on the scalp or nails For best results, follow directions and continue treatment for length of time indicated. For athlete's foot and ringworm:

use daily for 4 weeks. For jock itch: use daily for 2 weeks.
- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product

For athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes; change shoes and socks at least once daily

Other information
- **Store at 20° to 25°C (68° to 77°F)**[see USP Controlled Room Temperature].

Inactive ingredient

polyethylene glycol 400

Questions?

Call **1-866-923-4914**

Distributed by:
Taro Pharmaceuticals U.S.A., Inc.
Hawthorne, NY 10532

Clotrimazole Topical Solution USP 1%

Clotrimazole Topical Solution USP 1%



Clotrimazole Topical Solution 1%



Cures Most Athlete's Foot

Antifungal

Athlete's Foot Solution

- *Relieves Itching & Burning*
- *Greaseless, Nonstaining*

Clotrimazole Topical Solution USP,1%

Drug Facts

Active ingredient	***Purpose***
Clotrimazole USP, 1%	Antifungal

Uses

- cures most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
- effectively relieves • itching • cracking • burning • discomfort which can accompany these conditions

Warnings

For external use only

Ask a doctor before use • on children under 2 years of age

When using this product • avoid contact with eyes

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or 2 weeks (for jock itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• This product is not effective on the scalp or nails

For best results, follow directions and continue treatment for length of time indicated. For athlete's foot and ringworm: use daily for 4 weeks. For jock itch: use daily for 2 weeks.

- clean the affected area and dry thoroughly
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product

For athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes; change shoes and socks at least once daily

Other information

• **Store at 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature].

Inactive ingredient

polyethylene glycol 400

Questions?

Call **1-866-923-4914**

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Lotrimin® AF.

Distributed by:
Taro Pharmaceuticals U.S.A., Inc.
Hawthorne, NY 10532

TARO is a registered trademark of Taro Pharmaceuticals U.S.A., Inc.



CLOTRIMAZOLE

clotrimazole solution

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:51672-2037
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	**Basis of Strength**	**Strength**
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	1 g in 1 mL

Inactive Ingredients	
Ingredient Name	**Strength**
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

Packaging				
#	**Item Code**	**Package Description**	**Marketing Start Date**	**Marketing End Date**
1	NDC:51672-2037-1	1 in 1 CARTON	05/01/1996	
1		10 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	05/01/1996	

CLOTRIMAZOLE

clotrimazole solution

Product Information			
Product Type	HUMAN OTC DRUG	**Item Code (Source)**	NDC:51672-2158
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	1 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51672-2158-1	1 in 1 CARTON	09/23/2024	
1		10 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	09/23/2024	

Labeler - Sun Pharmaceutical Industries, Inc. (146974886)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(51672-2037, 51672-2158)

Revised: 7/2025 Sun Pharmaceutical Industries, Inc.