PSYLLIUM FIBER- psyllium husk powder TIME CAP LABORATORIES, INC.

Psyllium Husk Powder Sugar Free

Supplement Facts

Serving Size	2 rounded tsp (11.6 g))	1 rounded tsp (5.8 g)	
Servings Per Container	• About 36		About 72	
Amount per Serving		% DV	*	% DV *
Calories	30		15	
Total Carbonate	10g	4%*	5 g	2%*
Dietary Fiber	6 g	21%*	3 g	11%*
Soluble Fiber	5 g	††	2 g	††
Iron	0.8 mg	4%	0.4 mg	2%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 mg	1%	35 mg	1%

*Percent Daily Values (%DV) are based on a 2,000 calorie diet.

tt Daily Value (DV) not established.

INGREDIENTS: aspartame powder, citric acid monohydrate, colloidal silicon dioxide, FD&C yellow no. 6, maltodextrin, orange flavor, psyllium husk

ALLERGY ALERT: This product may cause allergic reactions in people sensitive to inhaled or ingested psyllium.

NOTICE: Mix this product with at least 8 oz (a full glass) of liquid. Taking without enough liquid may cause choking. Do not take if you have difficulty swallowing.

IMPORTANT INFORMATION:

PHENYLKETONURICS: CONTAINS PHENYLALANINE, 30 mg per teaspoon Store below 86°F (30° C). Keep container tightly closed to protect from humidity. Keep out of reach of children

NEW USERS: Start with one serving per day; gradually increase to desired daily intake. You may experience changes in bowel habits/ minor bloating, as your body adjusts to increased fiber intake. Bulk-forming fibers like psyllium husk may affect how well medicines work. Take this product at least 2 hours before or after medicines.

BEFORE USINGthis dietary supplement ask your doctor if you

are considering using this product as part of a cholesterol lowering program are using medication to control your blood sugar levels have recently experienced abdominal pain, nausea, vomiting or a sudden change in bowel habits persisting for two weeks

STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition.

HOW TO TAKE THIS PRODUCT

(For adults 12 years and older)

- 1. Put 1-2 rounded teaspoons in empty glass.
- 2. Mix briskly with 8 oz or more of cool liquid.

3. Drink promptly and enjoy!

HOW MUCH TO TAKE

The psyllium husk fiber in this product helps support:

DIGESTIVE HEALTH** by promoting regularity

HEART HEALTH[†] by lowering cholesterol

HEALTHY BLOOD SUGAR LEVELS** take before each meal

1 ROUNDED TEASPOONS up to 3 times per day

OR

APPETITE CONTROL** take before each meal

2 ROUNDED TEASPOONS up to 3 times per day

** THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

ttDiets low in saturated fat and cholesterol that include 7 grams of soluble fiber per day from psyllium husk, as in this product, may reduce the risk of heart disease by lowering cholesterol. One serving of this product has 2.4 grams of this soluble fiber.

Questions or comments? Call 1-877-290-4008

Fiber Laxative

Keep out of reach of children.

for relief of occasional constipation (irregularity). This product generally produces bowel movement in 12 to 72 hours.

ALLERGY ALERT: This product may cause allergic reactions in people sensitive to inhaled or ingested Supplement Facts NDC 49483-739-01 psyllium. Serving Size 2 rounded tsp (11.6 g) 1 rounded tsp (5.8 g) Servings Per Container About 36 About 72 **tim**ělv choking. Do not take if you have difficulty swallowing. [†]Compare to Metamucil® Amount Per Serving % DV′ Calories 20 15 4-in-1 MultiHealth Fiber™ Total Carbonate 10 g 4%* 5g 21%* 3g 11 2g 4% 0.4 mg Dietary Fiber 6 g 11%* 5 g 0.8 mg Soluble Fiber 29 <1%

dium

10 mg

INGREDIENTS: aspartame powder, citric acid monohydrate, colloidal silicon dioxide, FD&C yellow no.

70 mg

(%DV) are b

6, maltodextrin, orange flavor, psyllium husk

<19

19

<1% 5 mg 1% 35 mg

sed on a 2.000 ca

NOTICE: Mix this product with at least 8 oz (a full glass) of liquid. Taking without enough liquid may cause

Contract, but have any out have similarly swamwing.
ImPORTANT INFORMATION:
PHENYLKETONURICS: CONTAINS PHENYLALANINE, 30 mg per teaspoon
Store below 86° (30°C). Keep container tightly closed to protect from humidity.
Keep out of reach of children

NEW USERS: Start with one serving per day; gradually increase to desired daily intake. You may experience changes in bowel habits / minor bloating, as your body adjusts to increased fiber intake Bulk-forming fibers like psyllium husk may affect how well medicines work. Take this product at least 2 hours before or after medicines.


BEFORE USING this dietary supplement ask your doctor if you


· are considering using this product as part of a cholesterol lowering program

· are using medication to control your blood sugar levels have recently experienced abdominal pain, nausea, vomiting or a sudden change in bowel habits

persisting for two weeks

STOP USING this dietary supplement and ask a doctor if constipation lasts more than 7 days or rectal bleeding occurs. These may be signs of a serious condition





ASPARTAME (UNII: Z0H242BBR1) MALTODEXTRIN (UNII: 7CVR7L4A2D)

SUGAR

FREE

Psyllium Fiber

100% Natural Psyllium Husk

FIBER SUPPLEMENT

HELPS SUPPORT:

SILICON DIOXIDE (UNII: ETI7Z6XBU4)

FD&C YELLOW NO. 6 (UNII: H77VEI93A8)

Product Chara	cteristics							
Color	white (White to light brown)		Score					
Shape			Size					
Flavor	ORANGE		Imprint Code					
Contains								
Packaging								
# Item Code	Package Description	Marketing Start Date		Marketing End Date				
	425 g in 1 BOTTLE; Type 0: Not a Combination Product	03/11/2024						
Marketing Information								
Marketing Category	Application Number or Monograph Citation	Ман	rketing Start Date	Marketing End Date				
OTC Monograph Drug	9 M007	03/11/	2024					

Labeler - TIME CAP LABORATORIES, INC. (037052099)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment							
Name	Address	ID/FEI	Business Operations				
MARKSANS PHARMA LIMITED		677604129	manufacture(49483-739)				

Revised: 3/2024

TIME CAP LABORATORIES, INC.