

CHILDRENS ALLERGY- loratadine solution
CVS Pharmacy

CVS Pharmacy, Inc. Children's Allergy Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if carton is opened, or if printed neckband is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

edetate disodium, glycerin, maltitol, monobasic sodium phosphate, natural and artificial grape flavor, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

CVS Health®

Compare to the active ingredient in Children's Claritin®

Indoor & Outdoor Allergies

Children's Allergy

24 HOUR

LORATADINE ORAL SOLUTION, 5 mg/5 mL (Antihistamine) ALLERGY

Non-Drowsy†

24 hour relief of:

Sneezing; Runny nose; Itchy, watery eyes; Itchy throat or nose

Ages 2 yrs & older

†When taken as directed.

See Drug Facts Panel.



DYE FREE

Grape Flavor

Dosage Cup Included

Free of alcohol, sugar & gluten

4 FL OZ (120 mL)

		 Indoor & Outdoor Allergies Children's Allergy LORATADINE ORAL SOLUTION, 5 mg/5 mL (Antihistamine) ALLERGY 									
<p>Drug Facts</p> <p>Active ingredient (in each 5 mL teaspoonful) Purpose Loratadine 5 mg.....Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p>Directions ■ use only with enclosed dosing cup</p> <table border="1"><tr><td>adults and children 6 years and over</td><td>2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours</td></tr><tr><td>children 2 to under 6 years of age</td><td>1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours</td></tr><tr><td>children under 2 years of age</td><td>ask a doctor</td></tr><tr><td>consumers with liver or kidney disease</td><td>ask a doctor</td></tr></table> <p>Other information ■ do not use if carton is opened, or if printed neckband is broken or missing ■ store between 20° to 25°C (68° to 77°F)</p> <p>Inactive ingredients edetate disodium, glycerin, maltitol, monobasic sodium phosphate, natural and artificial grape flavor, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose</p> <p>Questions or comments? 1-800-719-9260</p>	adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours	children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours	children under 2 years of age	ask a doctor	consumers with liver or kidney disease	ask a doctor	<p>Dosing Cup Included </p> <ul style="list-style-type: none">• Dye free• Sugar free• 24 hour relief• Alcohol free <p>**This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Children's Claritin®.</p> <p>Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2023 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-35708</p> <p> 100% money back guaranteed. CVS.com/returnpolicy</p> <p> PAPER BOX PLASTIC BOTTLE PLASTIC CUP Not needed in all communities</p>	 Compare to the active ingredient in Children's Claritin®** Indoor & Outdoor Allergies NDC 69842-337-26 Children's Allergy LORATADINE ORAL SOLUTION, 5 mg/5 mL (Antihistamine) ALLERGY Non-Drowsy†  24 hour relief of: Sneezing; Runny nose; Itchy, watery eyes; Itchy throat or nose Ages 2 yrs & older †When taken as directed. See Drug Facts Panel.   Grape Flavor Dosage Cup Included Free of alcohol, sugar & gluten 4 FL OZ (120 mL)	 Compare to the active ingredient in Children's Claritin®** Indoor & Outdoor Allergies Children's Allergy LORATADINE ORAL SOLUTION, 5 mg/5 mL (Antihistamine) ALLERGY Non-Drowsy†  24 hour relief of: Sneezing; Runny nose; Itchy, watery eyes; Itchy throat or nose Ages 2 yrs & older †When taken as directed. See Drug Facts Panel.   Grape Flavor Dosage Cup Included Free of alcohol, sugar & gluten 4 FL OZ (120 mL)
adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours										
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours										
children under 2 years of age	ask a doctor										
consumers with liver or kidney disease	ask a doctor										
		 #912845 0 50428 29583 0									

CHILDRENS ALLERGY

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-337
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
MALTITOL (UNII: D65DG142WK)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-337-26	1 in 1 CARTON	06/28/2018	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-337-34	1 in 1 CARTON	06/20/2018	
2		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075728	06/20/2018	

Labeler - CVS Pharmacy (062312574)

Revised: 7/2024

CVS Pharmacy