

CLE DE PEAU BEAUTE CONCEALER BUFF- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER HAZELNUT- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER NUTMEG- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER COCOA- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER ESPRESSO- titanium dioxide stick
CLE DE PEAU BEAUTE CONCEALER TOFFEE- titanium dioxide stick
SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

clé de peau BEAUTÉ CONCEALER

Drug Facts

Active ingredients

TITANIUM DIOXIDE 1.6 %

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every two hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

HYDROGENATED POLYDECENE•CYCLOPENTASILOXANE•KAOLIN•DIPHENYLSILOXY
PHENYL TRIMETHICONE•PARAFFIN•LITHIUM MAGNESIUM SODIUM
SILICATE•DIISOSTEARYL MALATE•POLYETHYLENE•SORBITAN
SESQUIISOSTEARATE•GLYCERIN•BARIUM SULFATE•COPERNICIA CERIFERA
(CARNAUBA) WAX•PHYTOSTERYL MACADAMIATE•TOCOPHERYL ACETATE•SODIUM
ACETYLATED HYALURONATE•ROSA ROXBURGHII FRUIT EXTRACT•CAMELLIA
SINENSIS LEAF EXTRACT•PRUNUS SPECIOSA LEAF EXTRACT•MICROCRYSTALLINE
WAX•DIPROPYLENE GLYCOL•PEG-10 DIMETHICONE•WATER•ALUMINUM
HYDROXIDE•STEARIC ACID•ALUMINA•SYNTHETIC FLUORPHLOGOPITE•BUTYLENE
GLYCOL•TOCOPHEROL•ALCOHOL•SIMETHICONE•TRIETHOXSILYLETHYL
POLYDIMETHYLSILOXYETHYL DIMETHICONE•DIMETHICONE•BHT•FRAGRANCE•IRON
OXIDES•MICA•TITANIUM DIOXIDE•

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - BUFF

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
BUFF

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15 minutes before sun exposure

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO. 16612

www.cledepeau-beaute.com



Drug Facts (continued)

Directions ■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours ■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE - CYCLOPENTASILOXANE - KAOLIN - DIPHENYLSILOXY-PHENYL-TRIMETHICONE - PARAFFIN - LITHIUM MAGNESIUM SODIUM SILICATE - DIISOSTEARYL MALATE - POLYETHYLENE - SORBITAN SESQUISOESTEARATE - GLYCERIN - BARIUM SULFATE - COPERNICIA CERIFERA (CARNAUBA) WAX - PHYTOSTERYL MACADAMATE - TOCOPHERYL ACETATE - SODIUM ACETYLATED HYALURONATE

concealer

BUFF

This package is made using bagasse paper (a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - PRUNUS SPECIOSA LEAF EXTRACT - MICROCRYSTALLINE WAX - DMPROPYLENE GLYCOL - PEG-10 DIMETHICONE - WATER - ALUMINUM HYDROXIDE - STEARIC ACID - ALLUMINA - SYNTHETIC FLUORPHLOGOPITE - BUTYLENE GLYCOL - TOCOPHEROL - ALCOHOL - SIMETHICONE - TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - DIMETHICONE - BHT - FRAGRANCE - IRON OXIDES - MICA - TITANIUM DIOXIDE



concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17OZ.

縮小サイズ0.85倍 6mm/1.5cm
12mm X 93mm + Lot 7mm X 18mm

7 30852 16612 7

Drug Facts(continued)
Other Information
protect this product in this container from excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

16612-41-5040
AAA

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - HAZELNUT

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
BUFF

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15 minutes before sun exposure

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO. 16612

www.cledepeau-beaute.com



Drug Facts (continued)

Directions ■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours ■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE - CYCLOPENTASILOXANE - KAOLIN - DIPHENYLSILOXY-PHENYL-TRIMETHICONE - PARAFFIN - LITHIUM MAGNESIUM SODIUM SILICATE - DIISOSTEARYL MALATE - POLYETHYLENE - SORBITAN SESQUISOOSTEARATE - GLYCERIN - BARIUM SULFATE - COPERNICIA CERIFERA (CARNAUBA) WAX - PHYTOSTERYL MACADAMATE - TOCOPHERYL ACETATE - SODIUM ACETYLATED HYALURONATE

concealer

BUFF

This package is made using bagasse paper (a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - PRUNUS SPECIOSA LEAF EXTRACT - MICROCRYSTALLINE WAX - DMPROPYLENE GLYCOL - PEG-10 DIMETHICONE - WATER - ALUMINUM HYDROXIDE - STEARIC ACID - ALLUMINA - SYNTHETIC FLUORPHLOGOPITE - BUTYLENE GLYCOL - TOCOPHEROL - ALCOHOL - SIMETHICONE - TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - DIMETHICONE - BHT - FRAGRANCE - IRON OXIDES - MICA - TITANIUM DIOXIDE



concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17OZ.

縮小サイズ0.85倍 6mm/1.5cm
12mm X 93mm + Lot 7mm X 18mm

7 30852 16612 7

Drug Facts(continued)
Other Information
protect this product in this container from excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

16612-41-5040
AAA

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - NUTMEG

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
BUFF

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15 minutes before sun exposure

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO. 16612

www.cledepeau-beaute.com



Drug Facts (continued)

Directions ■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours ■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE - CYCLOPENTASILOXANE - KAOLIN - DIPHENYLSILOXY-PHENYL-TRIMETHICONE - PARAFFIN - LITHIUM MAGNESIUM SODIUM SILICATE - DIISOSTEARYL MALATE - POLYETHYLENE - SORBITAN SESQUISOOSTEARATE - GLYCERIN - BARIUM SULFATE - COPERNICIA CERIFERA (CARNAUBA) WAX - PHYTOSTERYL MACADAMATE - TOCOPHERYL ACETATE - SODIUM ACETYLATED HYALURONATE

concealer

BUFF

This package is made using bagasse paper (a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - PRUNUS SPECIOSA LEAF EXTRACT - MICROCRYSTALLINE WAX - DMPROPYLENE GLYCOL - PEG-10 DIMETHICONE - WATER - ALUMINUM HYDROXIDE - STEARIC ACID - ALLUMINA - SYNTHETIC FLUORPHLOGOPITE - BUTYLENE GLYCOL - TOCOPHEROL - ALCOHOL - SIMETHICONE - TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - DIMETHICONE - BHT - FRAGRANCE - IRON OXIDES - MICA - TITANIUM DIOXIDE



concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17OZ.

縮小サイズ0.85倍 6mm/1.5cm
12mm X 93mm + Lot 7mm X 18mm

7 30852 16612 7

Drug Facts(continued)
Other Information
protect this product in this container from excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

16612-41-5040
AAA

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - COCOA

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
BUFF

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15 minutes before sun exposure

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO. 16612

www.cledepeau-beaute.com



Drug Facts (continued)

Directions ■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours ■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE - CYCLOPENTASILOXANE - KAOLIN - DIPHENYLSILOXY-PHENYL-TRIMETHICONE - PARAFFIN - LITHIUM MAGNESIUM SODIUM SILICATE - DIISOSTEARYL MALATE - POLYETHYLENE - SORBITAN SESQUISOESTEARATE - GLYCERIN - BARIUM SULFATE - COPERNICIA CERIFERA (CARNAUBA) WAX - PHYTOSTERYL MACADAMATE - TOCOPHERYL ACETATE - SODIUM ACETYLATED HYALURONATE

concealer

BUFF

This package is made using bagasse paper (a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - PRUNUS SPECIOSA LEAF EXTRACT - MICROCRYSTALLINE WAX - DMPROPYLENE GLYCOL - PEG-10 DIMETHICONE - WATER - ALUMINUM HYDROXIDE - STEARIC ACID - ALLUMINA - SYNTHETIC FLUORPHLOGOPITE - BUTYLENE GLYCOL - TOCOPHEROL - ALCOHOL - SIMETHICONE - TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - DIMETHICONE - BHT - FRAGRANCE - IRON OXIDES - MICA - TITANIUM DIOXIDE



concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17OZ.

縮小サイズ0.85倍 6mm/1.5
12mm X 93mm + Lot 7mm X 18mm

7 30852 16612 7

Drug Facts(continued)
Other Information
protect this product in this container from excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

16612-41-5040
AAA

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - ESPRESSO

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
BUFF

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15 minutes before sun exposure

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO. 16612

www.cledepeau-beaute.com



Drug Facts (continued)

Directions ■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours ■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE - CYCLOPENTASILOXANE - KAOLIN - DIPHENYLSILOXY-PHENYL-TRIMETHICONE - PARAFFIN - LITHIUM MAGNESIUM SODIUM SILICATE - DIISOSTEARYL MALATE - POLYETHYLENE - SORBITAN SESQUISOESTEARATE - GLYCERIN - BARIUM SULFATE - COPERNICIA CERIFERA (CARNAUBA) WAX - PHYTOSTERYL MACADAMATE - TOCOPHERYL ACETATE - SODIUM ACETYLATED HYALURONATE

concealer

BUFF

This package is made using bagasse paper (a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - PRUNUS SPECIOSA LEAF EXTRACT - MICROCRYSTALLINE WAX - DMPROPYLENE GLYCOL - PEG-10 DIMETHICONE - WATER - ALUMINUM HYDROXIDE - STEARIC ACID - ALLUMINA - SYNTHETIC FLUORPHLOGOPITE - BUTYLENE GLYCOL - TOCOPHEROL - ALCOHOL - SIMETHICONE - TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - DIMETHICONE - BHT - FRAGRANCE - IRON OXIDES - MICA - TITANIUM DIOXIDE



concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17OZ.

縮小サイズ0.85倍 6mm/1.5cm
12mm X 93mm + Lot 7mm X 18mm

7 30852 16612 7

Drug Facts(continued)
Other Information
protect this product in this container from excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

16612-41-5040
AAA

PRINCIPAL DISPLAY PANEL - 5 g Cartridge Carton - TOFFEE

clé de peau

BEAUTÉ

concealer

BROAD SPECTRUM

SPF 25

SUNSCREEN

5g NET WT. .17 OZ.

clé de peau BEAUTÉ
CONCEALER
BROAD SPECTRUM SPF 25
SUNSCREEN
BUFF

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 1.6% ... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: ■ apply liberally 15 minutes before sun exposure

READ INSERTION.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO. 16612

www.cledepeau-beaute.com



Drug Facts (continued)

Directions ■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours ■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m. - wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients

HYDROGENATED POLYDECENE - CYCLOPENTASILOXANE - KAOLIN - DIPHENYLSILOXY-PHENYL-TRIMETHICONE - PARAFFIN - LITHIUM MAGNESIUM SODIUM SILICATE - DIISOSTEARYL MALATE - POLYETHYLENE - SORBITAN SESQUISOOSTEARATE - GLYCERIN - BARIUM SULFATE - COPERNICIA CERIFERA (CARNAUBA) WAX - PHYTOSTERYL MACADAMATE - TOCOPHERYL ACETATE - SODIUM ACETYLATED HYALURONATE

concealer

BUFF

This package is made using bagasse paper (a non-wood paper).

Drug Facts (continued)

Inactive ingredients

ROSA ROXBURGHII FRUIT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - PRUNUS SPECIOSA LEAF EXTRACT - MICROCRYSTALLINE WAX - DMPROPYLENE GLYCOL - PEG-10 DIMETHICONE - WATER - ALUMINUM HYDROXIDE - STEARIC ACID - ALLUMINA - SYNTHETIC FLUORPHLOGOPITE - BUTYLENE GLYCOL - TOCOPHEROL - ALCOHOL - SIMETHICONE - TRIETHOXYDIMETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - DIMETHICONE - BHT - FRAGRANCE - IRON OXIDES - MICA - TITANIUM DIOXIDE



concealer

BROAD SPECTRUM
SPF 25
SUNSCREEN

5g NET WT. .17OZ.

縮小サイズ0.85倍 6mm/1.5cm
12mm X 93mm + Lot 7mm X 18mm

7 30852 16612 7

Drug Facts(continued)
Other Information
protect this product in this container from excessive heat and direct sun.
Questions or Comments?
Call toll free 1-800-906-7503

16612-41-5040
AAA

CLE DE PEAU BEAUTE CONCEALER BUFF

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-617
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
KAOLIN (UNII: 24H4NWX5CO)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PARAFFIN (UNII: I9O0E3H2ZE)	
LAPONITE (UNII: D703131383)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ALUMINUM OXIDE (UNII: LM26O6933)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALCOHOL (UNII: 3K9958V90M)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	

DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-617-20	1 in 1 CARTON	01/01/2021	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2021	

CLE DE PEAU BEAUTE CONCEALER HAZELNUT

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-618
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
KAOLIN (UNII: 24H4NWX5CO)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PARAFFIN (UNII: I9O0E3H2ZE)	
LAPONITE (UNII: D703131383)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SORBITAN SESQUISOESTEARATE (UNII: VU97D01BF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)
ALUMINUM OXIDE (UNII: LM26O6933)
WATER (UNII: 059QF0KO0R)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALCOHOL (UNII: 3K9958V90M)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-618-20	1 in 1 CARTON	01/01/2021	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2021	

CLE DE PEAU BEAUTE CONCEALER NUTMEG

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-619
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)
MICA (UNII: V8A1AW0880)
KAOLIN (UNII: 24H4NWX5CO)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
PARAFFIN (UNII: I9O0E3H2ZE)
LAPONITE (UNII: D703131383)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
GLYCERIN (UNII: PDC6A3C0OX)
CARNAUBA WAX (UNII: R12CBM0EIZ)
BIARIUM SULFATE (UNII: 25BB7EKE2E)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)
WATER (UNII: 059QF0K00R)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALUMINUM OXIDE (UNII: LM26O6933)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALCOHOL (UNII: 3K9958V90M)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-619-20	1 in 1 CARTON	01/01/2021	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2021	

CLE DE PEAU BEAUTE CONCEALER COCOA

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-620
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
MICA (UNII: V8A1AW0880)	
KAOLIN (UNII: 24H4NWX5CO)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PARAFFIN (UNII: I9O0E3H2ZE)	
LAPONITE (UNII: D703131383)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
WATER (UNII: 059QF0K00R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALCOHOL (UNII: 3K9958V90M)	
ALUMINUM OXIDE (UNII: LM26O6933)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-620-20	1 in 1 CARTON	01/01/2021	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2021	

CLE DE PEAU BEAUTE CONCEALER ESPRESSO

titanium dioxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-621
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
MICA (UNII: V8A1AW0880)	
KAOLIN (UNII: 24H4NWX5CO)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
PARAFFIN (UNII: I9O0E3H2ZE)	
LAPONITE (UNII: D703131383)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
WATER (UNII: 059QF0K00R)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALCOHOL (UNII: 3K9958V90M)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ALUMINUM OXIDE (UNII: LM26O6933)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-621-20	1 in 1 CARTON	01/01/2021	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2021	

CLE DE PEAU BEAUTE CONCEALER TOFFEE

titanium dioxide stick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-622
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	80 mg in 5 g

Inactive Ingredients	
Ingredient Name	Strength
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
MICA (UNII: V8A1AW0880)	

KAOLIN (UNII: 24H4NWX5CO)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
PARAFFIN (UNII: I9O0E3H2ZE)
LAPONITE (UNII: D703131383)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
SORBITAN SESQUISOOSTEARATE (UNII: VU97D01BF9)
GLYCERIN (UNII: PDC6A3C0OX)
CARNAUBA WAX (UNII: R12CBM0EIZ)
BARIUM SULFATE (UNII: 25BB7EKE2E)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)
WATER (UNII: 059QF0K00R)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LM26O6933)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALCOHOL (UNII: 3K9958V90M)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-622-20	1 in 1 CARTON	01/01/2021	
1		5 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2021	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)