EGF FGF DNA UV SHIELD- ethylhexyl methoxycinnamate, titanium dioxide, ethylhexyl salicylate cream Dermaesthetics Inc.

-----

#### **ACTIVE INGREDIENTS**

Ethylhexyl Methoxycinnamate 5.40% Titanium Dioxide 5.00% Ethylhexyl Salicylate 3.40%

### **INACTIVE INGREDIENTS**

Aqua, Cyclopentasiloxane, Silica, 4-Methylbenzylidene Camphor, Cyclohexasiloxane, Cetyl Ethylhexanoate, Sorbitan Isostearate, Glycerin,

Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Cetyl PEG/PPG-10/1 Dimethicone, Sodium Chloride, Calcium Stearate, Glyceryl Caprylate, Betaine, Beeswax, Allantoin, Ozokerite, Glyceryl Caprylate, Butylene Glycol, Aloe Barbadensis Leaf Juice Powder, Xanthan Gum, Triethoxycaprylylsilane, 1,2-Hexanediol, Sodium DNA, Ginkgo Biloba Leaf Extract, Ethylhexylglycerin, Lecithin, Polysorbate 20, sr-Rainbow Trout Oligopeptide-1 sh-Oligopeptide-1.

### **PURPOSE**

Sunscreen

#### WARNINGS

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

- For external use only
- Do not use on damaged or broken skin.
- When using this product keep out of eyes, rinse with water to remove.
- Stop use and ask a doctor if rash or irritation develops.
- Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.
- Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.

#### Uses:


- Helps prevent sun burn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

## Directions:

- Apply generously and evenly 15-20 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply every 1-2 hours after towel drying, swimming, or perspiring.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10a.m-2p.m.
- Wear long sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Consult a doctor.

## Other Information

■ Protect this product from excessive heat and direct sun.



## EGF FGF DNA UV SHIELD

ethylhexyl methoxycinnamate, titanium dioxide, ethylhexyl salicylate cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58831-1100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.24 g in 60 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3 g in 60 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.04 g in 60 mL	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: 0THT5PCIOR)			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58831- 1100-2	1 in 1 CARTON	10/01/2021	
1	NDC:58831- 1100-1	60 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2021	

# Labeler - Dermaesthetics Inc. (688384549)

## Registrant - Dermaesthetics Inc. (688384549)

Establishment			
Name	Address	ID/FEI	Business Operations
Aqualex		687515213	manufacture(58831-1100)

Revised: 12/2024 Dermaesthetics Inc.