

LIDOCAINE PATCH- lidocaine patch
Shenzhen Yangan Technology Co., Ltd.

Lidocaine Patch

Lidocaine Patch

Lidocaine 4%

Topical Anesthetic

Temporarily relieves minor pain.

For external use only

More than one patch on your body at a time

On cut, irritated or swollen skin

On puncture wounds

For more than one week without consulting a doctor

If you are allergic to any active or inactive ingredients If pouch is damaged or opened.

When using this product Use only as directed Read and follow all directions and warnings on this carton Do not allow contact with the eyes

Do not use at the same time as other topical analgesics

Do not bandage tightly or apply local heat (such as heating pads) to the area of use

Dispose of used patch in manner that always keeps product away from children and pets,

Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if

Condition worsens

Redness is present

Irritation develops

Symptoms persist for more than 7 days or clear up and occur again within a few days

You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

Keep out of reach of children and pets

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Store in a clean, dry place outside of direct sunlight. Protect product from excessive moisture.

Aluminum Glycinate

Aluminum Hydroxide

Cellulose Gum

DMDM hydantoin

Glycerin

Polyacrylic Acid

Polysorbate 80

Propylene Glycol
 Ricinus Communis Seed Oil (castor)
 Silica
 Sodium Polyacrylate
 Tartaric Acid
 Titanium Dioxide
 Urea
 Water



FAST RELIEF

Lidocaine Patch

Numbing muscle & joint relief



- For Single-Use
- Easy to Apply and Remove
- Stay-Put Flexible Patch
- No-Mess Application

MAXIMUM STRENGTH LIDOCAINE



20 PATCHES
5.5" X 3.94" / 14 X 10cm
4% LIDOCAINE

Drug Facts

Active ingredient	Purpose
Lidocaine 4.0%.....	Topical Anesthetic

Use Temporarily relieves minor pain.

Warnings

For external use only

Do not use ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.

When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical analgesics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children and pets.

Directions

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.


Other information

Store in a clean, dry place outside of direct sunlight. Protect product from excessive moisture.

Inactive ingredients

Aluminum Glycinate, Aluminum Hydroxide, Cellulose Gum, DMDM hydantoin, Glycerin, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Ricinus Communis Seed Oil (castor), Silica, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Urea, Water





LIDOCAINE PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84023-601
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
CASTOR OIL (UNII: D5340Y2I9G)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0K00R)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
UREA (UNII: 8W8T17847W)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84023-601-01	20 in 1 BOX	03/18/2024	
1		2 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/18/2024	

Labeler - Shenzhen Yangan Technology Co., Ltd. (419283765)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Yangan Technology Co., Ltd.		419283765	manufacture(84023-601)

Revised: 11/2024

Shenzhen Yangan Technology Co., Ltd.