

**TUSSIN DM COUGH AND CHEST NON DROWSY- dextromethorphan hbr,
guaifenesin liquid
WinCo Foods, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, 20 mg

Guaifenesin, 200 mg

Purpose

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hours period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years:do not use

Other information

- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red 40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

Questions?

Or to report an adverse event call **800-824-1706** Monday-Friday 9am-4pm MST

Principal Display Panel

*Compare to the active ingredients in ROBITUSSIN® Peak Cold Cough & Chest Congestion DM

NON-DROWSY

Tussin DM

Cough & Chest

Dextromethorphan HBr/Cough suppressant

Guaifenesin/Expectorant

Relieves: Cough, chest congestion and mucus

Adult formula, For ages 12 and over

Alcohol Free

FL OZ (mL)

*This product is not manufactured or distributed by PFIZER CONSUMER HEALTHCARE, distributed by ROBITUSSIN® Peak Cold Cough and Chest Congestion DM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY; WINCO FOODS, LLC, BOISE, ID 83704

www.wincofoods.com

Package Label

| <p>Drug Facts (continued)</p> <p>Other information ■ store between 20-25°C (68-77°F). Do not refrigerate.</p> <p>Inactive ingredients citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate</p> <p>Questions? Or to report an adverse event call 800-824-1706 Monday - Friday 9am - 4pm MST</p> | <p>*Compare to the active ingredients in ROBITUSSIN® Peak Cold Cough & Chest Congestion DM</p> | <p>*Compare to the active ingredients in ROBITUSSIN® Peak Cold Cough & Chest Congestion DM</p> | <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients (in each 10 mL)</th> <th>Purposes</th> </tr> </thead> <tbody> <tr> <td>Dextromethorphan HBr 20 mg</td> <td>Cough suppressant</td> </tr> <tr> <td>Guaifenesin 200 mg</td> <td>Expectorant</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> cough that occurs with too much phlegm (mucus) cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than 6 doses in any 24-hour period measure only with dosing cup provided. Do not use any other dosing device. keep dosing cup with product mL = milliliter this adult product is not intended for use in children under 12 years of age adults and children 12 years and over: 10 mL every 4 hours children under 12 years: do not use | Active ingredients (in each 10 mL) | Purposes | Dextromethorphan HBr 20 mg | Cough suppressant | Guaifenesin 200 mg | Expectorant |
|--|--|---|---|------------------------------------|----------|----------------------------|-------------------|--------------------|-------------|
| Active ingredients (in each 10 mL) | Purposes | | | | | | | | |
| Dextromethorphan HBr 20 mg | Cough suppressant | | | | | | | | |
| Guaifenesin 200 mg | Expectorant | | | | | | | | |
| <p>TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.</p> <p>DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704 *This product is not manufactured or distributed by PFIZER CONSUMER HEALTHCARE, distributor of ROBITUSSIN® Peak Cold Cough & Chest Congestion DM.</p> <p>The Supermarket Low Price Leader®</p> <p>100% SATISFACTION GUARANTEE</p> <p>Comments & Questions? 800-824-1706 • www.wincofoods.com</p>  <p>PLEASE RECYCLE</p> |  <p>NON-DROWSY Tussin DM</p> <p>Cough & Chest</p> <p>DEXTROMETHORPHAN HBr/ COUGH SUPPRESSANT GUAIFENESIN/ EXPECTORANT</p> <p>Relieves: Cough, Chest Congestion & Mucus</p> <p>Adult Formula, For Ages 12 & Over</p> <p>Alcohol Free</p> |  <p>NON-DROWSY Tussin DM</p> <p>Cough & Chest</p> <p>DEXTROMETHORPHAN HBr/ COUGH SUPPRESSANT GUAIFENESIN/ EXPECTORANT</p> <p>Relieves: Cough, Chest Congestion & Mucus</p> <p>Adult Formula, For Ages 12 & Over</p> <p>Alcohol Free</p> |  <p>4 FL OZ (118 mL) 4 FL OZ (118 mL)</p> | | | | | | |



WinCO Non-Drowsy Tussin DM

| | | | |
|---|----------------|---------------------------|---------------|
| TUSSIN DM COUGH AND CHEST NON DROWSY | | | |
| dextromethorphan hbr, guaifenesin liquid | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:67091-265 |

| | | | | |
|--|---|--|-----------------------------|---------------------------|
| Route of Administration | | ORAL | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | | DEXTROMETHORPHAN HYDROBROMIDE | 20 mg in 10 mL | |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | | GUAIFENESIN | 200 mg in 10 mL | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | | | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | | | | |
| DEXTROSE (UNII: IY9XDZ35W2) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S) | | | | |
| MENTHOL (UNII: L7T10EIP3A) | | | | |
| WATER (UNII: 059QF0K00R) | | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:67091-265-18 | 1 in 1 BOX | 12/31/2014 | 05/31/2024 |
| 1 | | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part341 | 12/31/2014 | 05/31/2024 | |

Labeler - WinCo Foods, LLC (056098817)

Revised: 11/2021

WinCo Foods, LLC