

**TOP SECRET CC SPF 35- octinoxate, titanium dioxide cream
BPS 60**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Top Secret CC Cream SPF 35

Drug Facts

Active ingredients

Octinoxate 5%

Titanium dioxide 6.3%

Purpose

Sunscreen

Use

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin

aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, glycerin, alcohol denat., isododecane, PEG-10 dimethicone, dipropylene glycol, pentylene glycol, disteardimonium hectorite, betaine, talc, diisostearyl malate, fragrance, tocopheryl acetate, macadamia ternifolia seed oil, hydroxypropyl tetrahydropyrantriol, hydrolyzed prunus domestica, phenoxyethanol, adenosine, magnesium sulfate, magnesium aspartate, ethylhexyl hydroxystearate, ethyl menthane carboxamide, silica, dimethiconol, dimethicone/vinyl dimethicone crosspolymer, simmondsia chinensis (jojoba) seed oil, limonene, zinc gluconate, tin oxide, linalool, propylene glycol, copper gluconate, coriandrum sativum (coriander) fruit oil, moringa pterygosperma seed extract, carrageenan, passiflora edulis seed oil, disodium stearyl glutamate, disodium phosphate, butylene glycol, BHT, citric acid, methicone, prunus armeniaca (apricot) kernel oil, aluminum starch octenylsuccinate, alumina, aluminum hydroxide; may contain: mica, red 28 lake, red 7, iron oxides, carmine, ferric ammonium ferrocyanide, bismuth oxychloride, titanium dioxide

Package Labeling:

14556C

BAG VALIDE LE 22/06/2016

Drug Facts
Active ingredients Purpose
 Octinoxate 5% Sunscreen
 Titanium dioxide 6.3% Sunscreen
Uses
 • helps prevent sunburn
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)
Warnings
 For external use only
 Do not use on damaged or broken skin
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs
 Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)
Directions
 For sunscreen use:
 • shake well before use
 • apply generously 15 minutes before sun exposure
 • reapply at least every 2 hours
 • use a water resistant sunscreen if swimming or sweating
 • **Sun Protection Measures.** Spending time in

Drug Facts (continued)
 the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-sleeved shirts, pants, hats, and sunglasses
 • children under 6 months of age: Ask a doctor

Drug Facts (continued)
Other information
 • protect the product in this container from excessive heat and direct sun

Inactive ingredients
 water, dimethicone, glycerin, alcohol denat., isododecane, PEG-10 dimethicone, dipropylene glycol, pentylene glycol, disteardimonium hectorite, betaine, talc, diisostearyl malate

Drug Facts (continued)
 fragrance, tocopheryl acetate, macadamia ternifolia seed oil, hydroxypropyl tetrahydropyrantriol, hydrolyzed prunus domestica, phenoxyethanol, adenosine, magnesium sulfate, magnesium aspartate, ethylhexyl hydroxystearate, ethyl menthane carboxamide, silica, dimethiconol, dimethicone / vinyl dimethicone crosspolymer, simmondsia chinensis (jojoba) seed oil, limonene, zinc gluconate, tin oxide, linalool, propylene glycol, copper gluconate, coriandrum sativum (coriander)

Drug Facts (continued)
 fruit oil, moringa pterygosperma seed extract, carrageenan, passiflora edulis seed oil, disodium stearyl glutamate, disodium phosphate, butylene glycol, BHT, citric acid, methicone, prunus armeniaca (apricot) kernel oil, aluminum starch octenylsuccinate, alumina, aluminum hydroxide; may contain: mica, red 28 lake, red 7, iron oxides, carmine, ferric ammonium ferrocyanide, bismuth oxychloride, titanium dioxide

CC PRIMER COLOR CORRECTING SUNSCREEN BROAD SPECTRUM SPF 35 APRICOT

TOP SECRETS

YVES SAINT LAURENT

13 fl.oz. 40 ml

POLYESTER ALU.

1832888

3 614271 546739

14556C

QUESTIONS OR COMMENTS?
 CONTACT:
 YVES SAINT LAURENT
 10 Hudson Yards,
 New York, NY 10001
 FOR MORE INFORMATION
 ON THIS
 WEBSITE:
 www.yveslauront.com

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS
 © YVES SAINT LAURENT
 281, RUE DE LA HARPE
 75008 PARIS
 10 HUDSON YARDS,
 NEW YORK, NY 10001
 MADE IN FRANCE

FSC MIX
 Packaging from responsible sources
FSC
 www.fsc.org

INSPIRED BY OUR MAKEUP ARTISTS AND DEVELOPED BY SKINCARE EXPERTS, THIS CC PRIMER, AVAILABLE IN 3 SHADES, EVENS SKINTONE TO REVEAL A PERFECT GLOW. YVES SAINT LAURENT: A NATURAL GLOW FOR SMOOTH, YELLOW-GLOWING SKIN. - ROSE: A FRESH AND ROSY GLOW FOR DULL AND Tired-looking skin. - APRICOT: A Refreshing golden glow for bright skin. The light and fresh formula allows a better diffusion of light and helps protect skin from UV-A and UV-B rays. Skintone is more even and radiant, skin texture is refined, prepared for makeup.

TOP SECRET CC SPF 35
 octinoxate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70581-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	63 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
BETAINE (UNII: 3SCV180C9W)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MACADAMIA OIL (UNII: 515610SU8C)	
HYDROXYPROPYL TETRAHYDROPYRANTRIOL (UNII: 4U3GMG1OT1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ADENOSINE (UNII: K72T3FS567)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
MAGNESIUM ASPARTATE (UNII: R17X820ROL)	
ETHYLHEXYL HYDROXYSTEARATE (UNII: B7I80BVV5E)	
ETHYL MENTHANE CARBOXAMIDE (UNII: 6S7S02945H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
JOJOBA OIL (UNII: 724GKU717M)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COPPER GLUCONATE (UNII: RV823G6G67)	
CORIANDER OIL (UNII: 7626GC95E5)	
MORINGA OLEIFERA SEED (UNII: TIX5482832)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
PASSIFLORA EDULIS SEED OIL (UNII: F3VOA31UHQ)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	

SODIUM PHOSPHATE, DIBASIC, ANHYDRO US (UNII: 22ADO53M6F)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
APRICOT KERNEL OIL (UNII: 54JB35T06A)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
ALUMINUM OXIDE (UNII: LM26O6933)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70581-016-00	1 in 1 BOX	12/26/2017	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	12/26/2017	

Labeler - BPS 60 (272259304)