

RITE AID PAIN RELIEVING ROLL-ON- lidocaine hcl liquid
Rite Aid Corporation

Rite Aid Pain Relieving Roll-On with 4% Lidocaine, 2.5 oz

Lidocaine HCl 4%

Topical Anesthetic

Uses

Temporarily relieves minor pain

Warning

For External use only

Do not use ■ on large areas of the body or on cut, irritated or swollen skin ■ on puncture wounds ■ for more than one week without consulting a doctor

When using this product

■ use only as directed. Read and follow all directions and warnings on this carton

■ do not allow contact with the eyes and mucous membranes

■ do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use

■ do not use at the same time as other topical analgesics

Stop use and ask a doctor if

■ condition worsens ■ redness is present

■ irritation develops

■ symptoms persist for more than 7 days or clear up and occur again within a few days

Flammable

Keep away from fire or flame

Store at room temperature

If pregnant or breast feeding, ask a health professional before use

Keep out of reach of children and pets

If swallowed, get medical help or contact Poison Control Center (1-800-222-1222) right away

Directions

Directions

adults and children over 12 years: ■ apply a thin layer to affected area every 6 to 8

hours, not to
exceed 3 applications in a 24 hour period.
children 12 years or younger: ■ask a doctor

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer (60000 MPA.S), aloe barbadensis leaf juice, amynomethylpropanol, cetel-10 phosphate, cetostearyl alcohol, cyclomethicone 5, dicetyl phosphate, dimethicone 350, dimethicone/vinyl dimethicone crosspolymer (soft particle), disodium EDTA, ethylhexylglycerin, glyceryl 1 stearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer (100000 MPA.S at 1.5%), sohexadecane, phenoxyethanol, SD alcohol, steareth-21, water

Call 1-866-326-1313

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5VN99N)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
STEARETH-21 (UNII: 53J3F32P58)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
WATER (UNII: 059QF0KO0R)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-9989-1	73 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/01/2024	

Labeler - Rite Aid Corporation (014578892)**Establishment**

Name	Address	ID/FEI	Business Operations
Nantong Health & Beyond Hygienic Products Inc.		421280161	manufacture(11822-9989)