

QUARTERMATE A- iodine solution solution

West Agro, Inc.

Quartermate A

Quartermate A

Contains available iodine 0.1% and glycerin 2%

Volume:

This teat dip is environmentally friendly and produced using two U.S. patented technologies.

IO-MAXX technology provides rapid and strong bactericidal activity.

ACT technology keeps teats consistently soft.

Composition/Content per 100 g

Glycerin-iodine complex 0.33 g

Sodium iodate 0.20 g

Glycerin 1.84g

Precautions to Be Observed

General Precautions:

Use this product only for the purposes specified under indications and effects. Follow the designated dosage and administration strictly.

Handling and Disposal Precautions:

Do not use metal cups because the product is corrosive. Shake well before use. Milk and other organic matter consume available iodine and reduce the disinfecting effect. If a large amount of milk or organic matter enters the container, discard the solution and refill with a fresh one. Store out of reach of children. Avoid contact with food, feed, clothing, and children's toys. Store tightly sealed in a place away from direct sunlight, high temperature, and humidity, and where freezing does not occur. Do not store near fire or heat sources. If frozen, warm to room temperature and mix before use. To avoid misuse and maintain product quality, do not transfer the product to another container. Dispose of used containers according to local regulations. When discarding the product, ensure it does not contaminate the environment or water systems and dispose of it according to local regulations.

Precautions During Use

If hypersensitivity symptoms such as rash or itching occur, discontinue use immediately and consult a physician. Wear rubber gloves when handling the product to avoid skin contact. If the product adheres to the skin, rinse immediately with running water.

Avoid eye contact. If the product gets into the eyes, do not rub - rinse immediately with running water. After rinsing for about 5 minutes, remove contact lenses if worn and continue rinsing. Bring this product and seek prompt medical attention.

Avoid accidental ingestion. If swallowed, give plenty of water to induce vomiting when appropriate and seek immediate medical attention.

Precautions for cattle:

Hypersensitivity reactions such as rash may occur, discontinue use if such symptoms appear. If the teat has wounds or cracks, consult a veterinarian before use. Teat immersion time should be 15-30 seconds. Before teats dry, lying down may cause manure or bedding to adhere. Keep cows standing until teats are completely dry. In cold climates, teats may be at risk of frostbite; after dipping, wait about one minute, then wipe teats with a new paper towel or dry indoors at room temperature.

Other handling precautions:

Use undiluted. Use fresh solution for each milking. Clean cups or non-return dipper devices thoroughly before use.

Clean all equipment thoroughly after use.

Use within expiry date printed on the package.

Contact Nippon Zenyaku Kogyo Co., Ltd. 1-1 Hirano-ue, Sasagawa, Asaka-machi, Koriyama-shi, Fukushima 963-0196 Japan

Toll-free 0120-452-793 Hours: 9:00 - 17:00 (excluding weekends and company holidays)

Veterinarians, pharmacists, and other healthcare professionals who become aware of any disease, injury, or death suspected to be related to this product, or infections suspected to be associated with its use, should contact the above information center and also report to the National Veterinary Assay Laboratory (<http://www.maff.go.jp/nval/yakutou/fukusayo/sousa/index.html>).

2014-001

【特長】

- 2つの米国特許による製造技術を使用した環境にやさしいディッピング剤です。
- IO-MAXX技術により、速やかに強い殺菌力を発揮します。
- ACT技術により、乳頭を常にソフトな状態に保ちます。

【成分及び分量】 100g中

成分	分量
主剤	グリセリン・ヨウ素複合体 0.33g
	ヨウ素酸ナトリウム 0.20g
保湿剤	グリセリン 1.84g



【効能又は効果】 牛の乳頭の殺菌及び消毒

【用法及び用量】

原液をコップ等の容器に入れ、毎搾乳前後に下記のように用いる。
搾乳前:乳頭の汚れをおとした後、乳頭を短時間浸漬し、使い捨てペーパータオル等で乳頭を拭いて乾かし、ミルクカーを装着する。
搾乳後:ミルクカーを履脱した後、直ちに乳頭を短時間浸漬する。

【使用上の注意】

【基本的事項】

1. 守らなければならないこと

- (一般的な注意)
- ・本剤は効能・効果において定められた目的にのみ使用すること。
- ・本剤は定められた用法・用量を厳守すること。
- (取扱い及び廃棄のための注意)
- ・腐食性があるため金属製のコップは使用しないこと。
- ・よく振り混ぜてから使用すること。
- ・乳汁等は有効ヨウ素を消費し本剤の消毒効果を減弱させるので、多量の乳汁等が混入した場合は廃棄し、新たに容器に入れ使用すること。
- ・小児の手が届かないところに保管すること。
- ・本剤が飲食物、飼料、被服、小児のおもちゃ等にかからないように注意すること。
- ・本剤の保管は密栓して、直射日光、高温及び多湿を避け、寒冷時に凍結しないよう場所に保管すること。
- ・火気や熱源のそばに保管しないこと。
- ・万一凍結した場合は、室温にて溶かし、使用前に混和すること。
- ・誤用を避け、品質を保持するため、他の容器に入れ替えないこと。

製造元 **WESTAGRO** ウェスタアグロ社
アメリカ合衆国カンザスシティ

製造販売元 (輸入販売元)
日本全業工業株式会社
ZENORQ 福島県郡山市安積町野川字平ノ上1-1

Made in U.S.A. 001-2014-G0817
© 2017, West Agro, Inc.

SPC1



WESTAGRO

2017年7月作成
【新法】 室温保存

承認庁登録番号 21動第第1207号

動物用医薬品

乳頭殺菌消毒剤

クォーターメイト® A

有効ヨウ素0.1%、グリセリン2%含有

容量:55ガロン(約208L)

NPE
Non-Petroleum Based
FREE
Formula



U.S. Patent No.
5,368,868

lo-Maxx
HIGHEST | HIGH FREE | KIDING TECHNOLOGY
U.S. Patent No. 5,643,808

Manufactured by:

WESTAGRO

11100 N. Congress Ave. Kansas City, MO
64153-1296

NOW WITH
lo-Maxx
HIGHEST | HIGH FREE | KIDING TECHNOLOGY

- ・使用済みの容器は地方公共団体条例等に準い処分すること。
- ・本剤を廃棄する際は、環境や水系を汚染しないように注意し、地方公共団体条例等に準い処分すること。

2. 使用者に際して気を付けること

(使用者に対する注意)

- ・本剤の使用により発疹、掻痒感等の過敏性徴候が現れた場合は、直ちに使用を中止し、医師の診察を受けること。
- ・本剤の取扱いにはゴム手袋等を使用し、皮膚に付着しないように注意すること。万一、使用者の皮膚に付着した場合は、直ちに流水で洗い流すこと。
- ・本剤が眼に入らないように注意すること。万一、眼に入った場合は、こすらず直ちに流水で洗眼すること。5分程洗浄した後、コンタクトレンズを着用している場合ははずし、洗浄を続けること。洗浄後、本剤を持参して速やかに医師の診察を受けること。
- ・本剤を誤飲しないように注意すること。万一、誤飲した場合は、多量の水を飲ませて吐き出させる等適切な処置を行い、直ちに医師の診察を受けること。

(牛に関する注意)

- ・本剤の使用により、発疹等の過敏反応が見られることがあるが、このような症状が現れた場合には使用を中止すること。
- ・乳頭に傷、ひび割れ等がある場合は、使用前に獣医師に相談すること。
- ・乳頭の薬剤への浸漬時間は、15秒から30秒とすること。
- ・乳頭が乾燥する前に横臥すると、糞、敷き料等の有機物が付着することがあるため、乳頭浸漬後は、乳頭が乾燥するまで牛を立たせておくこと。
- ・特に寒冷地で使用する場合は、乳頭が凍傷になる恐れがあるので、乳頭浸漬後1分程度乾燥したあとで、新しいペーパータオル等で本剤を拭き取るか、または室温にて乳頭を乾燥させること。

(取扱い上の注意)

- ・本剤は希釈せず原液で使用すること。
- ・搾乳机に新しい薬剤を用いること。
- ・ディッピングに用いるコップやノーリターンディッパー等の器具は使用する前によく洗浄すること。
- ・使用した器具は、よく洗浄すること。

【使用期限】 包装に表示の使用期限内に使用すること。

【包装】 5ガロン、15ガロン、55ガロン

【製品情報のお問い合わせ】

日本全業工業株式会社
〒963-0196 福島県郡山市安積町野川字平ノ上1-1
フリーダイヤル 0120-452-793
受付時間 9:00-17:00(土日祝日・弊社休業日を除く)

獣医師、薬剤師等の医薬関係者は、本剤による副作用などによると疑われる疾患、障害若しくは死亡の発生又は本剤の使用によるものと疑われる感染症の発生に際して必要であると認めるときは、上記【製品情報お問い合わせ先】に連絡するとともに、農水省動物医薬品検査所 (<http://www.maff.go.jp/nval/iyakutou/fukusayo/sousa/index.html>) にも報告をお願いします。

製造番号:

使用期限:

QUARTERMATE A

iodine solution solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-703
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	iodine	1 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

glycerin (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLOXAMER 335 (UNII: G6DQL26D50)	
POLOXAMER 403 (UNII: 2E9U4Y94DB)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
SODIUM IODATE (UNII: U558PCS5Z9)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-703-01	208 L in 1 DRUM		
2	NDC:33392-703-02	57 L in 1 PAIL		
3	NDC:33392-703-08	19 L in 1 PAIL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		03/11/2026	

Labeler - West Agro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		147528723	manufacture, pack, analysis, api manufacture, label

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		095906480	manufacture, pack, analysis, api manufacture, label

Revised: 3/2026

West Agro, Inc.