

**MEDICHOICE PVP SCRUB- povidone-iodine solution
O&M HALYARD, INC.**

MediChoice PVP Scrub

Drug Facts

Active ingredient

Povidone-Iodine, USP 7.5% (equivalent to 1% titratable iodine)

Purpose

Antiseptic

Uses

- Healthcare antiseptic for preparation of the skin prior to surgery.
- First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Do not use

- in the eyes
- on individuals who are allergic or sensitive to iodine
- over large areas of the body
- as first aid antiseptic longer than 1 week unless directed by doctor.

Stop use and consult a doctor if

- you have deep or puncture wounds
- animal bites
- serious burns
- the condition persists or gets worse
- irritation and redness develop.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- for preparation of the skin prior to surgery, apply product to the operative site
- for use as a first aid antiseptic, apply a small amount of product to the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

Store at room temperature 59°-86°F (15°-30°C)

Inactive ingredients

citric acid monohydrate, sodium phosphate dibasic dihydrate, water

Pacakge Labeling:

NDC 39892-0850-1	Drug Facts
MEDICHOICE®	Active ingredient Purpose
PVP Scrub 4 oz./118 ml	Povidone-Iodine, USP 7.5% (equivalent to 1% titratable iodine)Antiseptic
<ul style="list-style-type: none"> • Povidone-Iodine USP 7.5% • Flip-Top Cap 	Uses ■ Healthcare antiseptic for preparation of the skin prior to surgery. ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.
Reorder: 51860	Warnings For external use only.
 Not made with natural rubber latex	Do not use
 stamped position	<ul style="list-style-type: none"> ■ in the eyes ■ on individuals who are allergic or sensitive to iodine ■ over large areas of the body ■ as first aid antiseptic longer than 1 week unless directed by doctor.
Manufactured for Owens & Minor, Inc. 9120 Lockwood Boulevard Mechanicsville, VA 23116 Made in CHINA Rev. A	Stop use and consult a doctor if <ul style="list-style-type: none"> ■ you have deep or puncture wounds ■ animal bites ■ serious burns ■ the condition persists or gets worse ■ irritation and redness develop.
	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
	Directions ■ Clean the affected area ■ for preparation of the skin prior to surgery, apply product to the operative site ■ for use as a first aid antiseptic, apply a small amount of product to the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.
	Other information Store at room temperature 59°-86°F (15°-30°C)
	Inactive ingredients citric acid monohydrate, sodium phosphate dibasic dihydrate, water



(01) 1 0885632 41407 7

Pacakge Labeling:

		 <p>Don't out into case</p>																																					
NDC 39892-0850-1 MEDICHOICE® PVP Scrub 4 oz./118 ml • Povidone-Iodine USP 7.5% • Flip-Top Cap 48 Bottles/Case Reorder: 51860	NDC 39892-0850-2 MEDICHOICE® PVP Scrub 4 oz./118 ml • Povidone-Iodine USP 7.5% • Flip-Top Cap 48 Bottles/Case Reorder: 51860	NDC 39892-0850-2 MEDICHOICE® PVP Scrub 4 oz./118 ml • Povidone-Iodine USP 7.5% • Flip-Top Cap 48 Bottles/Case Reorder: 51860	<table border="1"> <tr> <td>Drug Facts</td> <td>Active ingredient</td> <td>Purpose</td> </tr> <tr> <td>Povidone-Iodine, USP 7.5% (equivalent to 1% titratable iodine)</td> <td></td> <td>Antiseptic</td> </tr> <tr> <td colspan="3">Uses ■ Healthcare antiseptic for preparation of the skin prior to surgery. ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.</td> </tr> <tr> <td colspan="3">Warnings For external use only.</td> </tr> <tr> <td colspan="3">Do not use</td> </tr> <tr> <td colspan="3"> <ul style="list-style-type: none"> ■ in the eyes ■ on individuals who are allergic or sensitive to iodine ■ over large areas of the body ■ as first aid antiseptic longer than 1 week unless directed by doctor. </td> </tr> <tr> <td colspan="3">Stop use and consult a doctor if</td> </tr> <tr> <td colspan="3"> <ul style="list-style-type: none"> ■ you have deep or puncture wounds ■ animal bites ■ serious burns ■ the condition persists or gets worse ■ irritation and redness develop. </td> </tr> <tr> <td colspan="3">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="3">Directions ■ Clean the affected area ■ for preparation of the skin prior to surgery, apply product to the operative site ■ for use as a first aid antiseptic, apply a small amount of product to the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.</td> </tr> <tr> <td colspan="3">Other information Store at room temperature 59°-86°F (15°-30°C)</td> </tr> <tr> <td colspan="3">Inactive ingredients citric acid monohydrate, sodium phosphate dibasic dihydrate, water</td> </tr> </table>	Drug Facts	Active ingredient	Purpose	Povidone-Iodine, USP 7.5% (equivalent to 1% titratable iodine)		Antiseptic	Uses ■ Healthcare antiseptic for preparation of the skin prior to surgery. ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.			Warnings For external use only.			Do not use			<ul style="list-style-type: none"> ■ in the eyes ■ on individuals who are allergic or sensitive to iodine ■ over large areas of the body ■ as first aid antiseptic longer than 1 week unless directed by doctor. 			Stop use and consult a doctor if			<ul style="list-style-type: none"> ■ you have deep or puncture wounds ■ animal bites ■ serious burns ■ the condition persists or gets worse ■ irritation and redness develop. 			Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.			Directions ■ Clean the affected area ■ for preparation of the skin prior to surgery, apply product to the operative site ■ for use as a first aid antiseptic, apply a small amount of product to the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.			Other information Store at room temperature 59°-86°F (15°-30°C)			Inactive ingredients citric acid monohydrate, sodium phosphate dibasic dihydrate, water		
Drug Facts	Active ingredient	Purpose																																					
Povidone-Iodine, USP 7.5% (equivalent to 1% titratable iodine)		Antiseptic																																					
Uses ■ Healthcare antiseptic for preparation of the skin prior to surgery. ■ First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.																																							
Warnings For external use only.																																							
Do not use																																							
<ul style="list-style-type: none"> ■ in the eyes ■ on individuals who are allergic or sensitive to iodine ■ over large areas of the body ■ as first aid antiseptic longer than 1 week unless directed by doctor. 																																							
Stop use and consult a doctor if																																							
<ul style="list-style-type: none"> ■ you have deep or puncture wounds ■ animal bites ■ serious burns ■ the condition persists or gets worse ■ irritation and redness develop. 																																							
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																							
Directions ■ Clean the affected area ■ for preparation of the skin prior to surgery, apply product to the operative site ■ for use as a first aid antiseptic, apply a small amount of product to the area 1-3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.																																							
Other information Store at room temperature 59°-86°F (15°-30°C)																																							
Inactive ingredients citric acid monohydrate, sodium phosphate dibasic dihydrate, water																																							
Manufactured for Owens & Minor, Inc. 9120 Lockwood Boulevard Mechanicsville, VA 23116 Made in CHINA Rev. A			Barcode Sticker location																																				

MEDICHOICE PVP SCRUB
povidone-iodine solution

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source) NDC:39892-0850	
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)			IODINE	75 mg in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
SODIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: 94255I6E2T)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39892-0850-1	118 mL in 1 PACKAGE; Type 0: Not a Combination Product	01/25/2024	
2	NDC:39892-0850-2	48 in 1 CASE	01/25/2024	
2		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)		01/25/2024	

Labeler - O&M HALYARD, INC. (081057389)

Registrant - Owens & Minor, Inc (847412269)

Revised: 10/2025

O&M HALYARD, INC.