

DR. C. TUNA SUN FACE AND BODY SPF 50- avobenzone, octinoxate, octocrylene, homosalate lotion
Farmasi US LLC

Dr. C. Tuna Sun Face & Body Lotion SPF 50

Drug Facts:

Active Ingredient:

Butyl Methoxydibenzoylmethane 2,5% Ethylhexyl Methoxycinnamate 6,5% Octocrylene 9% Homosalate 8%

Purpose

Sunscreen

Use:

Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

For Sunscreen Use

Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use

a water resistant sunscreen if swimming or sweating. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including. Limit time in the sun, especially from 10 a.m.-2 p.m., wear long- sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:**

Other Information:

Protect this product from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients:

Water/Aqua, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Glyceryl Stearate, Peg-100 Stearate, Glycerin, Ethylhexyl Palmitate, Cetareth-20, Styrene/Acrylates Copolymer, Cyclopentasiloxane, Phenoxyethanol, Dimethicone, Adansonia Digitata Seed Oil, Calophyllum Inophyllum Seed Oil, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopheryl Acetate, Ethylhexylglycerin.

Questions or Comments?

info@farmasius.com (833) 432-7627

Monday – Friday (9 a.m – 9 p.m. EST)

Package Labeling:



DR.C.TUNA

Sun
Face & Body Lotion
Loción facial y para el cuerpo
Lotion Visage & Corps

50
SPF

75 ml / 2.5 fl.oz.

Drug Facts:

Active Ingredient:	Purpose
Butyl Methoxydibenzoylmethane 2.5%	Sunscreen
Ethylhexyl Methoxycinnamate 6.5%	Sunscreen
Octocrylene 9%	Sunscreen
Homosalate 8%	Sunscreen

Use: Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:
For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:
For Sunscreen Use
Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.-2 p.m., wear long-sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: Ask a doctor.

Other Information:
Protect this product from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients:
Water/Aqua, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Glycerol Stearate, Peg-100 Stearate, Glycerin, Ethylhexyl Palmitate, Ceteareth-20, Styrene/Acrylates Copolymer, Cyclopentasiloxane, Phenoxyethanol, Dimethicone, Adansonia Digitata Seed Oil, Calophyllum Inophyllum Seed Oil, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopheryl Acetate, Ethylhexylglycerin.

Questions or Comments?
info@farmasius.com (833) 432-7627
Monday - Friday (9 a.m. - 9 p.m. EST)

Manufactured by: Tan-Alize Kozmetik ve Temizlik Ürünleri San. ve Tic. A.Ş., Ornefi Mah. Ürün Cad. No: 32 / 34797 Çekmeköy / İSTANBUL, Made in TURKEY.
Distributed by: Farmasi US LLC 2315 NW 107 TH AVE, STE 18 12, DORAL, FL 33172 - FARMASI COSMETICS RO S.R.L Bucuresti Sectorul 1, Calea FLOREASCA, Nr. 246c, Etaj 18, Romania. - FORTUNA COSMETICS MEXICO, S DE RL DE CV FCM201014122 Blvd. Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaldia Miguel Hidalgo, Ciudad de México, 11520. - FARMASI COSMETICS CANADA INC. COWLING WLG (CANADA) LLP Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5.
Importado por: FAR COSMETICS MEXICO FCM201014678, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaldia Miguel Hidalgo, Ciudad de México, 11520.

Información del Medicamento:

Ingredientes activos:	Propósito:
Butyl Methoxydibenzoylmethane 2.5%	Protector solar
Ethylhexyl Methoxycinnamate 6.5%	Protector solar
Octocrieno 9%	Protector solar
Homosalato 8%	Protector solar

Uso: Ayuda a prevenir las quemaduras solares si se usa como se indica con otras medidas de protección solar (ver Instrucciones), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol.

Advertencias:
Solo para uso externo. - No usar sobre piel dañada o rasgada. Durante el uso del producto mantenga alejado de los ojos. Enjuague con agua para eliminar. Deje de usar y pregunte al médico si se produce una erupción. Mantener fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o comuníquese con un centro de control de intoxicaciones de inmediato.

Direcciones:
Para uso de protector solar
Aplicar generosamente 15 minutos antes de la exposición al sol. Vuelva a aplicar al menos cada 2 horas. Use un protector solar resistente al agua si está nadando o sudando. **Medidas de protección solar:** Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un valor de FPS de amplio espectro de 15 o más y otras medidas de protección solar incluidas. Limite el tiempo de exposición al sol, especialmente de 10 a.m. a 2 p.m., use camisas de manga larga, pantalones, sombreros y gafas de sol. Niños menores de 6 meses: consulte a un médico.

Otra Información:
Proteja este producto del calor excesivo y del sol directo. Puede manchar algunas telas.

Inactive Ingredients:
Water/Aqua, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Glycerol Stearate, Peg-100 Stearate, Glycerin, Ethylhexyl Palmitate, Ceteareth-20, Styrene/Acrylates Copolymer, Cyclopentasiloxane, Phenoxyethanol, Dimethicone, Adansonia Digitata Seed Oil, Calophyllum Inophyllum Seed Oil, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopheryl Acetate, Ethylhexylglycerin.

¿Preguntas o comentarios?
info@farmasius.com (833) 432-7627
Lunes a viernes (9 a.m. - 9 p.m. EST)

Fabricado por: Tan-Alize Kozmetik ve Temizlik Ürünleri San. ve Tic. A.Ş., Ornefi Mah. Ürün Cad. No: 32 / 34797 Çekmeköy / İSTANBUL, Made in TURKEY.
Distribuido por: Farmasi US LLC 2315 NW 107 TH AVE, STE 18 12, DORAL, FL 33172 - FARMASI COSMETICS RO S.R.L Bucuresti Sectorul 1, Calea FLOREASCA, Nr. 246c, Etaj 18, Romania. - FORTUNA COSMETICS MEXICO, S DE RL DE CV FCM201014122 Blvd. Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaldia Miguel Hidalgo, Ciudad de México, 11520. - FARMASI COSMETICS CANADA INC. COWLING WLG (CANADA) LLP Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5.
Importado por: FAR COSMETICS MEXICO FCM201014678, Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaldia Miguel Hidalgo, Ciudad de México, 11520.

Sun

Face & Body Lotion
Loción facial y para el cuerpo
Lotion Visage & Corps

This sun lotion provides moist and soft skin feeling due to its formula enriched with Baobab and Tamanu Oil. It has non-oily feeling, absorbed by your skin quickly. Tested on sensitive skin. Suitable for all of skin types.

Esta loción solar proporciona una sensación de piel húmeda y suave debido a su fórmula enriquecida con Baobab y Aceite de Tamanu. Tiene una sensación no grasa, la piel la absorbe rápidamente. Testado sobre pieles sensibles. Apto para todo tipo de pieles.

FARMASI
farmasi.com

75 ml / 2.5 fl.oz.

ISO 9001 Quality Management System



2000577

8690131117740

F

Drug Facts:

Active Ingredient: **Purpose**
 Butyl Methoxydibenzoylmethane 2,5%.....Sunscreen
 Ethylhexyl Methoxycinnamate 6,5%.....Sunscreen
 Octocrylene 9%.....Sunscreen
 Homosalate 8%.....Sunscreen

Use: Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. Stop use and ask doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions:**For Sunscreen Use**

Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Sun **Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including. Limit time in the sun, especially from 10 a.m.-2 p.m., wear long- sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: Ask a doctor.

Other Information:

Protect this product from excessive heat and direct sun. May stain some fabrics.

Inactive Ingredients:

Water/Aqua, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Glycerol Stearate, Peg-100 Stearate, Glycerin, Ethylhexyl Palmitate, Ceteareth-20, Styrene/Acrylates Copolymer, Cyclopentasiloxane, Phenoxyethanol, Dimethicone, Adansonia Digitata Seed Oil, Calophyllum Inophyllum Seed Oil, Acrylates/ C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Tocopheryl Acetate, Ethylhexylglycerin.

Questions or Comments?

info@farmasius.com (833) 432-7627
 Monday – Friday (9 a.m – 9 p.m. EST)

Manufactured by: Tan-Alize Kozmetik ve Temizlik Ürünleri San. ve Tic. A.Ş. Ömerli Mah. Uran Cad. No: 32 / 34797 Çekmeköy / İSTANBUL. **Made in TURKEY.**

Distributed by: - Farmasi US LLC 2315 NW 107TH AVE, STE 1B 12, DORAL, FL 33172 - FARMASI COSMETICS RO S.R.L Bucuresti Sectorul 1, Calea FLOREASCA, Nr. 246c, Etaj 18. Romania. - FORTUNA COSMETICS MEXICO, S DE R L DE CV FCM201014J22 Blvd. Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaaldia Miguel Hidalgo, Ciudad de México, 11520. -FARMASI COSMETICS CANADA INC. GOWLING WLG (CANADA) LLP Suite 2300, Bentall 5, 550 Burrard Street Vancouver, British Columbia, V6C 2B5.

Importado por: FAR COSMETICS MEXICO FCM2010146Y8. Miguel de Cervantes Saavedra No. 25, Piso 3, Oficina 303, Col. Granada, Alcaaldia Miguel Hidalgo, Ciudad de México, 11520.



4000397

DR.C.TUNA

Sun
 Face & Body Lotion

50
 SPF

75 ml / 2.5 fl.oz

DR. C. TUNA SUN FACE AND BODY SPF 50

avobenzone, octinoxate, octocrylene, homosalate lotion

Product Information**Product Type**

HUMAN OTC DRUG

Item Code (Source)

NDC:74690-015

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	25 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	65 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	90 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	80 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
STYRENE (UNII: 44LJ2U959V)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ADANSONIA DIGITATA SEED OIL (UNII: 77MKL7AR5I)	
TAMANU OIL (UNII: JT3LVK84A1)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
TROLAMINE (UNII: 9O3K93S3TK)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74690-015-01	1 in 1 BOX	07/25/2021	
1		75 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/25/2021	

Labeler - Farmasi US LLC (113303351)

