

# **HEMORRHOIDAL- cocoa butter, phenylephrine hcl suppository**

## **H E B**

-----

### **HEB Hemorrhoidal Suppositories Drug Facts**

#### **Active ingredients (in each suppository)**

Cocoa butter 88.44%

Phenylephrine HCl 0.25%

#### **Purposes**

Protectant

Vasoconstrictor

#### **Uses**

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

#### **Warnings**

##### **For rectal use only**

##### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

##### **Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug for high blood pressure or depression.

##### **When using this product**

do not exceed the recommended daily dosage unless directed by a doctor

##### **Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days

**If pregnant or breast feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
- hold suppository with rounded end up
- see illustrations: carefully separate foil tabs by inserting tip of fingernail at end marked "peel down"
- slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
- remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

methylparaben, propylparaben, topical starch

**Questions or comments?**

**1-800-719-9260**

**Package/Label Principal Display Panel**

Compare to Preparation H® Hemorrhoidal Suppositories

active ingredients

Hemorrhoidal Suppositories

Cocoa Butter 88.44% / Protectant

Phenylephrine HCl 0.25 % / Vasoconstrictor

Hemorrhoid Symptom Relief

Also for nighttime relief

Relief of:

Painful Burning ● Itching ● Discomfort

24 SUPPOSITORIES

**H-E-B**  
**Hemorrhoidal Suppositories**  
Hemorrhoid Symptom Relief  
Reduces internal swelling. Soothes and protects.  
Also for nighttime relief

Compare to Preparation H® Hemorrhoidal Suppositories active ingredients\*\*

**H-E-B**  
**Hemorrhoidal Suppositories**  
Cocoa Butter 88.44% / Protectant  
Phenylephrine HCl 0.25% / Vasoconstrictor  
Hemorrhoid Symptom Relief  
Also for nighttime relief  
Relief of:  
• Painful Burning • Itching • Discomfort

NDC 37808-279-62

24 SUPPOSITORIES

1 27812 14 03

**Drug Facts**

Active Ingredients (in each suppository)	Purposes
Cocoa Butter 88.44%.....	Protectant
Phenylephrine HCl 0.25%.....	Vasoconstrictor

**Uses**

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anal and rectal discomforts
- temporarily protects the inflamed, irritated mucosal surface to help make bowel movements less painful

**Warnings**  
For rectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product do not exceed the recommended daily dosage unless directed by a doctor.

**Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**

**Directions**

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
  - hold suppository with rounded end up
  - see illustrations: carefully separate foil tabs by inserting tip of fingernail at end marked "peel down"
  - slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
  - remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

**Other Information**

- store at 20-25° C (68-77°F)

**Inactive Ingredients** methylparaben, propylparaben, topical starch

**Questions or comments? 1-800-710-9280**

\*\* This product is not manufactured or distributed by Pfizer, distributor of Preparation H® Hemorrhoidal Suppositories.

**Do not use if printed suppository wrapper is missing or damaged. Each suppository is individually wrapped.**

MADE WITH PRIDE & CARE FOR H-E-B®  
SAN ANTONIO, TX 78204

**100% GUARANTEE promise**  
If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

858-1802

0 4 1220 49419 4

# HEMORRHOIDAL

cocoa butter, phenylephrine hcl suppository

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-279
<b>Route of Administration</b>	RECTAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR) (COCOA BUTTER - UNII:512OYT1CRR)	COCOA BUTTER	2211 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	6.5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

## Product Characteristics

<b>Color</b>	YELLOW (light)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-279-62	24 in 1 CARTON	09/30/2014	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	09/30/2014	

**Labeler - H E B (007924756)**