

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
SOFT BEIGE 50- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
CAMEL 105- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
COCA 115- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
CLASSIC IVORY 10- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
NATURAL IVORY 20- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
NATURAL BEIGE 60- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
MEDIUM BEIGE 80- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
HONEY 85- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
BUFF 30- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
NUDE 40- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
FRESH BEIGE 70- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
CHESTNUT 135- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
WARM BEIGE 90- titanium dioxide liquid
NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 -
NATURAL TAN 100- titanium dioxide liquid
Kenvue Brands LLC

Neutrogena Healthy Skin Liquid Makeup Broad Spectrum SPF 20

Drug Facts

Active ingredient

Titanium Dioxide 3.6%

Purpose

Sunscreen

Use

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- **Do not use** on damaged or broken skin

When using this product

- **When using this product** keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For Sunscreen Use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium

Carbonate, Titanium Dioxide, Iron Oxides

Questions or Comments?

Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

Dist. by:

Kenvue Brands LLC. Summit, NJ 07901

Drug Facts

Active ingredient

Titanium Dioxide (3.6%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For Sunscreen Use:

- apply generously and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Butyloctyl Salicylate, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/ Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments?

Visit www.neutrogena.com or call toll free **800-480-4812** or **215-273-8755** (collect)

Dist. by:

Kenvue Brands LLC. Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Classic Ivory 10

Neutrogena

healthy skin®

liquid makeup

with


titanium dioxide sunscreen

broad spectrum

SPF 20

antioxidant blend

1 FL. OZ. (30 mL)



Classic Ivory 10

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ►

Dist. by: 30057858
Kenvue Brands LLC Summit, NJ 07901 © Kenvue Brands 2024

PEEL HERE ►

8
0 86800 67001

Drug Facts (continued)

ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ►


Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Ivory 20

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶



Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Buff 30

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶



Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Nude 40

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶


Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Soft Beige 50

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)
 ask a doctor if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶


Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Beige 60

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Natural Beige 60 PEEL HERE ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

Drug Facts	Purpose
Active ingredient Titanium Dioxide (3.6%)	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶	

Dist. by: 30057863
KerVue Brands LLC Summit, NJ 07901 © KerVue Brands 2024

Barcode: 86800 67006 3

Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶


Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Fresh Beige 70

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)
 ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)
Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Medium Beige 80

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Medium Beige 80

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

Drug Facts



Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30057865
Kenvue Brands LLC Summit, NJ 07901. © Kenvue Brands 2024

PEEL HERE ▶

Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶



Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDV/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Warm Beige 90

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)
 ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)
Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDVTrimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Natural Tan 100

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶


Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Honey 85

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)
 ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Honey **85**

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶

Dist. by: 30057854
 KerVue Brands LLC, Summit, NJ 07901 © KerVue Brands 2024

PEEL HERE ▶


Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Titanium Dioxide, Iron Oxides

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Caramel 105

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶


Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Cyclohexasiloxane, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Boron Nitride, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Silica Silylate, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Cocoa 115

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Label - Chestnut 135

Neutrogena
 healthy skin®
 liquid makeup
 with
 titanium dioxide sunscreen
 broad spectrum
 SPF 20
 antioxidant blend
 1 FL. OZ. (30 mL)



Chestnut 135 PEEL HERE ▶

- With nourishing Pro-Vitamin B5
- Keeps skin's young and healthy look

Drug Facts

Active ingredient	Purpose
Titanium Dioxide (3.6%)	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ▶



86800 43805 2

Dist. by: 30057867
Kenvue Brands LLC Summit, NJ 07901. © Kenvue Brands 2024

Drug Facts (continued)

ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply generously 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics ▶

Drug Facts (continued)

Inactive ingredients Water, Cyclopentasiloxane, Ethylhexyl Palmitate, Cyclohexasiloxane, C12-15 Alkyl Benzoate, Butylene Glycol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Butyloctyl Salicylate, Boron Nitride, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, HDI/Trimethylol Hexyllactone Crosspolymer, Panthenol, PPG-12/SMDI Copolymer, Stearoxymethicone/Dimethicone Copolymer, Magnesium Sulfate, Phenoxyethanol, Caprylyl Glycol, Tocopherol, Alumina, Aluminum Stearate, Polyhydroxystearic Acid, Quaternium-90 Bentonite, Silica, Glycerin, Silica Silylate, Dimethicone/Vinyl Dimethicone Crosspolymer, Benzotriazolyl Dodecyl p-Cresol, Disodium EDTA, Aluminum Starch Octenylsuccinate, Aluminum Dimyristate, Triethoxycaprylylsilane, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Ascorbic Acid, Niacinamide, Disodium Stearoyl Glutamate, Sorbic Acid, Propylene Carbonate, Acrylates Copolymer, Magnesium Carbonate, Iron Oxides, Titanium Dioxide

Questions or comments? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - SOFT BEIGE 50

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0871
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)
FERROUS OXIDE (UNII: G7036X8B5H)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
GLYCERIN (UNII: PDC6A3C0OX)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
WATER (UNII: 059QF0KO0R)
TOCOPHEROL (UNII: R0ZB2556P8)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WV9CM0067Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0871-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CARAMEL 105

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0878
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FEROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
NIACINAMIDE (UNII: 25X51I8RD4)	

SORBIC ACID (UNII: X045WJ989B)	
PANTHENOL (UNII: WW9CM0067Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0878-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - COCOA 115

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0879
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)
FERROUS OXIDE (UNII: G7036X8B5H)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
GLYCERIN (UNII: PDC6A3C0OX)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
WATER (UNII: 059QF0KO0R)
TOCOPHEROL (UNII: R0ZB2556P8)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X5118RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0067Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0879-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CLASSIC IVORY 10

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0867
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SORBIC ACID (UNII: X045WJ989B)	
PANTHENOL (UNII: WW9CM0067Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:69968-0867-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024
---	------------------	---	------------

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NATURAL IVORY 20

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0868
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	

ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0O67Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BORON NITRIDE (UNII: 2U4T60A6YD)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0868-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NATURAL BEIGE 60

titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0872
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
BORON NITRIDE (UNII: 2U4T60A6YD)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)
FERROUS OXIDE (UNII: G7036X8B5H)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
GLYCERIN (UNII: PDC6A3C0OX)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
WATER (UNII: 059QF0KO0R)
TOCOPHEROL (UNII: R0ZB2556P8)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0O67Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0872-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - MEDIUM BEIGE 80

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0874
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: ROZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	

ALUMINUM OXIDE (UNII: LMI26O6933)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SORBIC ACID (UNII: X045WJ989B)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0874-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - HONEY 85

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0875
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	

PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)
FERROUS OXIDE (UNII: G7036X8B5H)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
GLYCERIN (UNII: PDC6A3C0OX)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
WATER (UNII: 059QF0KO0R)
TOCOPHEROL (UNII: R0ZB2556P8)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X5118RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0067Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0875-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - BUFF 30

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0869
---------------------	----------------	---------------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
NIACINAMIDE (UNII: 25X5118RD4)	
SORBIC ACID (UNII: X045VJ989B)	
PANTHENOL (UNII: WW9CM0O67Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0869-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NUDE 40

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0870
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	

MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
GLYCERIN (UNII: PDC6A3C0OX)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
WATER (UNII: 059QF0KO0R)
TOCOPHEROL (UNII: R0ZB2556P8)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0O67Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0870-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - FRESH BEIGE 70

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0873
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SORBIC ACID (UNII: X045WJ989B)	
PANTHENOL (UNII: WV9CM0067Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0873-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - CHESTNUT 135

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0880
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	

ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0O67Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0880-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/20/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/20/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - WARM BEIGE 90

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0876
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	

HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)
FEROUS OXIDE (UNII: G7036X8B5H)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
GLYCERIN (UNII: PDC6A3C0OX)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
WATER (UNII: 059QF0KO0R)
TOCOPHEROL (UNII: R0ZB2556P8)
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)
MAGNESIUM CARBONATE (UNII: 0E53J927NA)
ALUMINUM STEARATE (UNII: U6XF9NP8HM)
ALUMINUM OXIDE (UNII: LMI26O6933)
EDETATE DISODIUM (UNII: 7FLD91C86K)
NIACINAMIDE (UNII: 25X51I8RD4)
SORBIC ACID (UNII: X045WJ989B)
PANTHENOL (UNII: WW9CM0067Z)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0876-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

NEUTROGENA HEALTHY SKIN LIQUID MAKEUP BROAD SPECTRUM SPF 20 - NATURAL TAN 100

titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0877
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
FERROUS OXIDE (UNII: G7036X8B5H)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
GLYCERIN (UNII: PDC6A3C0OX)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
WATER (UNII: 059QF0KO0R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM CARBONATE (UNII: 0E53J927NA)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
NIACINAMIDE (UNII: 25X51I8RD4)	

SORBIC ACID (UNII: X045WJ989B)	
PANTHENOL (UNII: WW9CM0067Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0877-1	30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/29/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2024	

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC