

METHYL SALICYLATE 25% CREAM- methyl salicylate cream
Medcore LLC

Methyl Salicylate 25% Cream

Drug Facts

Active ingredient

Methyl Salicylate 25%

Purpose

Topical analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints, such as simple backache, lumbago, arthritis, neuralgia, strains, bruises, and sprains.

Warnings

For external use only.

When using this product

- Avoid contact with the eyes
- Do not use in larger quantities, particularly over raw surfaces or blistered areas
- Do not apply to wounds or damaged skin
- Do not bandage

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

adults and children 2 years and older	apply externally to the affected area up to 3 to 4 times a day
children under 2 years	ask a doctor

Other Information

- May be applied under occlusive dressing.
- Store at 20-25-C (68-77°F); excursions permitted to 15-30°C (59-86°F). See USP Controlled Room Temperature.

Inactive Ingredients

Glycerine, CETOSTEARYLALCOHOL, ETHYLHEXYLGLYCERIN, GLUCOSAMINE SULFATE, CHONDROITIN SULFATE, (BOVINE), GLYCERYL MONOSTEARATE, C13-14ISOPARAFFIN, ISOSTEARYL PALMITATE, TROLAMINE, STEARIC ACID, PROPYLENE GLYCOL, LAURETH-7, PEG-100 STEARATE, Water, PHENOXYETHANOL.

Manufactured For:

Medcore LLC
3048 Valley Rd.
Basking Ridge, NJ 07920
Questions or Comments Please call
908-280-2269

PRINCIPAL DISPLAY PANEL

NDC: 82461-415-10

Medcore LLC

Methyl Salicylate 25% Cream

120mL

Manufactured For:

Medcore LLC
3048 Valley Rd.
Basking Ridge, NJ 07920
Questions or Comments Please call
908-280-2269

NDC: 82461-415-10

Methyl Salicylate 25% Cream

120ml



Manufactured For:
Medcore LLC
3048 Valley Rd.
Basking Ridge, NJ 07920
Questions or Comments Please call
908-280-2269

Drug Facts

Active ingredient *Purpose*
Methyl Salicylate 25%Topical analgesic

Uses
For the temporary relief of minor aches and pains of muscles and joints, such as simple backache, lumbago, arthritis, neuralgia, strains, bruises, and sprains.

Warnings
For external use only.

When using this product
- Avoid contact with the eyes
- Do not use in larger quantities, particularly over raw surfaces or blistered areas
- Do not apply to wounds or damaged skin
- Do not bandage

Stop use and ask a doctor if
- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of the reach of children.
If swallowed, get medical help or contact a Poison Control Center right away

Drug Facts (continued)

Directions

adults and children 2 years and older	apply externally to the affected area up to 3 to 4 times a day
children under 2 years	ask a doctor

Other Information
- May be applied under occlusive dressing.
- Store at 20-25°C (68-77°F); excursions permitted to 15-30°C (59-86°F). See USP Controlled Room Temperature.

Inactive Ingredients
Glycerine, CETOSTEARYLALCOHOL, ETHYLHEXYLGLYCERIN, GLUCOSAMINE SULFATE, CHONDROITIN SULFATE, (BOVINE), GLYCERYL MONOSTEARATE, C13-14ISOPARAFFIN, ISOSTEARYL PALMITATE, TROLAMINE, STEARIC ACID, PROPYLENE GLYCOL, LAURETH-7, PEG-100 STEARATE, Water, PHENOXYETHANOL.



3 82461 41510 5

Lot Nr.:

Exp.:

PRINCIPAL DISPLAY PANEL

NDC: 82461-415-05

Medcore LLC

Methyl Salicylate 25% Cream

50mL

Manufactured For:

Medcore LLC
3048 Valley Rd.
Basking Ridge, NJ 07920
Questions or Comments Please call
908-280-2269

NDC: 82461-415-05

50ml

Methyl Salicylate 25% Cream



Manufactured For:
Medcore LLC
3048 Valley Rd.
Basking Ridge, NJ 07920
Questions or Comments Please call
908-280-2269

Drug Facts		Drug Facts (continued)	
Active ingredient Methyl Salicylate 25%	<i>Purpose</i> Topical analgesic	Directions	
Uses For the temporary relief of minor aches and pains of muscles and joints, such as simple backache, lumbago, arthritis, neuralgia, strains, bruises, and sprains.		adults and children 2 years and older	apply externally to the affected area up to 3 to 4 times a day
Warnings For external use only.		children under 2 years	ask a doctor
When using this product - Avoid contact with the eyes - Do not use in larger quantities, particularly over raw surfaces or blistered areas - Do not apply to wounds or damaged skin - Do not bandage		Other Information - May be applied under occlusive dressing. - Store at 20-25-C (68-77°F); excursions permitted to 15-30°C (59-86°F). See USP Controlled Room Temperature.	
Stop use and ask a doctor if - allergic reaction occurs - condition worsens or does not improve within 7 days - symptoms clear up and return within a few days - redness, irritation, swelling, pain or other symptoms begin or increase		Inactive Ingredients Glycerine, CETOSTEARYLALCOHOL, ETHYLHEXYLGLYCERIN, GLUCOSAMINE SULFATE, CHONDROITIN SULFATE, (BOVINE), GLYCERYL MONOSTEARATE, C13-14ISOPARAFFIN, ISOSTEARYL PALMITATE, TROLAMINE, STEARIC ACID, PROPYLENE GLYCOL, LAURETH-7, PEG-100 STEARATE, Water, PHENOXYETHANOL.	
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away		 Lot Nr.: Exp.:	

METHYL SALICYLATE 25% CREAM

methyl salicylate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82461-415
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	250 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	60 mg in 1 mL
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	10 mg in 1 mL
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	20 mg in 1 mL
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	10 mg in 1 mL
CHONDROITIN SULFATE (BOVINE) (UNII: 6IC1M30G5Z)	5 mg in 1 mL
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	10 mg in 1 mL
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	10 mg in 1 mL

ISOSTEARYL PALMITATE (UNII: 9EHU0R7ER1)	30 mg in 1 mL
TROLAMINE (UNII: 9O3K93S3TK)	20 mg in 1 mL
STEARIC ACID (UNII: 4ELV7Z65AP)	30 mg in 1 mL
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	50 mg in 1 mL
LAURETH-7 (UNII: Z95S6G8201)	30 mg in 1 mL
PEG-100 MONOSTEARATE (UNII: YD01N1999R)	50 mg in 1 mL
WATER (UNII: 059QF0K00R)	410 mg in 1 mL
PHENOXYETHANOL (UNII: HIE492ZZ3T)	5 mg in 1 mL

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82461-415-10	120 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	02/14/2025	
2	NDC:82461-415-05	50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	07/14/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/14/2025	

Labeler - Medcore LLC (069802634)

Revised: 7/2025

Medcore LLC