

WART REMOVER PATCHES- wart remover patch
Gaozhou Chapin Technology Co., Ltd

ACTIVE INGREDIENT

Salicylic acid 20%

PURPOSE

Wart Remover

USE

For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.

WARNINGS

For external use only.

DO NOT USE

on irritated, infected or reddened skin
on genital warts and warts on the face
on moles, birthmarks and warts with hair growing from them
on mucous membranes

KEEP OUT OF REACH OF CHILDREN

If swallowed, get medical help or contact a Poison Control Center right away

DIRECTIONS

wash affected area: may soak wart in warm water for 5 minutes
dry area thoroughly
remove bandage strips by peeling backing off
If necessary, cut medicated patch to fit wart
carefully apply medicated plaster
repeat procedure every 48 hours as needed (until wart is removed) for up to 12 week

WHEN USING

Ask a doctor before use if you have
diabetes poor blood circulatio

OTHER INFORMATION

Store between 59° and 86°F (15° and 30°C).

INACTIVE INGREDIENTS

Ethylhexyl Acrylate · Polyethylene Terephthalate

DOSAGE & ADMINISTRATION SECTION

One patch per day, each patch contains 1 mg of tolinaftate

FUHOP®

Product Name: **WART REMOVER PATCHES**

Drug Facts	Purpose
Active Ingredients Salicylic acid 20%	Skin tag Patches

PURPOSE
Wart Remover

USE
For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface

WARNINGS
For external use only.

DO NOT USE

- on irritated, infected or reddened skin
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes

KEEP OUT OF REACH OF CHILDREN
If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS
wash affected area; may soak wart in warm water for 5 minutes
dry area thoroughly
remove bandage strips by peeling backing off
if necessary, cut medicated patch to fit wart
carefully apply medicated plaster
repeat procedure every 48 hours as needed (until wart is removed) for up to 12 week

WHEN USING
Ask a doctor before use if you have diabetes poor blood circulation

OTHER INFORMATION
Store between 59° and 86°F (15° and 30°C).

INACTIVE INGREDIENTS
Ethylhexyl Acrylate · Polyethylene Terephthalate

DOSAGE & ADMINISTRATION SECTION
One patch per day, each patch contains 1 mg of tolinaftate

QUESTIONS OR COMMENTS?
Email: karismaw54@gmail.com
Product Name: Skin Tag Patches
Manufacturer: Gaozhou Chapin Technology Co., Ltd
Address: West of No.24,Block P,Ninth District, Jinsan Development Zone,Gaozhou City

MFD: 22/3/2024 EXP: 21/3/2029 LOT: 20231218-01 Country of Origin: China

FR
ÉLÉMENTS D'EMBALLAGE
À SÉPARER ET À DÉPOSER
DANS LE BAC DE TRI

24 M

WART REMOVER PATCHES

wart remover patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84168-003	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	200 mg in 1 g	
Inactive Ingredients				
Ingredient Name			Strength	
ETHYLHEXYL ACRYLATE (UNII: HR49R9S6XG)			380 mg in 1 g	
POLYETHYLENE TEREPHTHALATE (INTRINSIC VISCOSITY 0.40-0.70) (UNII: Y78AJD3DED)			420 mg in 1 g	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84168-003-01	25 g in 1 BOX; Type 0: Not a Combination Product	03/22/2024	03/21/2029
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028		03/22/2024	03/21/2029

Labeler - Gaozhou Chapin Technology Co., Ltd (715573719)

Establishment

Name	Address	ID/FEI	Business Operations
Gaozhou Chapin Technology Co., Ltd		715573719	manufacture(84168-003)

Revised: 3/2024

Gaozhou Chapin Technology Co., Ltd