SUNSCREEN- zinc oxide emulsion CA-Botana International

Sugared+Bronzed Tinted Sunscreen

Active Ingredient

Zinc Oxide 21%...... Sunscreen

Purpose

Sunscreen

Ask Doctor

Stop use and ask a doctor if rash occurs

Keep out of reach of children

Keep out of reach of children

Inactive Ingredients

Water (Aqua), Coco-Caprylate/Caprate, Ceteary Alcohol, Propanediol, Stearyl Alcohol, Polyhydroxystearic Acid, Mica, Cetearyl Olivate, Sorbitan Olivate, Caprylhydroxamic acid. GlycerylCaprylate, Glycerin, Xanthan Gum, Equisetum arvense (Horsetail) extract, Rosmarinus officinalis (Rosemary) extract, Centella asiatica(Gotu-kola) extract, Aesculus hippocastanum (Horse chestnut) extract, Camellia sinensis(Green tea) extract, Olea europaea (Olive) extract, Tocopheryl Acetate, Potassium Sorbate, Sodium Phytate, Carthamus tinctorius (Safflower) Seed oil, Silica, Triethoxycapryylsilane, OXY CA (Rosmarinus officnalis (Leaf)CO2 Extract& Ascorbyl Palmitate & Caprylic/Capric Triglyceride & Ascorbic Acid & Tocopherol & Citric Acid), Glyceryl Stearate, Iron Oxide.

Safety information

Protect this product from excessive heat and direct sun

Dosage & Administration

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Usea water resistant sunscreen if swimming or sweating. Reapply: at least 2 hours. Children under 6 months: Ask a doctor. Sun protections measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and othe sun protection measures including: limit time in

the sun, specially from 10 a.m.- 2 p.m Wear long-sleeveshirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun.

Warnings

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. If product is swallowed get medical help or contact a poison Control Center right away.

Indications & Usage

Apply liberally 15 minutes before exposure, use water resistant sunscreen, if swimming or sweating. reapply at least every 2 hours. Children under 6 months: ask a doctor

TINTED MINERAL SUNSCREEN

DRUG FACTS

Active Ingredient
Zinc Oxide 21%......

sunglasses.

Inactive Ingredients: Water (Aqua), Coco-Caprylate/Caprate, Cetearyl Alcohol, Propanedial, Stearyl Alcohol, Polyhydroxystearic Acid, Mica, Butyrospermun parkii (Shea Butter, Cetearyl Olivate, Sorbitan Olivate, Caprylhydroxamic Acid, Glyceryl Caprylate, Glycerin, Xanthan Gum, Equisetum arvense (Horsetail)Extract, Rosmarinus officinalis (Rosemary) Extract, Centella asiatica (Gotu - Kola) Extract, Aesculus hippocastanum (Horse Chestnut) Extract, Camellia sinensis (Green Tea) Extract, Olea europaea (Olive Extract), Tocopheryl Acetae, Potassium Sorbate, Sodium Phytate, Citrus nobilis (Mandarin Orange) Peel Oil, Cocon nucifera (Coconut) Oil, Helianthus annuus (Sunflower) Seed Oil, Silica, Triethoxycaprylylsilane, Oxy CA (Rosmarinus officinalis (Leaf) CO2 Extract and Ascorbyl Palmitate and Caprylic/ Capric Triglyceride and Ascorbic Acid and Tocopherol and Citric Acid), Iron Oxides.

SUGARED + BRONZED

929 Montana Ave Santa Monica, CA 90403 sugaredandbronzed.com MADE IN USA





TINTED MINERAL SUNSCREEN

WATER RESISTANT

SUGARED + BRONZED

SUNSCREEN

zinc oxide emulsion

Product Information

HUMAN OTC DRUG NDC:35192-055 **Product Type** Item Code (Source)

TOPICAL Route of Administration

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	19.53 g in 19.53 g	

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
EQUISETUM ARVENSE WHOLE (UNII: 73DM367W4P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
ROSEMARY (UNII: IJ67X351P9)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
HEXASODIUM PHYTATE (UNII: ZBX50UG81V)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
GLYCERYL CAPRATE (UNII: 197M6VFC1W)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
GREEN OLIVE (UNII: 6HD2W46UEG)	
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
MICA (UNII: V8A1AW0880)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	

Product Characteristics			
Color	brown (light brownish)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging			
# Hom Codo	Packago Doscription	Marketing Start	Marketing End

#	item Code	Раскаде респрион	Date	Date
1		93 g in 1 PACKAGE; Type 0: Not a Combination Product	03/25/2024	
Marketing Information				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
01	TC Monograph Dru	g M020	03/25/2024	

Labeler - CA-Botana International (106276728)

Establishment				
Name	Address	ID/FEI	Business Operations	
CA-Botana International		106276728	manufacture(35192-055)	

Revised: 3/2024 CA-Botana International