## MILK OF MAGNESIA- magnesium hydroxide suspension Cardinal Health 107, LLC

-----

### Milk of Magnesia

**Drug Facts** 

#### Active ingredient (in each 5 mL)

Magnesium hydroxide 400 mg

#### **Purpose**

Saline laxative

#### Uses

#### As an Antacid

- heartburn
- upset/sour stomach
- acid indigestion

### As a Laxative (usually within $\frac{1}{2}$ to 6 hours)

occasional constipation (irregularity)

## **Warnings**

## Ask a doctor before use if you have

- kidney disease
- · a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use If you are** taking a prescription drug. This product may interact with certain prescription drugs.

## Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away.

#### **Directions**

#### As an Antacid

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- can be taken with water
- mL = milliliter

adults and children 12 years of age and	5 to 15 mL (1 to 3 teaspoonfuls)
over	
children under 12 years of age	ask a doctor

#### As a Laxative

- do not exceed the maximum recommended daily dose of 60 mL in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- mL = milliliter; TBSP = Tablespoon

adults and children 12 years and older	30 mL (2 TBSP) to 60 mL (4 TBSP)
children 6 - 11 years	15 mL (1 TBSP) to 30 mL (2 TBSP)
children under 6 years	ask a doctor

#### Other information

- each teaspoonful (5 mL) contains:magnesium 400 mg
- store at room temperature, 20° 25°C (68° 77°F). Avoid freezing.
- Milk of Magnesia USP (white suspension, spearmint flavor) is supplied in the following oral dosage form:

## Overbagged with 5 x 30 mL unit dose cups in each bag, NDC 55154-9403-5

See product insert for prescribing information, precautions and warnings.

PROTECT FROM FREEZING.

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only. Keep this and all drugs out of the reach of children.

## Inactive ingredients

flavoring, hydroxypropyl methylcellulose, methylparaben, potassium citrate, propylene glycol, propylparaben, purified water, antifoam af emulsion, sodium saccharin, and

sorbitol.

#### **Questions or comments?**

Call 1-800-845-8210

MANUFACTURED BY Pharmaceutical Associates, Inc.

Greenville, SC 29605

www.paipharm.com

**DURA-DOSE®** 

F0431300721

## Distributed By:

#### **Cardinal Health**

Dublin, OH 43017

L33325170425

## **Principal Display Panel**

NDC 55154-9403-5

MILK OF MAGNESIA USP

5 CUPS



# M33

## MILK OF MAGNESIA USP

## 5 CUPS

Delivers 30 mL

Each 30 mL contains: Magnesium Hydroxide 2400 mg Antacid, Saline Laxative

SHAKE WELL

See product insert for prescribing information, precautions and warnings.

STORAGE: Store at 20° to 25° C (68° - 77° F)
[See USP Controlled Room Temperature]
PROTECT FROM FREEZING.

WARNING: This Unit Dose package is not child resistant

and is Intended for Institutional Use Only.

Keep this and all drugs out of the reach of children.

PAI Pharma Greenville, SC 29605 1-800-845-8210 www.paipharma.com DURA-DOSE®

Distributed by Cardinal Health Dublin, OH 43017

L33325170425

Lot: Exp:

#### **MILK OF MAGNESIA**

magnesium hydroxide suspension

## **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55154-9403(NDC:0121-0431)
Route of Administration	ORAL		

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
HYPROMELLOSE 2910 (4000 MPA.S) (UNII: RN31520P35)	

METHYLPARABEN (UNII: A218C7H19T)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor	SPEARMINT	Imprint Code	
Contains			

F	Packaging					
#	tem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:55154- 9403-5	5 in 1 BAG	06/07/2011			
1		30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	06/07/2011		

## Labeler - Cardinal Health 107, LLC (118546603)

Revised: 4/2025 Cardinal Health 107, LLC