

**DOLCE AND GABBANA BLUEBERRY NUTRI TINT SPF 20 22N MEDIUM TESTER-
zinc oxide emulsion**

Dolce & Gabbana Beauty S.R.L

Dolce & Gabbana Blueberry Nutri-Tint SPF 20, 22N Medium, Tester

Drug Facts

Active ingredients

Zinc Oxide 6.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG-14/14 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE, MENTHOXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE: +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Package Labelling: 84003-063-01



Drug Facts

Active ingredients	Purpose
Zinc Oxide 6.7%	Sunscreen

Uses • Helps prevent sunburn • If used directed with others sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure • Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses

- Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER(EAU AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE COPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG-PPG-1414 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE, MENTHOXYPROPANEEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C12-15 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAGLYTHRINYL TETRAOCTYL HYDROXYHYDROCINNAMATE, +- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

DOICEGABBANA.COM/BEAUTY

DISTRIBUTED BY

DOICE & GABBANA BEAUTY S.R.L.

VIA CARLO GOLDONI 10 - MILANO - ITALY

IN USA: 3915 BISCAYNE BLVD SUITE 401 MIAMI, FLORIDA 33137-3737

MADE IN ITALY

REGULATORY.US.BEAUTY@DOICEGABBANA.IT

24H

HYDRATION*
WITH GLYCERYL
GLUCOSIDE

83% FIND SKIN TINT BREATHABLE**

87% FIND SKIN INSTANTLY
REFRESHED**



With Italian Blueberry,
to improve skin tone & radiance

Non-comedogenic***
Dermatologically tested

*Instrumental test
**Self-evaluation test
***Clinical test

DOLCE & GABBANA

TESTER
NOT FOR SALE

BLUEBERRY NUTRI-TINT

HYDRA-GLOW & FRESH SKIN TINT
SUNSCREEN BROAD SPECTRUM SPF20

MADE IN ITALY

1.01 FL. OZ. (30ml)




Ref. P3LB8M17



P3LB8M17



Package Labelling: 84003-063-02



Drug Facts

Active ingredients	Purpose
Zinc Oxide 6.7%	Sunscreen

Uses • Helps prevent sunburn • If used directed with others sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes, Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • Apply generously 15 minutes before sun exposure • Reapply at least every 2 hours
 • Use a water resistant sunscreen if swimming or sweating
•Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses
 • Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information
 Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
 WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYLICATE, GLYCERIN, BIS(2-ETHYLHEXYL) SEBACATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG-14/14 DIMETHICONE, BIODODECANE, PEROXYDITHANOL, SODIUM CHLORIDE, MEA, MAGNESIUM SULFATE, METHOXYXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEAROYLMONIUM HECTOATE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYL GLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DKT-BUTYL HYDROXYHYDROGINNATE, **MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

P3LB1M16

DOLCEGABBANA.COM/BEAUTY
 DISTRIBUTED BY
DOLCE & GABBANA BEAUTY S.R.L.
 VIA CARLO GOLDONI 10 - MILANO - ITALY
 IN USA: 3915 BISCAYNE BLVD SUITE 401 MIAMI, FLORIDA 33137-3737
 MADE IN ITALY
 REGULATORY.US.BEAUTY@DOLCEGABBANA.IT

24H
 HYDRATION*
 WITH GLYCERYL
 GLUCOSIDE

83% FIND SKIN TINT BREATHABLE**
 87% FIND SKIN INSTANTLY
 REFRESHED**



With Italian blueberry,
 to improve skin tone & radiance

Non-comedogenic***
 Dermatologically tested

*Instrumental test
 **Self-evaluation test
 ***Clinical test

DG
 22N
 MEDIUM

DOLCE & GABBANA

BLUEBERRY NUTRI-TINT



HYDRA-GLOW & FRESH SKIN TINT
 SUNSCREEN BROAD SPECTRUM SPF20

MADE IN ITALY

1.01 FL. OZ. (30ml)



Ref P3LB1M16



DOLCE AND GABBANA BLUEBERRY NUTRI TINT SPF 20 22N MEDIUM TESTER

zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84003-063
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	67 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
TALC (UNII: 7SEV7J4R1U)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
GLYCERYL GLUCOSIDE (UNII: 3297VXM8Z6)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
ISODODECANE (UNII: A8289P68Y2)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MICA (UNII: V8A1AW0880)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
BILBERRY (UNII: 9P2U39H18W)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LAURETH-4 (UNII: 6HQ855798J)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
LACTIC ACID (UNII: 33X04XA5AT)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84003-063-01	1 in 1 BOX	01/01/2025	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:84003-063-02	1 in 1 BOX	01/01/2025	
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2025	

Labeler - Dolce & Gabbana Beauty S.R.L (442254105)

Revised: 9/2024

Dolce & Gabbana Beauty S.R.L