

SUNSCREEN- titanium dioxide 6.8% liquid
Baxter of California, LLC

Smooth Liquid Camo Titanium Dioxide Sunscreen SPF 25

Active Ingredients

Octisalate 3.2%

Octocrylene 6%

Purpose

Sunscreen

Uses

Helps prevent sunburn

if used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged skin or broken skin

When using this product

Keep out of eyes.

Rinse with water to remove

Stop use and ask doctor if

rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including
 - limit time in the sun, especially from 10am-2pm
 - wear long sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, undecane, dimethicone, glycerin, tridecane, polyglyceryl-4 isostearate, pentylene glycol, cetyl PEG/PPG-10/1, hexyl laurate, magnesium sulfate, disteardimonium hectorite, trihydroxystearin, cellulose gum, aluminum hydroxide, disodium stearyl glutamate, acetylated glycol stearate, acrylates copolymer, ethylhexylglyceerin; may contain: titanium dioxide, iron oxides

Questions or Comments?

1-877-900-6700

Monday - Friday (9 a.m. - 5 p.m. EST)

Drug Facts

Active ingredient Titanium dioxide 3.8%
Purpose Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age. Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients water, undecane, dimethicone, glycerin, tridecane, polyglyceryl-4 isostearate, pentylene glycol, cetyl PEG/PPG-10/1, dimethicone, hexyl laurate, magnesium sulfate, disteardimonium hectorite, trihydroxystearin, cellulose gum, aluminum hydroxide, disodium stearyl glutamate, acetylated glycol stearate, acrylates copolymer, ethylhexylglycerin; may contain: titanium dioxide, iron oxides

Drug Facts (continued)

Questions or comments?
1-877-900-9700 Monday - Friday (9 a.m. - 5 p.m. EST)

G926443
FL B165327/3

DERMABLEND™
PROFESSIONAL

D

SMOOTH
Liquid Camo
Medium Coverage
Foundation

Titanium Dioxide Sunscreen
Broad Spectrum SPF 25

30 mL - 1.0 fl.oz.

SMOOTH Liquid Camo provides medium coverage for minor to moderate skin issues: Rosacea, redness, hyperpigmentation, acne scars, and birthmarks. SMOOTH Liquid Camo gives twice the coverage of a classic foundation for up to 16 hours of color wear.

Contains Camo-Pigments™, a high level of pigments in a super blendable formula for amazing coverage that looks like skin, not makeup. Never cakey or masky.

Lightweight texture with a matte finish. All day hydration. Suitable for sensitive skin.

Dermablend
L'Oréal USA, Inc.
New York, NY
10017
Made in USA

SUNSCREEN

titanium dioxide 6.8% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84203-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.068 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
WATER (UNII: 059QF0KO0R)	
UNDECANE (UNII: JV0QT00NUE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIDECANE (UNII: A3LZF0L939)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TRIHYROXYSTEARIN (UNII: 06YD7896S3)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ACETYLATED GLYCOL STEARATE (UNII: K71M6R9N7E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84203-001-01	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/25/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/25/2024	

Labeler - Baxter of California, LLC (031183172)

Establishment

Name	Address	ID/FEI	Business Operations
Dimensional Merchandising, Inc		076693183	manufacture(84203-001)

Revised: 7/2025

Baxter of California, LLC