ADVANCED RELIEF - dextran 70, polyethylene glycol 400, povidone, tetrahydrozoline hcl liquid

Samchundang Pharm. Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Dextran 70 0.1%

Polyethylene Glycol 400 1%

Povidone 1%

Tetrahydrozoline HCl 0.5%

Purpose

Lubricant

Lubricant

Lubricant

Redness reliever

Use

- for the relief of redness of the eye due to minor eye irritations
- for use as a protectant against further irritation or to relieve dryness of the eye

Warnings

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- pupils may become enlarged temporarily
- overuse may cause more eye redness
- remove contact lenses before using
- do not use if this solution changes color or become cloudy
- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye lasts
- condition worsens or lasts more than 72 hours

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Put 1 to 2 drops in the affected eye(s) up to 4 times daily
- children under 6 years of age: ask a doctor

Other information


• store between 15° to 25°C (59°F to 77°F)

Inactive ingredients

boric acid, sodium borate, edetate disodium, benzalkonium chloride, sodium chloride, dilite hydrochloric acid, sterile purified water

package label

Advance relief





Drug Facts

Active ingredients **Purposes** Dextran 70 0.1%... ..Lubricant Polyethylene Glycol 400 1%....Lubricant Povidone 1%.....Lubricant Tetrahydrozoline HCI 0.05%...Redness reliever

Uses ■ for relief of redness of the eye due to minor eye irritations ■ for use as a protectant against further irritation or to relieve dryness of the eye

Warnings Ask a doctor before use if you have narrow angle glaucoma

- When using this product

 pupils may become enlarged
- temporarily

 overuse may cause more eye redness remove contact lenses before using
 do not use if this solution changes
 color or become cloudy
- do not touch tip of container to any surface to avoid contamination

 replace cap after each use Stop use and ask a doctor of ■ you feel eye pain ■ changes in vision occur ■ redness or irritation of the eyes lasts ■ condition worsens or lasts more than 72 hous

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts(continued)

Keep out reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions = Put 1 to 2 drops in the affected eye(s)
up to 4 times daily.

children under 6 years
of age: ask a doctor

Other information Store at 15-30°C(59-86°F


Inactive ingredients benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate,

and sodium chloride

Made in Korea



Pure-Aid™



Compare to **VISING** ADVANCED

1/2FL.OZ.(15ml)

LOT

Pure-Aid™



Exclusively distributed by:



Kareway Product Inc. Compton, CA 90200

*This product is not manufactured or distributed by Pfizer, the distributor of Visine.®

EXP

ADVANCED RELIEF

dextran 70, polyethylene glycol 400, povidone, tetrahydrozoline hcl liquid

Product Information

l	Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51134-0064
l	Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
TETRAHYDRO ZOLINE HYDRO CHLO RIDE (UNII: 0 YZT43HS7D) (TETRAHYDRO ZOLINE - UNII:S9 U0 25 Y0 77)	TETRAHYDROZOLINE HYDROCHLORIDE	0.5 mg in 1 mL		
DEXTRAN 70 (UNII: 7SA290 YK68) (DEXTRAN 70 - UNII:7SA290 YK68)	DEXTRAN 70	1 mg in 1 mL		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII:B697894SGQ)	POLYETHYLENE GLYCOL 400	10 mg in 1 mL		
PO VIDO NE (UNII: FZ989GH94E) (PO VIDO NE - UNII:FZ989GH94E)	POVIDONE	10 mg in 1 mL		

Inactive Ingredients		
Ingredient Name	Strength	
BORIC ACID (UNII: R57ZHV85D4)		
SODIUM BORATE (UNII: 91MBZ8H3QO)		
EDETATE DISO DIUM (UNII: 7FLD91C86K)		
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
WATER (UNII: 059QF0KO0R)		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:51134-0064-5	1 in 1 BOX		
1	15 mL in 1 BOTTLE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part349	08/29/2010		

Labeler - Samchundang Pharm. Co., Ltd. (687792325)

Registrant - Samchundang Pharm. Co., Ltd. (687792325)

Establishment				
Name	Address	ID/FEI	Business Operations	
Samchundang Pharm. Co., Ltd.		687792325	manufacture	