

EXCHANGE SELECT STOOL SOFTENER- docusate sodium capsule, liquid filled Army & Air Force Exchange Service

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Company Stool Softener Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

| | |
|---------------------------------------|---------------------------|
| adults and children 12 years and over | take 1 - 3 softgels daily |
| children 2 to under 12 years of age | take 1 softgel daily |
| children under 2 years | ask a doctor |

Other information

- **each softgel contains:** sodium 6 mg
- very low sodium
- store at 20-25°C (68-77°F)

Inactive ingredients

D&C red no. 33, edible ink, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

exchange select™

Compare to the active ingredient of Colace®

stool softener

Stool Softener Laxative

Docusate Sodium

100 mg

- Gentle
- Dependable Effect
- Stimulant-free

100 SOFTGELS

quality value

Do not use if printed seal under cap is broken or missing

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Packaged For:
Your Military Exchanges
By: Perrigo Company
Allegan, MI USA 49010

: 48678 CZ F2

Drug Facts

Active ingredient (in each softgel) Purpose
Docusate sodium 100 mg.....Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain ■ nausea ■ vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health

professional before use.



PEEL BACK HERE ▶

exchange **select**™

Compare to the active ingredient of Colace®

stool softener

Stool Softener Laxative
Docusate Sodium

100 mg

- Gentle
- Dependable Effect
- Stimulant-free

100 SOFTGELS

quality value

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Take only by mouth. Doses may be taken as a single daily dose or in divided doses.
- | | |
|---------------------------------------|---------------------------|
| adults and children 12 years and over | take 1 - 3 softgels daily |
| children 2 to under 12 years of age | take 1 softgel daily |
| children under 2 years | ask a doctor ▼ |

Drug Facts (continued)

Other information

- each softgel contains: sodium 6 mg
- very low sodium
- store at 20-25°C (68-77°F)

Inactive ingredients D&C red no. 33, edible ink, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments? 1-800-719-9260

EXCHANGE SELECT STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55301-486 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|------------------------------------------------------------------------|-------------------|----------|
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM | 100 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------------------------------|----------|
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| GELATIN, UNSPECIFIED (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SORBITOL (UNII: 506T60A25R) | |
| SORBITAN (UNII: 6O92ICV9RU) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|-----------------|---------------------------|---------------------|----------|
| Color | RED, WHITE (to off beige) | Score | no score |
| Shape | OVAL (softgel) | Size | 13mm |
| Flavor | | Imprint Code | L486 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------------------------------------|----------------------|--------------------|
| 1 | NDC:55301-486-78 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 03/02/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|------------------------------------------|----------------------|--------------------|
| OTC monograph not final | part334 | 03/02/2023 | |

Labeler - Army & Air Force Exchange Service (001695568)

Revised: 3/2023

Army & Air Force Exchange Service