

LIQUID ANTIFUNGAL TREATMENT- tolnaftate liquid
Hudson Health LLC

Comfort Zone Liquid Antifungal Treatment

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

for the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis) for effective relief of itching, scaling, cracking, burning and redness.

Warnings

For external use only.

Flammable

keep away from fire or flame.

Do not use

on children under 2 years of age unless directed by a doctor.

When using this product

avoid contact with the eyes.

Stop use and consult a doctor if

- irritation occurs or if there is no improvement within 4 weeks

Keep out of reach of children.

If swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly.
- apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
- supervise children in the use of this product.
- for athlete's foot: Pay special attention to spaces between the toes; wear well-fitting,

ventilated shoes, and change shoes and socks at least once daily.

- for athlete's foot and ringworm, use daily for 4 weeks.
- if condition persists longer, consult a doctor.
- this product is not effective on the scalp or nails.

Other information

- Store at room temperature 15°-30°C (59° - 86°F)
- Keep tightly closed when not in use


Inactive ingredient

Acetone, Water, Propylene Glycol, Tocopherol Acetate.

Questions?

Call 1-866-964-0939

Principal Display Panel



DO NOT USE IF NECKBAND IS BROKEN

Active Ingredient: Tolnaftate 1% (w/w)

Purpose: Antifungal **Uses:** For the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis). For effective relief of itching, scaling, cracking, burning and redness.

comfort//zone™

liquid antifungal treatment
with vitamin e to moisturize

tolnaftate 1% / antifungal

- Maximum Strength
- Brush-On Applicator

SHAKE WELL BEFORE USE

1 FL. OZ. (30 mL)

Warnings: For external use only. **Flammable:** Keep away from fire or flame. **Do not use** on children under 2 years of age unless directed by a doctor. **When using this product** avoid contact with the eyes. **Stop use and ask a doctor** if irritation occurs or if there is no improvement within 4 weeks. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash the affected area and dry thoroughly. Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

Other information: Store at room temperature 15-30°C (59-86°F). Keep tightly closed when not in use.

Inactive ingredients: Acetone, Water, Propylene Glycol, Tocopherol Acetate.

Questions? Call 1-866-964-0939

Distributed By:
Hudson Health LLC
Hudson, NY 12534
©2024

Questions? Call 1-877-237-0194

MADE IN USA WITH U.S. AND IMPORTED PARTS

50-17ZAM

Distributed By:
Hudson Health LLC
Hudson, NY 12534
©2024
Questions? Call 1-877-237-0194
MADE IN USA WITH U.S. AND IMPORTED PARTS



DO NOT USE IF NECKBAND IS BROKEN

Drug Facts
Tolnaftate 1% (w/w) Antifungal
Purpose
Uses
For the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis).
For effective relief of itching, scaling, cracking, burning and redness.
Warnings
For external use only.
Flammable ■ keep away from fire or flame.
Do not use ■ on children under 2 years of age unless directed by a doctor.
When using this product ■ avoid contact with the eyes.
Stop use and ask a doctor if
■ Irritation occurs or if there is no improvement within 4 weeks.
Keep out of reach of children. ■ If swallowed, get medical help, or contact a Poison Control Center right away.
Directions
■ Wash the affected area and dry thoroughly.
■ Apply a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor.
■ Supervise children in the use of this product.
■ For athlete's foot: Pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
■ For athlete's foot and ringworm, use daily for 4 weeks.
■ If condition persists longer, consult a doctor.
■ This product is not effective on the scalp or nails.
Other information ■ Store at room temperature 15-30°C (59-86°F).
■ Keep tightly closed when not in use.
Inactive ingredients Acetone, Water, Propylene Glycol, Tocopherol Acetate.
Questions? Call 1-866-964-0939

DO NOT USE IF NECKBAND IS BROKEN



liquid antifungal treatment
 with vitamin e to moisturize
 TOLNAFTATE 1%/ANTIFUNGAL
 Maximum Strength
 Brush- On Applicator
 SHAKE WELL BEFORE USE
 1 FL. OZ. (30 mL)

LIQUID ANTIFUNGAL TREATMENT

tolnaftate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72446-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72446-012-01	1 in 1 CARTON	03/29/2024	
1		30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	03/29/2024	

