

DG HEALTH CHILDRENS ALLERGY- loratadine solution
Dolgenercorp, LLC

Dolgenercorp LLC. Children's Allergy Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if carton is opened, or if printed neckband is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

edetate disodium, glycerin, maltitol, monobasic sodium phosphate, natural and artificial grape flavor, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments?

1-888-309-9030

Principal Display Panel

DG™ |health

Compare to the active ingredient of Children's Claritin®

Ages 2 + Years

Children's Allergy

Loratadine Oral Solution, 5 mg/5mL

Antihistamine

24 Hour Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

24 HOUR

Non-Drowsy*

Dye Free

Indoor & Outdoor Allergies

Grape Flavor

*When taken as directed. See Drug Facts Panel.

4 FL OZ (120 mL)



Compare to the active ingredient of Children's Claritin**

Compare to the active ingredient of Children's Claritin**

Compare to the active ingredient of Children's Claritin**

Compare to the active ingredient of Children's Claritin**

Ages 2 + Years
Children's Allergy

Loratadine Oral Solution,
5 mg/5 mL
Antihistamine

24 Hour Relief of:
• Sneezing
• Runny nose
• Itchy, watery eyes
• Itchy throat or nose



Non-Drowsy*
Dye Free



Indoor & Outdoor Allergies

Grape Flavor

*When taken as directed. See Drug Facts Panel.

4 FL OZ (120 mL)

Ages 2 + Years
Children's Allergy

Loratadine Oral Solution,
5 mg/5 mL
Antihistamine

24 Hour Relief of:
• Sneezing
• Runny nose
• Itchy, watery eyes
• Itchy throat or nose



Non-Drowsy*
Dye Free



Indoor & Outdoor Allergies

Grape Flavor

*When taken as directed. See Drug Facts Panel.

4 FL OZ (120 mL)

Ages 2 + Years
Children's Allergy
Loratadine Oral Solution,
5 mg/5 mL
Antihistamine

Drug Facts

Active ingredient Purpose
(in each 5 mL teaspoonful)
Loratadine 5 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ itchy, watery eyes
■ sneezing ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ use only with enclosed dosing cup
adults and children 6 years and over 2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours
children 2 to under 6 years of age 1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours
children under 2 years of age ask a doctor
consumers with liver or kidney disease ask a doctor

Other information
■ do not use if carton is opened, or if printed neckband is broken or missing
■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients edetate disodium, glycerin, methylol, monobasic sodium phosphate, natural and artificial grape flavor, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments? 1-888-309-9030

**This product is not manufactured or distributed by Bayer Health Care LLC, distributor of Children's Claritin®.

- Dye-Free
- Sugar-Free
- 24 Hour Relief
- Alcohol-Free

DISTRIBUTED BY OLD EAST MAIN CO.
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed!
If you're not satisfied with this product for any reason, please call us so we can make you 100% satisfied.
(888) 309-9030



CODE AREA

6T526 VT C2

DG HEALTH CHILDRENS ALLERGY

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-611
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)	LORATADINE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C00X)	
MALTITOL (UNII: D65DG142WK)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-611-26	1 in 1 CARTON	06/12/2019	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075728	06/12/2019	

