LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet Good Sense (Geiss, Destin & Dunn, Inc.)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

• noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

• are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this producct

• do not use for a period longer than 1 week

Stop use and ask a doctor if

• rectal bleeding or failure to have a bowel movement occur after use of a laxative

These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- each tablet contains: calcium 50 mg
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, ammonium hydroxide*, calcium carbonate*, calcium phosphate dihydrate*, calcium sulfate anhydrous*, carnauba wax, corn starch*, croscarmellose sodium, dicalcium phosphate*, FD&C blue #1 aluminum lake, hypromellose*, iron oxide*, iron oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, n-butyl alcohol*, polyethylene glycol, polyvinyl alcohol*, povidone*, propylene glycol*, shellac, silicon dioxide*, sodium lauryl sulfate*, stearic acid*, sucrose, talc, titanium dioxide, white wax*

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Maximum Strength

Laxative pills

Sennosides USP, 25 mg

Stimulant Laxative

• Specialists In Gentle, Dependable Overnight Relief

PILLS

****Compare to** active ingredient in **ex-lax® Maximum Strength**

**This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of Ex-Lax ${\rm I\!R}$.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by:

Geiss, Destin & Dunn, Inc.

Peachtree City, GA 30269

www.valuelabels.com

Product Label



•		over a period of 2 weeks	 sund 		relieves occasional consti generally produces bowel
	(pe	unitroo) etos Facts (continu		(pa	eunitnos) etse 7 gurí
	take 1 tablet once or twice daily	children 6 to under 12 years of age	c a doctor or pharmacist before use if you re taking a prescription drug. Laxatives may affect how		
	ask a doctor	children under 6 years of age		is product 2 or more hou	other drugs work. Take th before or after other drug
Other information each tablet contains: calcium 50 mg		View using this product I do not use for a period longer than 1 week			
 very low sodium store between 20-25°C (68-77°F) store between 20-25°C (68-77°F) hydroxide*, calcium auffate anhydrous*, camauba wax, dihydrate*, calcium auffate anhydrous*, camauba wax, corn starch*, croscarmeliose sodium, dicalcium phosphate*, FD&C blue #1, hypromeliose*, iron oxide*, iron oxide black, iron oxide yellow*, isopropyl alcohol*, kaolin*, 		top use and ask a doctor if I rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.			
		Foregnant or breast-feeding, ask a health protessional refore use. Geep out of reach of children. In case of overdose, get nedical help or contact a Poison Control Center right away. Directions Directions Singlet(s) with a glass of water swallow tablet(s) with a glass of water			
magnesium stearate, maitodextrin, microcrystalline cellulose, mineral oli*, n-butyl alcohol*, polyetrylene glycol, polyvinyl alcohol*, povidone*, propylene glycol*,					
shellac*, silicon dioxide, sodium lauryl suffate*, stearic acid, sucrose, taic, titanium dioxide, white wax* *contains one or more of these ingredients			_	take 2 tablets once or twice daily	sdults and children 12 years of age and older

nausea, or vomiting are present unless directed by a doctor.

Do not use laxative products when abdominal pain,

Stimulant laxative

Sennosides USP, 25 mg.

(in each tablet)

Product Information						
Product Type	HUMAN OTC DRUG	Item Code	Source)	NDC:50	C:50804-492	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingred	lient Name		Basis of Stre	ngth	Strength	
SENNOSIDES (UNII: 3FYP5M0IJX) (S	ENNOSIDES - UNII:3FYP5M	DIJX)	SENNOSIDES		25 mg	
Inactive Ingredients						
	Ingredient Name				Strength	
ACACIA (UNII: 5C5403N26O)						
AMMONIA (UNII: 5138Q19F1X)						
CALCIUM CARBONATE (UNII: HOG	9379FGK)					
CALCIUM PHOSPHATE, DIBASIC,	DIHYDRATE (UNII: 07TSZ	97GEP)				
CALCIUM SULFATE ANHYDROUS	(UNII: E934B3V59H)					
CARNAUBA WAX (UNII: R12CBM0E	IZ)					
STARCH, CORN (UNII: 08232NY3S	J)					
CROSCARMELLOSE SODIUM (UN	II: M280L1HH48)					
CALCIUM PHOSPHATE, DIBASIC,	ANHYDROUS (UNII: L11K)	/5P92J)				
FD&C BLUE NO. 1 (UNII: H3R47K3	TBD)					
ALUMINUM OXIDE (UNII: LMI2606	933)					
HYPROMELLOSES (UNII: 3NXW29V						
FERRIC OXIDE RED (UNII: 1K09F30						
FERROSOFERRIC OXIDE (UNII: XN						
FERRIC OXIDE YELLOW (UNII: EX						
ISOPROPYL ALCOHOL (UNII: ND2)	M416302)					
KAOLIN (UNII: 24H4NWX5CO)						
MAGNESIUM STEARATE (UNII: 70						
CELLULOSE, MICROCRYSTALLIN						
BUTYL ALCOHOL (UNII: 8PJ61P6TS						
POLYETHYLENE GLYCOL, UNSPE	CIFIED (UNII: 3WJQ0SDW1)	4)				
POVIDONE (UNII: FZ989GH94E)						
PROPYLENE GLYCOL (UNII: 6DC90	Q167V3)					
SHELLAC (UNII: 46N107B710)						
SILICON DIOXIDE (UNII: ETJ7Z6XB						
SODIUM LAURYL SULFATE (UNII:	-					
STEARIC ACID (UNII: 4ELV7Z65AP)						
SUCROSE (UNII: C151H8M554)						
TALC (UNII: 7SEV7J4R1U)						
TITANIUM DIOXIDE (UNII: 15FIX9V	2JP)					
WHITE WAX (UNII: 7G1J5DA97F)						
MALTODEXTRIN (UNII: 7CVR7L4A2	וט					
MINERAL OIL (UNII: T5L8T28FGP)						

Product Chara	acteristics					
Color blue Score		no score				
Shape	ROUND	Size	10mr	n		
Flavor		Imprint Code	TCL0	TCL083;S25		
Contains						
Deckering						
Packaging						
# Item Code		e Description	Marketing Start Date	Marketing End Date		
1 NDC:50804-492- 24	24 in 1 CARTON		07/31/2016			
1	1 in 1 BLISTER PACK; ⁻ Product	Type 0: Not a Combination				
Marketing	Information					
· · · · · · · · · · · · · · · · · · ·	Application N	umber or Monograph	Marketing Start			
Marketing Category		Citation	Date	Date		

Labeler - Good Sense (Geiss, Destin & Dunn, Inc.) (076059836)

Revised: 10/2022

Good Sense (Geiss, Destin & Dunn, Inc.)