BENZOYL PEROXIDE 5% TOPICAL WASH- benzoyl peroxide liquid BENZOYL PEROXIDE 10% TOPICAL WASH- benzoyl peroxide liquid Medcore LLC

Drug Facts

Active ingredient

BENZOYL PEROXIDE 5% or 10%

Purpose

Acne medication

Uses

For the treatment of acne

Warnings

For external use ONLY. Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. Avoid unnessary sun exposure and use a sunscreen. Avoid contact with eyes, lips and mouth. Avoid contact with hair, dyed fabrics, which may be bleached by this product. Skin irritation may occur characterized by redness, burning, itching, peeling or possibly swelling, Irritation may be reduced by using the product less frequently or in lower concentration. If irritation or sensitivy develops stop use of both products and ask a doctor.

INSTRUCTIONS FOR USE

Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

	apply externally to the affected area up to 3 to 4 times a day
children under 2 years	ask a doctor

Other information

Store at room temperature 15°-30°C(59°-86°F) Avoid storing product in direct sunlight and protect product from excessive moisture.

Inactive Ingredients

CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) cetyl alcohol edetate disodium glycerinGLYCERYL STEARATE/PEG-100 STEARATE laureth-12 magnesium aluminum silicate propylene glycol sodium lauroamphoacetate sodium cocosulfate xanthan gum Water PHENOXYETHANOL

PRINCIPAL DISPLAY PANEL - 5% 5 OZ Bottle Label

NDC: 82461-312-05

Medcore LLC

BENZOYL PEROXIDE 5% Acne wash

5 OZ

Manufactured For:

Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call 908-280-2269 NDC: 82461-312-05

Medcore LLC BENZOYL PEROXIDE 5% Acne wa

Manufactured For: Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call

Drug Facts	
Active ingredient	Purpose
BENZOYL PEROXIDE 5%	Acne medication

Uses

For the treatment of acne

Warnings

For external use ONLY. Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. Avoid unnessary sun exposure and use a sunscreen. Avoid contact with eyes, lips and mouth. Avoid contact with hair, dyed fabrics, which may be blea ched by this product. Skin irritation may occur characterized by redness, burning, itching, peeling or possibly swelling, Irritation may be reduced by using the product less frequently or in lower concentration. If irritation or sensitivy develops stop use of both products and ask a doctor.

INSTRUCTIONS FOR USE

Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Drug Facts (continued)		
Directions		
adults and children 2 years and older	apply externally to the affected area up to 3 to 4 times a day	
children under 2 years	ask a doctor	

Other information

Store at room temperature 15°-30°C (59°-86°F)
Avoid storing product in direct sunlight and protect
product from excessive moisture.

Inactive Ingredients

CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) cetyl alcohol edetate disodium glycerinGLYCERYL STEARATE/PEG-100 STEARATE laureth-12 magnesium aluminum silicate propylene glycol sodium lauroamphoacetate sodium coco-sulfate xanthan gum Water PHENOXYETHANOL



Lot Nr.:251105A55

Exp.:11/2028

PRINCIPAL DISPLAY PANEL - 5% 8 OZ Bottle Label

NDC: 82461-312-08

Medcore LLC

908-280-2269

BENZOYL PEROXIDE 5% Acne wash

8 OZ

Manufactured For:

Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call 908-280-2269 NDC: 82461-312-08

ENZOYL PEROXIDE 5% Acne

Medcore

Manufactured For: Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call

908-280-2269

Active ingredient Purpose
BENZOYL PEROXIDE 5%.....Acne medication

Uses

For the treatment of acne

Warnings

For external use ONLY. Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. Avoid unnessary sun exposure and use a sunscreen. Avoid contact with eyes, lips and mouth. Avoid contact with hair, dyed fabrics, which may be blea ched by thisproduct. Skin irritation may occur characterized by redness, burning, itching, peeling or possibly swelling, Irritation may be reduced by using the product less frequently or in lower concentration. If irritation or sensitivy develops stop use of both products and ask a doctor.

INSTRUCTIONS FOR USE

Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away Drug Facts (continued)

Directions

adults and children 2 years and older

children under 2 years

apply externally to the affected area up to 3 to 4 times a day

ask a doctor

Other information

Store at room temperature 15°-30°C(59°-86°F) Avoid storing product in direct sunlight and protect product from excessive moisture.

Inactive Ingredients

CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) cetyl alcohol edetate disodium glycerinGLYCERYL STEARATE/PEG-100 STEARATE laureth-12 magnesium aluminum silicate propylene glycol sodium lauroamphoacetate sodium coco-sulfate xanthan gum Water PHENOXYETHANOL



Lot Nr.:251103A58

Exp.:11/2028

PRINCIPAL DISPLAY PANEL - 10% 5 OZ Bottle Label

NDC: 82461-313-05

Medcore LLC

BENZOYL PEROXIDE 10% Acne wash

5 OZ

Manufactured For:

Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call 908-280-2269 NDC: 82461-313-05

Medcore LLC BENZOYL PEROXIDE 109

Active ingredient

Active ingredient Purpose BENZOYL PEROXIDE 10%......Acne medication

Uses

For the treatment of acne

Warnings

For external use ONLY. Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. Avoid unnessary sun exposure and use a sunscreen. Avoid contact with eyes, lips and mouth. Avoid contact with hair, dyed fabrics, which may be blea ched by thisproduct. Skin irritation may occur characterized by redness, burning, itching, peeling or possibly swelling, Irritation may be reduced by using the product less frequently or in lower concentration. If irritation or sensitivy develops stop use of both products and ask a doctor.

INSTRUCTIONS FOR USE

Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Drug Facts (continued) Directions adults and children 2 years and older apply externally to the affected area up to 3 to 4 times a day children under 2 years ask a doctor

Other information

Store at room temperature 15°-30°C (59°-86°F)
Avoid storing product in direct sunlight and protect
product from excessive moisture.

Inactive Ingredients

CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) cetyl alcohol edetate disodium glycerinGLYCERYL STEARATE/PEG-100 STEARATE laureth-12 magnesium aluminum silicate propylene glycol sodium lauroamphoacetate sodium coco-sulfate xanthan gum Water PHENOXYETHANOL



Lot Nr.:251103A105

Exp.:11/2028

PRINCIPAL DISPLAY PANEL - 10% 8 OZ Bottle Label

NDC: 82461-313-08

Medcore LLC

BENZOYL PEROXIDE 10% Acne wash

8 OZ

Manufactured For:

Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call 908-280-2269

5 OZ

ash

Manufactured For:

Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call 908-280-2269

cne

NDC: 82461-313-08

Medcore LLC

BENZOYL PEROXIDE 10% Acne wa

e was

Manufactured For:

Medcore LLC 3048 Valley Rd. Basking Ridge, NJ 07920 Questions or Comments Please call 908-280-2269

Drug Facts	
Active ingredient	Purpose
BENZOYL PEROXIDE 10%	Acne medication

Uses

For the treatment of acne

Warnings

For external use ONLY. Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. Avoid unnessary sun exposure and use a sunscreen. Avoid contact with eyes, lips and mouth. Avoid contact with hair, dyed fabrics, which may be blea ched by this product. Skin irritation may occur characterized by redness, burning, itching, peeling or possibly swelling, Irritation may be reduced by using the product less frequently or in lower concentration. If irritation or sensitivy develops stop use of both products and ask a doctor.

INSTRUCTIONS FOR USE

Clean the skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
 redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Drug Facts (continued)
Directions	
adults and children 2 years and older	apply externally to the affected area up to 3 to 4 times a day
children under 2 years	ask a doctor

Other information

Store at room temperature 15°-30°C(59°-86°F)
Avoid storing product in direct sunlight and protect
product from excessive moisture.

Inactive Ingredients

CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) cetyl alcohol edetate disodium glycerinGLYCERYL STEARATE/PEG-100 STEARATE laureth-12 magnesium aluminum silicate propylene glycol sodium lauroamphoacetate sodium cocc-sulfate xanthan gum Water PHENCXYETHANOI



Lot Nr.:251107A108

Exp.:11/2028

BENZOYL PEROXIDE 5% TOPICAL WASH

benzoyl peroxide liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82461-312

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZ N9A0GM) (BENZOYL PEROXIDE - UNII: W9WZ N9A0GM)	BENZOYL PEROXIDE	50 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE/PEG-100 STEARATE (UNII: RD25J5V947)	
LAURETH-12 (UNII: OAH19558U1)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAUROAMPHOACETATE (UNII: SLK428451L)	
SODIUM COCO-SULFATE (UNII: 3599J29ANH)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:82461- 312-05	148 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/20/2025		
NDC:82461- 312-08	236 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/20/2025		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	10/20/2025	

BENZOYL PEROXIDE 10% TOPICAL WASH

benzoyl peroxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82461-313
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII: W9WZN9A0GM)	BENZOYL PEROXIDE	100 mg in 1 mL	

Inactive Ingredients				
Ingredient Name	Strength			
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				

GLYCERYL STEARATE/PEG-100 STEARATE (UNII: RD25J5V947)	
LAURETH-12 (UNII: OAH19558U1)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAUROAMPHOACETATE (UNII: SLK428451L)	
SODIUM COCO-SULFATE (UNII: 3599J29ANH)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:82461- 313-05	148 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/20/2025				
2	NDC:82461- 313-08	236 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/20/2025				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M006	10/20/2025			

Labeler - Medcore LLC (069802634)

Revised: 10/2025 Medcore LLC