SOFT CHLOR BARRIER PART A- lactic acid solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

DIRECTIONS:

IMPORTANT: Do not mix Soft Chlor Barrier Part A with water, or any other products unless specified in the product use

instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and

bears the proper container labeling for Soft Chlor Barrier Part A.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any

unused product to the original container.

Mix Directions: Measure equal volumes of Soft Chlor Barrier Part A and Soft Chlor Barrier Part B into clean containers. Mix

until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray

each teat prior to milking. Teats should then be dried with single-service towels.

Post-Milk Dipping: Immediately after each milking, use mixed Soft Chlor Barrier Part A and Soft Chlor Barrier Part B at full

strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use

fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Soft Chlor Barrier Part A is not intended to cure or help the healing of chapped or irritated teats. As with any

germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition

examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

WARNING

Causes eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

FIRST AID

IN CASE OF EYE CONTACT: Rinse with plenty of water.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

IF INHALED: Get medical attention if symptoms occur

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and

Canada, call collect 1 651 222 5352 (number is in the US).

A&L Laboratories

Soft ChlorTM Barrier Part A

Germicidal Barrier Teat Dip

Germicida de barrera sellador de pezones

Manufactured by

Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2015 Ecolab USA Inc. · All rights reserved

Made in United States

761358/5300/0515

NET CONTENTS: 56.8 L (15 US GAL)

6301560



Soft Chlor™ Barrier Part A

Germicidal Barrier Teat Dip Germicida de barrera sellador de pezones

Soft Chlor Barrier Part A is formulated to be used as a companion product for Soft Chlor Barrier Part B.

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT: SKIN CONDITIONING SYSTEM: (contains glycerin, propylene glycol).... INERT INGREDIENTS:

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

DIRECTIONS:

TOTAL:..

IMPORTANT: Do not mix Soft Chior Barrier Part A with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Soft Chior Barrier Part A.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Mix Directions: Measure equal volumes of Soft Chior Barrier Part A and Soft Chior Barrier Part B into clean containers. Mix unital uniform; in color bit youth the quantity meaded for one militing of that and discard the remainder.

Mix Directions: Measure equal volumes of Soft Chlor Barrier Part A and Soft Chlor Barrier Part B into clean containers. Mix until uniform in color. Mix only the quantity needed for one miking shift and discard the remainder.

Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.

Post-Milk Dipping: Immediately after each milking, use mixed Soft Chlor Barrier Part A and Soft Chlor Barrier Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Soft Chlor Barrier Part A is not intended to cure or help the healing of chapped or irritated teats. As with any germickle, irritation or ensplitation may occur in sensitive animals. In case of teat Irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

Causes eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas.

FIRST AID
IN CASE OF EYE CONTACT: Rinse with plenty of water.
IN CASE OF EYE CONTACT: Rinse with water.
IN CASE OF SKIN CONTACT: Rinse with water.
IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.
IF INHALED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1800 328 0026. If located outside the United States and Canada, call collect 1651 222 5352 (number is in the US).

Made in United States

Soft Chlor Barrier Part A está formulado para su uso como producto complementario de Soft Chlor Barrier Part B. Ayuda a evitar la proliferación de organismos que pueden causar mastitis

PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USA HUMANO

INSTRUCCIONES:

IMPORTANTE: No mezcle Soft Chlor Barrier Part A con agua ni con otros productos, a menos que se especifique en las instrucciones de uso. En caso de trasvase desde este recipiente a cualquier otro, este último debe limpiarse previamente a fondo y tener la correspondiente etiqueta de Soft Chlor Barrier Part A. Si el producto en el aplicador presenta una suciedad notable, deseche el contenido y vuelva a llenarlo con producto sin diluir. No reutitice el producto ni vuelva a colocar en el recipiente original el producto que quede sin usar. Instrucciones de mezclados vidida volúmenes iguales de Soft (hor Barrier Part A y Soft Chlor Barrier Part B en recipientes limpios. Mezcle hasta obtener un color uniforme. Mezcle sólo la cantidad necesaria para un turno de ordeño y deseche el resto. Pre-ordeño/Preparación: Utilizar procedimientos adecuados para la limpieza, enjuagar cada ubre con la solución de limpieza adecuado sus runa solución en esporay o de inmersión, antes de empezar el ordeño. Los pezones deben luego secarse utilizando toallas de uso único.

Utilizando Coalias de uso unico. Sellado posterior al ordeño: Immediatamente después de cada ordeño, utilice una mezcla sin diluir de Soft Chlor Barrier Part A y Soft Chlor Barrier Part B. Sumerja cada pezón por completo en el aplicador con producto mezclado. Deje secar al aire. No limpie. Siempre utilice una nueva mezcla de producto sin diluir. No coloque las vacas en lugares con temperaturas bajo cero hasta que el producto esté completamente seco. PRECAUCIÓN: Soft Chlor Barrier Part A no tiene por objeto curar ni ayudar a eliminar el agrietamiento y la irritación de los

PRECACION: SOIT CHIND BATTIER TATA TO TELEMEN DE UPPEC COLOR IN 2004 al entiminal et augmentation y far intaction de los pezones. Al figual que con cualquier bactericida, puede productise irritación o sensibilización en animales sensibiles, far caso de irritación o agrietamiento de los pezones, consulte con un veterinario para su examen y, de ser necesario, su tratamiento. Consulte con su Representante de ECOLAB para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

Provoca irritación ocular. Lave la piel minuciosamente después del manejo. No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro.

DRIMEDUS VIINTIUS

PRIMEMOS AUXILIUS

RO CASO DE CONTACTO CON LOS OJOS: Enjuague con mucha agua.

EN CASO DE CONTACTO CON LA PIEL: Enjuague con agua.

EN CASO DE INGESTIÓN: Enjuague la boca. Consultar un médico si los síntomas aparecen.

EN CASO DE INHALACIÓN: Consultar un médico si los síntomas aparecen.

LEA LA HOJA DE DATOS DE SEGURIDAD ANTES DE USAR ESTE PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

Manufactured by Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392 © 2015 Ecolab USA Inc. · All rights reserved

NET CONTENTS: 56.8 L (15 US GAL)

6301560



SOFT CHLOR BARRIER PART A

lactic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-569
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	56 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
GLYCERIN (UNII: PDC6 A3C0 OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:47593-569-17	56800 mL in 1 PAIL				
2	NDC:47593-569-21	208000 mL in 1 DRUM				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		0 1/11/20 16		

Labeler - Ecolab Inc. (006154611)

Revised: 2/2020 Ecolab Inc.