TUSSIN- guaifenesin liquid Discount Drug Mart

Drug Facts Active ingredient (in each 5 mL tsp)

Guaifenesin, USP 100 mg

Purpose

Expectorant

Keep out of reach of children.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the passage ways of bothersome mucus and make cough more productive

Warnings

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Ask a doctor if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product

do not use more than directed

Stop use and ask a doctor if

• cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistant headache.

These could be signs of a serious condition.

if pregnant or breast-feeding,

ask a health professional before use.

Directions

• do not take more than 6 doses in any 24-hour period

Age	Dose	
Adults and children 12 years and over	2 - 4 teaspoonfuls every 4 hours	
Children under 12 years	do not use	

Other information

- Keep carton for full Directions for use.
- sodium 3 mg per teaspoonful
- store at 20°-25°C (68°-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients

Carmel, citric acid anhydrous, dextrose, FD and red # 40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

Questions?

Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

DISCOUNT drug mart FOOD FAIR Tussin product label

DISCOUNT

drug mart

FOOD FAIR

Tussin

Guaifenesin Oral Solution, USP

EXPECTORANT

NON-DROWSY

Relieves Chest Congestion

Loosens Mucus

Adutl

For ages 12 and Over

Cherry Flavored Liquid

8 FL OZ (237 mL)

BX-041 LOT: EXP:

SATISFACTION GUARANTEED

IF DISSASIFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING




DRIVE, MEDINA, OHIO 44256







BX-041



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredient (in each 5 mL teaspoon) USP 100

Purpose . Expectorant **Uses** helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more

Warnings

Ask a doctor before use if you have

a cough that occurs with too much phiegm (mucus)

cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product a do not use more than directed

Stop use and ask a doctor if ■ cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

2 - 4 teaspoonfuls every 4 hours Directions - do not take more than 6 doses in any 24-hour period do not use Adults & children 12 years & over Children under 12 years

Other information sodium 3 mg per teaspoonful store between 20-25°C (68-77°F)

do not refrigerate
 dosing cup provided
 See carton for full labeling

Inactive ingredients Caramel, citric acid anhydrous, dextrose, FD&C red #40, flavor, ghycerin, high fructose corn synup, menthol, purified water, rin sodium, sodium benzoa

Questions? Call weekdays from 9:30AM to 4:30 PM EST at

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO SATISFACTION GUARANTEED

LR-071

101 EXP: STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, MAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

res

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Drug Facts

Active ingredient (in each 5 mL tsp)

Purpose

.Expectoran uaifenesin, USP 100 mg. Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passage ways of

bothersome mucus and make coughs more productive

Warnings Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
 cough that lasts or is chronic such as occurs with
- smoking, asthma, chronic bronchitis or emphysema

When using this product

do not use more than directed

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right

Directions - do not take more than 6 doses in any

Age	Dose	
Adults & children 12 years & over	2 – 4 teaspoonfuls every 4 hours	
Children under 12 years	do not use	

Other information

- Keep carton for full direction for use
 sodium 3 mg per teaspoonful
- store between 20-25°C (68-77°F)
 do not refrigerate
- dosing cup provided

Inactive ingredients Caramel, citric acid anhydrous dextrose, FD&C red #40, flavor, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium,

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256





Tussin

Guaifenesin Oral Solution, USP

EXPECTORANT

NON-DROWSY

Tussin

Guaifenesin Oral Solution, USP

EXPECTORANT

Relieves Chest Congestion

NON-DROWSY

Loosens Mucus

Relieves Chest Congestion Loosens Mucus

Adult Cherry Flavor Liquid Adult


For ages 12 & Over

Cherry Flavor Liquid

8 FL OZ (237 mL)

8 FL OZ (237 mL)

BX-041



Drug Facts

Active ingredient (in each 5 mL teaspoon)

Uses helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more

Ask a doctor before use if you have

— cough that occurs with too much phiegm (mucus)

— cough that tasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious condition. When using this product a do not use more than directed

f pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or

2 - 4 teaspoonfuls every 4 hours Directions - do not take more than 6 doses in any 24-hour period Adults & children 12 years & over Children under

mg per teaspoonfu do not use store between 20-25°C (68-77°F) Other information .

do not refrigerate
 dosing cup provided
 See carton for full labeling

citric acid anhydrous, Inactive ingredients

Questions? Call weekdays from 9:30AM to 4:30 PM EST at IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO SATISFACTION GUARANTEED

STORE WHERE PURICHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME. ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DISVE. MEDINA. OHIO 44256

LOT

TUSSIN

guaifenesin liquid

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:53943-507

ORAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) **GUAIFENES IN** 100 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
CARAMEL (UNII: T9D99G2B1R)		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
DEXTROSE (UNII: IY9XDZ 35W2)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)		
MENTHOL (UNII: L7T10EIP3A)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (CHERRY)	Imprint Code	
Contains			

	_	_
D		
Pac	K an	
	ZUG	шы

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-507- 26	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/19/2014	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/19/2014	

Labeler - Discount Drug Mart (047741335)

Revised: 12/2023 Discount Drug Mart