

**BRO GLO SUNSCREEN FOR THE BOYS SPF30- bro glo sunscreen for the boys
spf30 lotion**

Foshan Miwei Cosmetics Co., Ltd.

SN4040 BRO GLO Sunscreen for the boys SPF30

Sunscreen

Zinc Oxide(Non-nano) 16%

When using this product, keep out of eyes

Rinse with water to remove

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. In case of ingestion, get
medical help or contact a Poison Control Center right away.

Do not use on damaged or broken skin

*Help prevent sunburn

*If used as directed with other sun protection measures(see Directions)

Stop using and ask a doctor if a rash occurs

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison
Control Center right away.

*Apply generously and evenly 15 minutes before sun exposure

*Reapply at least every 2 hours

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk, regularly use sunscreen with a broad
spectrum SPF value of 15 or higher and other sun protection measures including:

*Limit time in the sun, especially from 10 am.-2 pm.

*Wear long-sleeve shirts, pants, hats, and sunglasses Children under 6 months of age :
Ask a doctor

Protect this product from excessive heat and direct sun

Water, Glycerin, Helianthus Annuus (Sunflower) Seed Oil, Cocos Nucifera (Coconut) Oil,
Cetyl PEG/PPG-10/1 Dimethicone, Butyrospermum Parkii (Shea) Oil, Polyglyceryl-3
Diisostearate, Ricinus Communis (Castor) Seed Oil, Hydroxyacetophenone, Tocopheryl
Acetate, 1,2-Hexanediol, Triethoxycaprylylsilane, Disodium EDTA, Cucumis Sativus
(Cucumber) Extract, Calendula Officinalis Extract, Rosmarinus Officinalis (Rosemary)
Extract


BRO GLO

SUNSCREEN FOR THE BOYS

MINERAL SUNSCREEN
SPF 30

NON-NANO
ZINC OXIDE

30



3.4 FL OZ / 100 ML

- ✓ Oxybenzone Free
- ✓ Octinoxate Free
- ✓ Cruelty Free
- ✓ Hydrating
- ✓ Coconut

Drug Facts

Active Ingredients	Purpose
Zinc Oxide 15.84%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**)

Warnings

- For external use only**
- Do not use** on damaged or broken skin
- When using this product**, keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs**
- Keep out of reach of children.** In case of ingestion, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor.

Inactive ingredients

Water, Helianthus Annuus (Sunflower) Seed Oil, Glycerin, Cetyl PEG/PPG-10/1 Dimethicone, Ricinus Communis (Castor) Seed Oil, Polyglyceryl-3 Diisostearate, Butyrospermum Parkii (Shea) Oil, Cocos Nucifera (Coconut) Oil, 1,2-Hexanediol, Tocopheryl Acetate, Hydroxyacetophenone, Triethoxycaprylylsilane, Cucumis Sativus (Cucumber) Extract, Calendula Officinalis Extract, Rosmarinus Officinalis (Rosemary) Extract, Disodium EDTA

Other information

- Protect this product from excessive heat and direct sun

Distributed by
Bro Glo, LLC
400 W. 37th St.
Reading, PA 19606
THEBROGLO.COM SN4040



Made in China NDC 84222-001



7 26597 51404 0

BRO GLO SUNSCREEN FOR THE BOYS SPF30

bro glo sunscreen for the boys spf30 lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84222-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	16 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	3 mL in 100 mL
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	2.5 mL in 100 mL
EDETATE DISODIUM (UNII: 7FLD91C86K)	0.05 mL in 100 mL
BUTYROSPERMUM PARKII (SHEA) OIL (UNII: O88E196QRF)	3 mL in 100 mL
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	0.5 mL in 100 mL
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	0.01 mL in 100 mL
COCOS NUCIFERA (COCONUT) OIL (UNII: Q9L0O73W7L)	8 mL in 100 mL
CASTOR OIL (UNII: D5340Y2I9G)	0.5 mL in 100 mL
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	0.5 mL in 100 mL
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.5 mL in 100 mL
CUCUMBER (UNII: YY7C30VXJT)	0.01 mL in 100 mL
ROSEMARY (UNII: IJ67X351P9)	0.01 mL in 100 mL
GLYCERIN (UNII: PDC6A3C0OX)	10 mL in 100 mL
WATER (UNII: 059QF0KO0R)	49 mL in 100 mL
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL (UNII: 3W1JG795YI)	8 mL in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84222-001-01	100 mL in 1 TUBE; Type 0: Not a Combination Product	04/03/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/03/2024	

Labeler - Foshan Miwei Cosmetics Co., Ltd. (554530932)

Revised: 10/2025

Foshan Miwei Cosmetics Co., Ltd.