### EXTRA STRENGTH PAIN RELIEVER- acetaminophen tablet, film coated Walmart Inc.

-----

#### Extra Strength Acetaminophen 500 mg tablets

#### **Drug Facts**

#### Active ingredient (in each tablet)

Acetaminophen 500 mg

#### Purpose

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
- -the common cold
- -headache
- -backache
- -minor pain of arthritis
- -toothache
- -muscular aches
- -premenstrual and menstrual cramps
- temporarily reduces fever

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

#### Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

#### do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 tablets every 6 hours while symptoms last</li> <li>do not take more than 6 tablets in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	ask a doctor

#### Other information

- SODIUM FREE
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients** carnauba wax, FD&C red #40 aluminum lake, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid, sucralose, titanium dioxide

Questions or comments?Call 1-888-287-1915

<sup>\*</sup>may contain this ingredient

# **Drug Facts** (continued

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask
- if you are allergic to acetaminophen or any of the inactive ingredients in this product a doctor or pharmacist

Ask a doctor or pharmacist before use if you are Ask a doctor before use if you have liver disease

Stop use and ask a doctor if taking the blood thinning drug warfarin

new symptoms occur pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is present

hese could be signs of a serious condition.

before use. pregnant or breast-feeding, ask a health professional

notice any signs or symptoms for adults as well as for children even if you do not Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical (eep out of reach of children.

## (see overdose warning) **DITECTIONS** ■ do not take more than directed

years and over symptoms last do not take more than 6 tablets ■ take 2 tablets every 6 hours while by a doctor
do not use for more than 10 days in 24 hours, unless directed

children 12

adults and

ask a doctor unless directed by a doctor

12 years children under

(59°-86°F) **Other information** 

SODIUM FREE er Intormation ■ SODIUM FREE ■ store at (77°F) excursions permitted between 15°-30°C use by expiration date on package

povidone, pregelatinized starch, sodium starch glycolate\*, stearic acid, sucralose, titanium dioxide #40 aluminum lake, hypromellose, polyethylene glycol **nactive ingredients** carnauba wax, FD&C red

**Questions or comments?** Call 1-888-287-1915

may contain this ingredient



#### EXTRA STRENGTH PAIN RELIEVER

acetaminophen tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-342
Route of Administration	ORAL		

#### **Active Ingredient/Active Moiety**

Ingre	dient	Name
-------	-------	------

**Basis of Strength Strength** 

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)

ACETAMINOPHEN

500 mg

Inactive Ingredients				
Ingredient Name	Strength			
POVIDONE (UNII: FZ989GH94E)				
STARCH, CORN (UNII: O8232NY3SJ)				
CARNAUBA WAX (UNII: R12CBM0EIZ)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				

FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

STEARIC ACID (UNII: 4ELV7Z65AP)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

**SODIUM STARCH GLYCOLATE TYPE A POTATO** (UNII: 5856)3G2A2)

Product Characteristics			
Color	red	Score	no score
Shape	ROUND (biconvex)	Size	11mm
Flavor		Imprint Code	TCL342
Contains			

l	Packaging			
	# Item Code Package Description		Marketing Start Date	Marketing End Date
	1 NDC:79903-342-	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/30/2024	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Marketing Date Date	
OTC Monograph Drug	M013	07/30/2024	

#### **Labeler -** Walmart Inc. (051957769)

#### **Registrant -** TIME CAP LABORATORIES INC (037052099)

Establishment				
Name	Address	ID/FEI	Business Operations	
TIME CAP LABORATORIES INC		037052099	manufacture(79903-342)	

Revised: 7/2024 Walmart Inc.